

24675 SEARCH REQUEST FORM

Requestor's

Name:

GAMZEL / 1844

Serial

Number:

08/819669

Date:

9/12/00

Phone:

302 3997

Art Unit:

3000

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).

SEQ + SEQ INTERFERENCE
SEARCH

SEQ ID NO: 26 x2

8

30-9/12-39-43

MP2 - 9/12 -

173-
174-
176-
171-
181-
182-

REQUEST

IN

THUR

STAFF USE ONLY

Date completed:

9/13/00

Searcher:

25

Terminal time:

25

Elapsed time:

10

CPU time:

10

Total time:

10

Number of Searches:

10

Number of Databases:

10

Search Site

STIC

CM-I

Pre-S

Type of Search

N.A. Sequence

A.A. Sequence

Structure

Bibliographic

Vendors

IG

STN

Dialog

APS

Geninfo

SDC

DARC/Questel

Other

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run On: September 13, 2000, 01:18:33 : Search time 2504.47 Seconds
(without alignments)
9990.683 Million cell updates/sec

Title: US-08-819-669E-8
Perfect score: 5674

Sequence: 1 CCGGGGCGACCACTGGCATC.....TAATGATCTGGTGGATCC 5674

Scoring table: IDENTITY NUC
Gapop 10.0 , Gapext 1.0

Searched: 5247842 seqs, 2204914090 residues

Total number of hits satisfying chosen parameters: 10495684

Minimum DB seq length: 0

Maximum DB seq length: 20000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

EST:

1: em_est1:
2: em_est2:
3: em_est3:
4: em_est4:
5: em_est5:
6: em_est6:
7: em_est7:
8: em_est8:
9: em_est9:
10: em_est10:
11: em_est11:
12: em_est12:
13: em_est13:
14: em_est14:
15: em_est15:
16: em_est16:
17: em_est17:
18: em_est18:
19: em_est19:
20: gb_est1:
21: gb_est2:
22: gb_est3:
23: gb_est4:
24: gb_est5:
25: gb_est6:
26: gb_est7:
27: gb_est8:
28: gb_est9:
29: gb_est10:
30: gb_est11:
31: gb_est12:
32: gb_est13:
33: gb_est14:
34: gb_est15:
35: gb_est16:
36: gb_est17:
37: gb_est18:
38: gb_est19:
39: gb_est20:
40: gb_est21:
41: gb_est22:
42: gb_est23:
43: gb_est24:

44: gb_est25:
45: gb_est26:
46: gb_est27:
47: gb_est28:
48: gb_est29:
49: em_est20:
50: em_est21:
51: em_est22:
52: gb_est30:
53: gb_est31:
54: gb_est32:
55: em_est23:
56: em_est24:
57: em_est25:
58: em_est26:
59: gb_est33:
60: gb_est34:
61: gb_est35:
62: gb_est36:
63: gb_est37:
64: gb_est38:
65: em_est27:
66: em_est28:
67: em_est29:
68: em_est30:
69: gb_est39:
70: gb_est40:
71: gb_est41:
72: gb_est42:
73: gb_est43:
74: gb_est44:
75: em_est31:
76: em_est32:
77: em_est33:
78: em_est34:
79: gb_est45:
80: gb_est46:
81: gb_est47:
82: em_est35:
83: em_est36:
84: em_est37:
85: gb_est48:
86: gb_est49:
87: gb_est50:
88: gb_est51:
89: gb_est52:
90: gb_est53:
91: gb_est54:
92: gb_est55:
93: gb_est56:
94: gb_est57:
95: gb_gss2:
96: gb_gss3:
97: em_gss1:
98: em_gss2:
99: em_gss3:
100: em_gss4:
101: gb_gss5:
102: gb_gss6:
103: em_gss5:
104: em_gss6:
105: gb_gss7:
106: gb_gss8:
107: gb_gss9:
108: em_gss7:
109: em_gss8:
110: gb_gss11:
111: gb_gss10:
112: em_gss9:
113: em_gss10:
114: em_gss11:
115: em_gss12:
116: gb_gss12:

117: 9b_gss13:*
 118: 9b_gss14:*
 119: 9b_gss15:*
 120: 9b_gss16:*
 121: 9b_gss17:*
 122: 9b_gss18:*
 123: 9b_gss19:*
 124: em_gss13:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, *and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
C 1	427.4	7.5	859	44	AI798898 we94all.x
C 2	413	7.3	414	63	AW103876 x47e12.x
C 3	392.6	6.9	728	44	AI805537 tx86c10.x
C 4	375.4	6.6	670	72	AW438674 x102b04.x
C 5	349.6	6.2	533	71	AW383186 PM3-HT034
C 6	331	5.8	578	47	AL044464 DXF2P434H
C 7	328.2	5.8	599	47	AL044465 DXF2P434H
C 8	286	5.0	464	79	AW673548 bs55b09.y
C 9	285	5.0	504	47	AL044429 DXF2B434F
C 10	275.2	4.9	493	45	AL045423 DXF2B434F
C 11	272.6	4.8	511	69	AW245614 2822978.3
C 12	270.6	4.8	481	33	AA995045 ou53e02.s
C 13	270.6	4.8	495	69	AI94089 x12a03.x
C 14	260.2	4.6	521	70	AW250219 2822505.3
C 15	257.8	4.5	459	36	AI222439 qh04h04.x
C 16	251.2	4.4	451	44	AI805352 tx85c10.x
C 17	247.6	4.4	430	79	AW628104 bh98a02.x
C 18	246.4	4.3	415	36	AI200443 qf93b07.x
C 19	243.4	4.3	519	69	AW245872 2822505.5
C 20	235.4	4.0	534	70	AW247017 2822505.5
C 21	228.8	3.9	394	32	AA857809 o103h03.s
C 22	220.2	3.9	457	80	AW731700 ba55b09.x
C 23	218.6	3.9	566	39	AI394145 tg06e07.x
C 24	215.4	3.8	780	40	AI479347 tm27408.x
C 25	212.4	3.7	638	70	AW273455 xt39h01.x
C 26	212.2	3.7	638	70	AW248864 2820966.3
C 27	206.8	3.6	514	79	AW664428 h111b03.x
C 28	205.2	3.6	399	69	AW193638 xml18f07.x
C 29	201	3.5	488	44	AI830281 wj95b10.x
C 30	193.8	3.4	478	63	AW103946 x062h08.x
C 31	193.2	3.4	367	35	AI142010 oc21e08.x
C 32	188.8	3.3	459	93	AQ017378 CIT-HSP-2
C 33	188.4	3.3	597	70	AW249285 2820966.5
C 34	181.6	3.2	338	88	RO6041 wb89f01.r1
C 35	181.6	3.2	630	46	AI954607 wg34a12.x
C 36	178.6	3.1	256	89	T29724 EST92093.Hu
C 37	176.4	3.1	457	119	AZ070771 RPO1-23-4
C 38	175	3.1	387	88	RO6042 ye89f02.r1
C 39	166	2.9	466	30	AA704513 x23a12.s
C 40	163.2	2.9	293	89	T29746 EST92986.Hu
C 41	163.2	2.9	345	71	AW356066 38053.MAR
C 42	159	2.8	324	33	AA905896 o188a05.s
C 43	157.2	2.8	467	34	AI032153 os76e10.s
C 44	155.4	2.7	441	88	R23773 yh34b02.r1
C 45	150.6	2.7	523	116	AQ838224 HS-4729.A

ALIGNMENTS

RESULT 1
 LOCUS AI798898 869 bp mRNA EST
 DEFINITION we94all.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone
 IMAGE:2348732 3' similar to SW:MAG2_HUMAN P43356
 18-DEC-1999

MELANOMA-ASSOCIATED ANTIGEN 2 ; mRNA sequence.

ACCESSION AI798898
 VERSION AI798898.1 GI:5364370
 KEYWORDS EST.
 SOURCE human.

ORGANISM

Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.

REFERENCE

1 (bases 1 to 869)
 NCI-CCAP http://www.ncbi.nlm.nih.gov/ncicgap.

AUTHORS

National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
 Tumor Gene Index

JOURNAL

Unpublished (1997)

COMMENT

On Apr 7, 1998 this sequence version replaced gi:3036723.

Contact: Robert Strausberg, Ph.D.

Tel: (301) 496-1550

Email: Robert_Strausberg@nih.gov

This clone is available royalty-free through LNL; contact the

IMAGE Consortium (info@image.lnl.gov) for further information.

Insert Length: 933 Std Error: 0.00

Seq primer: -40UP from Gibco

High quality sequence stop: 466.

FEATURES

source

1..869
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone_image="IMAGE:2348732"
 /clone_lib="Soares_NFL_T_GBC_S1"
 /lab_host="DH10B"

/note="Organ: pooled; Vector: pT73D-Pac (Pharmacia) with a modified polylinker; Site1: Not I; Site2: Eco RI; Equal amounts of plasmid DNA from three normalized libraries (fetal lung NbHL19W, testis NHT, and B-cell NCI/CCAP GCBI) were mixed, and ss circles were made in vitro. Following HAP purification, this DNA was used as tracer in a subtractive hybridization reaction. The driver was PCR-amplified cDNAs from pools of 5,000 clones made from the same 3 libraries. The pools consisted of I.M.A.G.E. clones 297480-302087, 682632-687239, 72408-728711, and 729096-731399. Subtraction by Bento Soares and M. Fatima Bonaldo."

BASE COUNT 251 a 206 c 169 g 239 t 4 others

ORIGIN

Query Match 7.58; Score 427.4; DB 44; Length 869;

Best Local Similarity 75.4%; Pred. No. 4.5e-96;

Matches 669; Conservative 0; Mismatches 185; Indels 33; Gaps 10;

QY 4484 ATTGCAATGAGGGGGCGGCGCTGCTCCCTCAGGAGGAAATCTGGGAGGAGCTGTGTGATG 4543

Db 869 ATCGCAATAGAGGGCGGCTGTGCCCCCTGAGCAGCACATCTGGAAGNAGCTAGTAAGTTG 810

QY 4544 GAGGTGTATGATGGAGGGAGCAGTGCCTATGGGGAGCCAGGAAGCT-GCTCACCA 4602

Db 809 NAGGTGT-TGAGGGAAGAAAGTAGTGTCTTCGCACATCCCAAGAGCTAGCTCATGCA 751

QY 4603 AGATTGTGTCAGGAAAGTAGTACCTGGAGTACGCGAGGTGCGGACAGTATCCCGCACGC 4662

Db 750 TGATCTGCTGCAGACTACTACTACCTGAAGTTCCGCGAGGTGCGGACAGTATCTCTGCATC 691

QY 4663 TATGATTCCTGTGGGTGCCAGGCCCTCTGTCACACAGCTATGTGAAGTCCCTTGA 4722

Db 690 CTCGATGTTCTGTAGTCCCGGGCCCATTTGACCAAGCTATGTGAAGTCTGTCAC 531

QY 4723 TATGTGATCAAGGTCAGTGCAGAGTTCGGTCTTTTCTTCCATCCCTCGGTGAAGCAGCT 4782

Db 630 CATACACTAAAGATCGGTGAAGACCCCTCACATTTCTTACCCACCCCTGCTGAACGGCT 571

QY 4783 TTGACAGAGGAGGAGGAGGAGTCTGAGCATGAGTTGTCACCCAGGCCAGTGGGAGGGG 4842

Db 570 TTGACAGAGGAGGAGGAGTCTGAGTCTGACACATGTTGACACCCAGGCCAGTGGGAGGGG 513

Query Match	7.38	Score 413	DB 63	Length 414
Best Local Similarity	99.88	Pred. No. 1.5e-92		
Matches 413	Conservative 0	Mismatches 1	Indels 0	Gaps 0
Qy 4942	CAGTAGTAGGTTTCTGTCTCTATTGGGTGACATTGGAGATTATATCTTTGTCTCTTTTGAA	5081		
Db 414	CAGTAGTAGGTTTCTGTCTCTATTGGGTGACATTGAGATTATATCTTTGTCTCTTTTGAA	355		
Qy 5002	TGTGTCAAATGTTTTTTTTTAAAGGATGGTTGAATGAACCTCAGCATCCACAGTTTATGAA	5061		
Db 354	TGTGTCAAATGTTTTTTTTTAAAGGATGGTTGAATGAACCTCAGCATCCACAGTTTATGAA	295		
Qy 5062	TGACAGCAGTCACACAGTCTGTGTATATAGTTTAAAGGTTAAGAGCTCTGTGTTTATTC	5121		
Db 294	TGACAGCAGTCACACAGTCTGTGTATATAGTTTAAAGGTTAAGAGCTCTGTGTTTATTC	235		
Qy 5122	AGATTGGGAAATCCATTCTATTTTGTGAATTTGGGATAATAACAGCAGTGGAAATAAGTACT	5181		
Db 234	AGATTGGGAAATCCATTCTATTTTGTGAATTTGGGATAATAACAGCAGTGGAAATAAGTACT	175		
Qy 5182	TAGAAATCTGAAAATGAGCAGTAAAAATAGATGAGATAAAGAACTAAAGAAAATTAAGAGA	5241		
Db 174	TAGAAATCTGAAAATGAGCAGTAAAAATAGATGAGATAAAGAACTAAAGAAAATTAAGAGA	115		

Db	114	TAGTCAATTCCTGGCCTTATACCTCAGTCTATTCTCTAAATTTTAAAGATATATGCATA 55
QY	5302	CCTGGATTTCCTTGGCTTCCTTTGAGAAATGTAGAGAAATTAATCTGAATAAG 5355
Db	54	CCTGGATTTCCTTGGCTTCCTTTGAGAAATGTAAAGAGAAATTAATCTGAATAAG 1

RESULT	3
AI805537/c	
LOCUS	AI805537 mRNA 728 bp EST 16-DEC-1999
DEFINITION	tx86c10.x1 NC1-CGAP Ut4 Homo sapiens cDNA clone IMAGE:2276466 3, similar to SW:MAC4_HUMAN P43358 MELANOMA-ASSOCIATED ANTIGEN 4 7, mRNA sequence.
ACCESSION	AI805537
VERSION	AI805537.1 GI:5392103
KEYWORDS	EST.
SOURCE	human.
ORGANISM	Homo sapiens
REFERENCE	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
AUTHORS	1 (bases 1 to 728)
TITLE	NC1-CGAP http://www.ncbi.nlm.nih.gov/ncicgap . National Cancer Institute, Cancer Genome Anatomy Project (CGAP).
JOURNAL	Tumor Gene Index
COMMENT	Unpublished (1997) On May 11, 1999 this sequence version replaced gi:4776345. Contact: Robert Strausberg, Ph.D. Tel: (301) 496-1550 Email: Robert_Strausberg@nih.gov

Emmert-Buck, M.D., Ph.D.
cDNA Library Preparation: Life Technologies, Inc.
cDNA Library Arrayed by: Greg Lennon, Ph.D.
DNA Sequencing by: Washington University Genome Sequencing Center
Clone distribution: NCI-CCAP clone distribution information can be

4638	QY	GGTGGGACAGTGAATCCCGACAGCTATAGATTCTCTGTGGGTCCAAAGGGCCCTCCCTGA	4697
720	Db	GGTACCGGCAAGTATCTCGCGCTATGAGTCTTGTGGGTCCAAAGGCTCTGGCTG-	660
4698	QY	AACCAAGTATGTGAAGTCCCTTGAGTATGTGATCAAGTCCAGTCCAAAGAGTTCGCTTTT	4757
- 561	Db	AACCAAGTATGTGAAGTCTGNNAGCATGTGTGAGGTCGAAGTTCGCTTCGC-ATTG	603
4758	QY	CTTCCCATCCCTGCGTGAAGCAGCTTTGACAGAGGAGGAGGAGTCTGACCATGACT	4817
602	Db	CTACCCATCCCTGCGTGAAGCAGCTNTGTTAGAGGAGGAGGAGTCTGACCATGACT	543
4818	QY	TCACGCCAAGGCCAGTGGGAGG---GGACTGGGCCAGTGCACCTTCCAGGCGCGCTC	4873
542	Db	GCAGGCCAAGGGCTGTGGGGAAAGGGCAGGCGTGGGCCAGTGCATCTAACA--GCCCTGTG	485
4874	QY	CAGCAGCTTCCCTCGCTCGTGCACATGAGGCCATCTTCTACTC---TGAAGAGAGC	4929
484	Db	CAGCAGCTTCCCTTGGCTCGTGAACATGAGGCCATCTTCTACTCTGTTGAAGAAAT	425
4930	QY	GGTCAGTGTCTCAGTAGTAGTTCCTGTTCTATTGGGTGACTTTGGAGATTTATCTTGT	4989
424	Db	AGTCAGTGTCTTAGTAGTGGGTTCTATTGTTGGTACTTGGAGATTTATCTCTCT	365
4990	QY	TCTCTTTTGGAAATGTTCCAAATGTTTTTTTTTAAAGGATGTTGAATGAACCTTCAGCATC	5049
364	Db	TTCCCTTTTACAATGTTGAAATGTT-CCTTTTAAATGGATGTTGAATTAACCTTCAGCATC	306
5050	QY	CAAGTTTATGAATGACAGCATCACAGTCTCTGTATATAGTCTTAAAGGTAAGAGTCT	5109
305	Db	CAAGTTTATGAATCGTAGTTAACGTATATTCTGTGTTAATATAGTCTTGGAGTAAGAGTCT	246
5110	QY	TGTGTTTTATTCAGATGGGAAATCCATCTATTTTGTGTAATTGGG---ATAATACAGC	5166
245	Db	TGTTTTTTTATTCAGATGGGAAATCCCTCTATTTTGTGAATTTGGGACATATAACAGC	186
5167	QY	AGTGGAAATAGTACTTTAGAAATGTGAAATAGAGCAGTAAATAGATGAGATAAGAACT	5226
185	Db	AGTGCAGTAAGTATTTAGAAGTGTG---AATTCACCGTGAATAGCTGAGAT-----	135
5227	QY	AAAGAAATTAAGAGATAGTCAATTCCTTGGCCTTATACCTCAGTCTATTCTGTAATTT-T	5285
136	Db	-----AAATTAAGAGACTTAATTCGCGCCTTATGCGCTCAGTCTATTCTGTAAATTTAA	81
5286	QY	TAAAGATATATGCATCCTGGATTCCTTGGCTTCTTTGAGATGTAAAGAGAAATTAAT	5345
80	Db	AAATATATATATGCATCCTGGATTCCTTGGCTTCTTTGAGATGTAAAGAGAAATTAAT	24

Db 481 CCTTGCTCGTGACATGAGGCCATTCTCTCACTCTGTTGAGAAATAGTCACTGTT 422
 QY 4940 CTAGTAGTAGGTTCTGTTCTATTGGGTCACCTGAGATTATCTTCTCTCTTTGG 4999
 Db 421 CTAGTAGTAGGTTCTGTTCTATTGGGTCACCTGAGATTATCTTCTCTCTTTAC 362
 QY 5000 AATTGTTCAATGTTTCTTTTAAAGGATGTTGTAATGAACCTTCAGCATCCCAAGTTATG 5059
 Db 361 AATTGTTGAATG-TTCCCTTTTAAAGGATGTTGTAATGAACCTTCAGCATCCCAAGTTATG 303
 QY 5060 AATGACAGCAGTCACACAGTCCTGTATATAGTTTAAAGGTAAGAGTCTTGTGTTTAT 5119
 Db 302 AATCGTAGTAAGCTATATTCCTGTTAAATAGTTTAAAGGTAAGAGTCTTGTGTTTAT 243
 QY 5120 TCAGATTGGGAATCCATCTTATTTGTTGAATGGG---ATAATACAGCAGTGGGAATAA 5176
 Db 242 TCAGATTGGGAATCCGTTCTATTTGTTGAATTTGGACATAATAACAGCAGTGGAGTAA 183
 QY 5177 GTACTTAGAATGTGAATAATGACAGTAAATAGATGAGATGAAGAACTAAGAATAA 5236
 Db 182 GTATTTAGAACTGTG---AATTCACCGTGAATAGGTGAGAT-----AAATTA 138
 QY 5237 AGAGATGTAATTTCTGCTTATACCTCAGTCTATTTCTGTAATAATTT-TTAAAGATATA 5295
 Db 137 AAGATACCTTAATTCCTGCTTATGCTCAGTCTATTTCTGTAATAATTTTAAATAATATA 78
 QY 5296 TGCATACCTGATTCCTGCTTCTTTGAGATGTAAGAGAAATTAATCTGAATAAG 5355
 Db 77 TGCATACCTGATTCCTGCTTCTTTGAGATGTAAGAGAAATTAATCTGAATAAT 21
 QY 5356 AATCTTCTCGTTCA 5370
 Db 20 AATCTTCTCGTTAA 6
 RESULT 5
 LOCUS AW383186 533 bp mRNA EST 04-FEB-2000
 DEFINITION PM3-HT0344-151299-004-h01 HT0344 Homo sapiens cDNA, mRNA sequence.
 ACCESSION AW383186
 VERSION AW383186.1 GI:6887845
 KEYWORDS EST.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 533)
 HCGP <http://www.ludwig.org.br/ORESTES>.
 TITLE The FAPESP/LICR Human Cancer Genome Project
 JOURNAL Unpublished (1999)
 COMMENT On Jun 15, 1998 this sequence version replaced gi:3224202.
 Contact: Simpson A.J.G.
 Laboratory of Cancer Genetics
 Ludwig Institute for Cancer Research
 Rua Prof. Antonio Prudente 109, 4 andar, 01509-010, Sao Paulo-SP,
 Brazil
 Tel: +55-11-2704922
 Fax: +55-11-2707001
 Email: asimpson@ludwig.org.br
 This sequence was derived from the FAPESP/LICR Human Cancer Genome
 Project. This entry can be seen in the following URL
 (<http://www.ludwig.org.br/scripts/gethtml2.pl?tl=PM3&t2=PM3-HT0344-151299-004-h01&t3=1999-12-15&t4=1>)
 Seq primer: puc18 forward
 High quality sequence start: 21
 High quality sequence stop: 533.
 Location/Qualifiers
 1..533
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone_lib="HT0344"
 /dev_stage="Adult"
 /note="Organ: head_neck; Vector: puc18; Site:1: SmaI;

site_2: SmaI; A mini-library was made by cloning products
 derived from ORESTES PCR (U.S. Letters Patent application
 No. 196,716 - Ludwig Institute for Cancer Research)
 profiles into the pUC18 vector. Reverse transcription of
 tissue mRNA and cDNA amplification were performed under
 low stringency conditions.
 BASE COUNT 117 a 112 c 175 g 129 t
 ORIGIN
 Query Match 6.2%; Score 349.6; DB 71; Length 533;
 Best Local Similarity 84.0%; Pred. No. 1.2e-76;
 Matches 445; Conservative 0; Mismatches 74; Indels 11; Gaps 4;
 QY 4484 ATTGCAATGGAGGGCGGCATCTCTCTGAGGAGGAAATCTGGGAGGAGCTGAGTGTGATG 4543
 Db 6 ATTCAATGGAGGGCTGACAGCGCCTCTGAGGAGGAAATCTGGGAGGAGCTGGGTGTGATG 65
 QY 4544 GAGGTGTATGATGGGAGGAGCAGACAGTGCCTATGGGAGGCCAGCAAGCTGCTCACCACAA 4603
 Db 66 GGGGTGTATGATGGGAGGAGGAGGACACTGTCTATGGGAGGCCAGCAAGCTGCTCACCACAA 125
 QY 4604 GATTTGGTGCAGGAAAGTACCTGGAGTA-CGGCAGGTGCGGAGCAGTATCCCCACGC 4662
 Db 126 GATTTGGTGCAGGAAAGTACCTGGAGTACCGGCAGGTACCGGCAGTAATCTCTGGGCGC 185
 QY 4663 TATGAGTCTCTGGGTCCRAAGGCCCTCGCTGAACCCAGCTATGTAAAGTCTCTTGG 4722
 Db 186 TATGAGTCTCTGGGTCCRAAGGCCCTCGCTGAACCCAGCTATGTAAAGTCTCTTGG 245
 QY 4723 TATGTGATCAAGTTCAGTGCAGAGTTCGCTTTTCTTCCCATCCCTCGCTGAACAGCT 4782
 Db 246 CATGTGGTCAGGTCATCAATGCAAGAGTTCGCTTACCCATCCCTGCTGAACAGCT 305
 QY 4783 TTGAGAGGAGGAGAGGAGGAGTCTGAGCATGAGTTGCAGCCAGCCAGTGGGAGGGG 365
 Db 306 TTGTTAGAGGAGGAGAGGAGGAGTCTGAGCATGAGTTGCAGCCAGCCAGTGGGAGGGG 4898
 QY 4841 --GGACTTGGGCGAGTGCACCTTCCAGGGCGGCTCCAGCAGCTTCCCTGCTCTGTGA 4898
 Db 366 CAGGGCTGGGCGAGTGCATCTAACA--GCCCTGTCAGCAGCTTCCCTTGGCTGTAA 423
 QY 4899 CATGAGGCCCATCTTCACTC-----TGAAGAGAGCGGTGAGTGTCTCAGTAGTAGTGT 4954
 Db 424 CATGAGGCCCATCTTCACTCCTGTTTGAAGAAATAGTCAAGTGTCTTCTAGTAGTGTGA 483
 QY 4955 CTGTTCTATTGGTGAATTTGAGATTATCTTTTCTCTTTTGAATTG 5004
 Db 484 CTAATTGGTGGATGACTTGGAGATTATCTCTGTTTCCCTTACAAATTG 533
 RESULT 6
 LOCUS AL044464 578 bp mRNA EST 29-FEB-2000
 DEFINITION DKFZP434H022.r1.434 (synonym: htes3) Homo sapiens cDNA clone
 DKFZP434H022.5', mRNA sequence.
 ACCESSION AL044464
 VERSION AL044464.1 GI:5432682
 KEYWORDS EST.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 REFERENCE 1 (bases 1 to 578)
 Anson, W., Benes, V., Krieger, S., Mewes, H.W., Gassenhuber, J. and
 Wiemann, S.
 EST (Anson, Benes, et al.)
 Unpublished (1999)
 TITLE JOURNAL
 COMMENT Contact: Anson, W.
 MIPs
 Am Klopferspitz 18a D-82152 Martinsried, Germany
 This is the 5' sequence of the clone insert
 Clone from S. Wiemann, Molecular Genome Analysis, German Cancer

Research Center (DKFZ); Email: s.wiemann@dkfz-heidelberg.de; sequenced by EMBL (European Molecular Biology Laboratories, Heidelberg/Germany) within the cDNA sequencing consortium of the German Genome Project.

s1 sequence also available.

This clone (DKFZp434H022) is available at the RZPD in Berlin. Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059 Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.

FEATURES

source

1. 578
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone_lib="434 (synonym: htes3)"
/tissue_type="testis"
/dev_stage="adult"
/lab_host="DH10B"
/note="Vector: pSport1; Site_1: NotI; Site_2: SalI"

BASE COUNT 130 a 136 c 196 g 116 t
ORIGIN

Query Match 5.8%; Score 331; DB 47; Length 578;

Best Local Similarity 78.0%; Pred. No. 5.4e-72;

Matches 45; Conservative 0; Mismatches 115; Indels 13; Gaps 4;

Qy 2531 GTTGGGGCCCTCAGGAGATGGGTCTTGGGTAAAGGGGGATGCTACTCATGTCA 2590

Db 1 GGTGGGGAACCTCAGGAGATAAGTGTGTGTAAAGAGAGCTGTGCTCAT--A 58

Qy 2591 GGGAAATGGGGTGGAGACACAGCGCTGGCAGATAAAGATGAGTGAGACAGACA 2650

Db 59 GGGGGTGGGGTGGAGAAAGGCGCTCTGGCAGAGTAAGATGAGTAACCCACAG 118

Qy 2651 AGGCTATTGGAATCACACCCAGAACCAAGGGGTGAGCCCTGGACACCTCAC----- 2704

Db 119 AGGCCATCATACGTTCCCTAGAACAAAGGGGTGAGCCCTGGACACGACGTGGGG 178

Qy 2705 --CCAGATGTGCTCTTTTCACTCTCTTCCAGATCTGGCAGGTGAGACCTC 2761

Db 179 GTACAGATGTGGC-CCCTCTCTCTCTGTTCCAGATCTCAGGAGGTGATGACCTT 237

Qy 2762 ATTCTCAGAGGTGACTCAGGTCAAGTAGGACCCCTATCTGCTGTAAAGACAGAGCGG 2821

Db 238 GTTTTCAGAGGTGACTCAGGTCAACAGAGGGGCCCTCTGTCGACAGATGCACTGG 297

Qy 2822 TCCAGATCTGCCATGCGTTCGGGTGAGGAACATCAGGAGGACTGAGGTAACCCAGG 2881

Db 298 TTCTAGATCTGCCAACATCCAGTGGAGAGCTGAGTAGATTGAGGTAACCCCTGG 357

Qy 2882 ACCAGAACTGA-GGGAGACTGCACAGAAATCAGCCCTGCCCTGCTGCACCCAGAG 2940

Db 358 GCCAGAAATGAGACAGAGGGGCCCATAGAAATCGCCCTGCCCTGCTGCACAG 417

Qy 2941 AGCATGGCTGGCGCTCCCGAGGTCTTCGGTATCTCTGGATCATGATGTCAGGG 3000

Db 418 ACCCTGGCAGGCTGTCAGCTGAGTCCCTCATTTATCTCTGGATCTTTGATGTCAGGG 477

Qy 3001 ACGGGAGGCGCTTGGTGTGAGAGAGGTGGCTCAGGTCACTAGAGAGCGCTCCAGGCC 3060

Db 478 AAGGGAGGCGCTTGGTGTGAGAGAGGTGGAGTCAGGTCACTAGAGAGCGGCTCAGGCC 537

Qy 3061 CTGCCAGAGTCAAGTGGAGGACCAAGCGGCACCTCCACC 3101

Db 538 CTGCCAGAGTGGAGTGGAGGACCAAGCGGACTCTGCACCC 578

RESULT 7

AL044465/c

LOCUS

DEFINITION

AL044465

ACCSSION

599 bp mRNA EST 29-FEB-2000

DKFZp434H022_s1 434 (synonym: htes3) Homo sapiens cDNA clone

DKFZp434H022 3', mRNA sequence.

AL044465

VERSION

KEYWORDS

SOURCE

ORGANISM

REFERENCE

AUTHORS

TITLE

JOURNAL

COMMENT

AL044465.1 GI:5432683

EST.

human.

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

1 (bases 1 to 599)

Ansoerge.W., Benes.V., Krieger.S., Mewes.H.W., Gassenhuber,J. and

Wiemann.S.

EST (Ansoerge, Benes, et al.)

Unpublished (1999)

Contact: Ansoerge W

MPS

Am Klopferspitz 18a D-82152 Martinsried, Germany

This is the 3' sequence of the clone insert

Clone from S. Wiemann, Molecular Genome Analysis, German Cancer

Research Center (DKFZ); Email: s.wiemann@dkfz-heidelberg.de;

sequenced by EMBL (European Molecular Biology Laboratories,

Heidelberg/Germany) within the cDNA sequencing consortium of the

German Genome Project.

r1 sequence also available.

This clone (DKFZp434H022) is available at the RZPD in Berlin.

Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059

Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de.

Location/Qualifiers

1. 599

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone_lib="434 (synonym: htes3)"

/tissue_type="testis"

/dev_stage="adult"

/lab_host="DH10B"

/note="Vector: pSport1; Site_1: NotI; Site_2: SalI"

BASE COUNT 191 a 130 c 98 g 180 t

ORIGIN

Query Match

Best Local Similarity

Matches 489; Conservative

0; Mismatches 83; Indels

31; Gaps

8;

Qy 4766 CCTGCTGTAAGCAGCTTTTGAGAGAGAGAGAGAGAGTCTGAGCATGAGTTGAGCCA 4825

Db 599 CCTGCTGTAAGCAGCTTTTGAGAGAGAGAGAGAGTCTGAGCATGAGTTGAGCCA 540

Qy 4826 AGCCAGTGGAGGGGAGCTGGCCAGTCCACCTCCAGGGCGGTCCAGCAGCTTCC 4885

Db 539 GGGCAGTGGAGGGGAGCTGGCCAGTCCACCTCCAGGGCGGTCCAGCAGCTTCC 483

Qy 4886 CTGCTGCTGATGATGAGGCCCATTCCTT--CACCTGTGAAGAGAGCGGTGCTGCTCA 4949

Db 479 CTGCTGCTGATGATGAGGCCCATTCCTT--CACCTGTGAAGAGAGCGGTGCTGCTCA 428

Qy 4944 GTAGTAGTTTCTGCTCTATTGGTGACATTGAGATTATCTTGTCTCTTTTGAATT 5003

Db 419 GCAGTAGTTTCTGCTCTATTGGTGACATTGAGATTATCTTGTCTCTTTTGAATT 360

Qy 5004 GTTCAAAATGTTTTTTTAAAGGATGTTGAATGAATTCACATCCCAAGTTTGAATG 5063

Db 359 GTTCAAAATG-TTCTTTTAAACAAATGTTGGATGAATTCACATCCCAAGTTTGAATG 301

Qy 5064 ACAGCAGTCAAC--AGTCTGTGTATATAGTTTAAAGGTAAGAGTCTTGTCTTTTATTC 5121

Db 300 ACAGTGTCAACATAGTGTCTTTATATAGTTTAAAGGTAAGAGTCTTGTCTTTTATTC 241

Qy 5122 AGATTGGAAATCCATCTTATTTTGTGAATG--GGATTAACAGCAGTGAATAAGTA 5179

Db 240 AGATTGGAAATCCATCTTATTTGTGAGTTGTACATTAATACAGCAGTGAATAAGTA 181

Qy 5180 CTTAGAAATCT---GAAAAATGAGCAGTAATAATAGATGAGTAAGAACTAAAGAAAT 5235

Db 180 TTTGCCCTATATGTGACAGCAATTAGCAGTAATAATATCATGATACAGGAAC-----TC 129

Db 362 TTAACGGATGGTGAATGAGCGTCAGCATCCAGGTTTATGAATGACAGTAGTCACACATA 303
 QY 5078 GTTCTGTGTATAGTATTAAGGGTAAGAGTCTGTGTCTTTTATTTCAGATTGGGAATCCAT 5137
 Db 302 GTGCGTTTATATAGTTTAGGAGTAAGAGTCTGTGTCTTTTATTTCAGATTGGGAATCCAT 243
 QY 5138 TCTATTTTGTGAATGGG--ATAAATACAGCAGTGGGATAAGTA---CTTAGAAATGTG 5191
 Db 242 TCCATTTTGTGAATGTGACATAATATAGCAGTGGGAAAGATATTCTCTTAAATTTGTG 183
 QY 5192 A-AAATGAGCAGTAAATAGATAGATAAAGAACTAAAGAAATTAAGAGATAGTCAAT 5250
 Db 182 AGCGAATAGCAATAACATACATAGAT---AACTCAAGAAATCAAAAGATAGTTGATT 127
 QY 5251 CTTCGCTTATACCTCAGTCTATCTGTAAATTTTAAAGATATATGATACCTGGATT 5310
 Db 126 CTTCGCTTACCTCAATCTATCTGTAAAT---TAAACAAATATGAAACACAGGATT 70
 QY 5311 CTTTGGCTCTTTTGAATGTGAAGAAATTAATCTGAATAAGAAATCTTCTCT 5365
 Db 69 CTTTGAATCTTTTGAATGTGAAGAAATTAATCTGAATAAGAAATCTTCTCT 15

RESULT 13
 LOCUS AW194089/c
 DEFINITION xm12a03.x1 NCI_CGAP_Ut4 Homo sapiens cDNA clone IMAGE:2683948 3', mRNA EST 29-NOV-1999
 ACCESSION AW194089
 VERSION AW194089.1 GI:6472822
 KEYWORDS EST.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 REFERENCE 1 (bases 1 to 495)
 AUTHORS NCI-CGAP <http://www.ncbi.nlm.nih.gov/ncicgap>.
 TITLE National Cancer Institute, Cancer Genome Anatomy Project (CGAP), Tumor Gene Index
 JOURNAL Unpublished (1997)
 COMMENT On Oct 30, 1998 this sequence version replaced gi:3817926.
 CONTACT: Robert Strausberg, Ph.D.
 TEL: (301) 496-1550
 EMAIL: Robert.Strausberg@nih.gov
 Tissue Procurement: Christopher Moskaluk, M.D., Ph.D., Michael R. Emmert-Buck, M.D., Ph.D.
 CDNA Library Preparation: Life Technologies, Inc.
 CDNA Library Arrayed by: Greg Lennon, Ph.D.
 DNA Sequencing by: Washington University Genome Sequencing Center
 Clone distribution: NCI-CGAP clone distribution information can be found through the I.M.A.G.E. Consortium/LLNL at: www-bio.llnl.gov/bbrp/image/image.html

Possible reversed clone: polyT not found
 Seq primer: -40UP from Gibco
 High quality sequence stop: 408.
 Location/Qualifiers
 1. 495
 /organism="Homo sapiens"
 /db_xref="taxon:9606"
 /clone="IMAGE:2683948"
 /clone_lib="NCI_CGAP_Ut4"
 /tissue_type="serous papillary carcinoma, high grade, 2 pooled tumors"
 /lab_host="DH10B"
 /note="Organ: uterus; Vector: pCMV-SPORT6; Site_1: SalI; Site_2: NotI; Cloned unidirectionally. Primer: Oligo dt. Average insert size 1.48 kb. Life Technologies catalog #: 11542-016"
 186 a 95 c 68 g 146 t

FEATURES

source

Query Match 4.8%; Score 270.6; DB 69; Length 495;
 Best Local Similarity 81.9%; Pred. No. 6.8e-57;
 Matches 417; Conservative 0; Mismatches 54; Indels 28; Gaps 8;
 QY 4871 GTCCAGCAGCTCCCGCCCTCGTGTGACATGAGGCCATCTCTCACTC---TGAAGAG 4926
 Db 494 GTGCAGCAGCTCCCGTCCCTCGTGTGACATGAGGCCATCTCTCACTC---TGAAGAG 4926
 QY 4927 AGCGGTGAGTGTCTCAGTAGTAGGTTCTGTCTATTTGGTGGTACCTTGTGAGATTATCTT 4986
 Db 434 AATAGTCAGTGTCTTCTAGTAGTGGTTCTTATTTTGGTGGTACCTTGTGAGATTATCTC 375
 QY 4987 TGTCTCTTTTGGAAATGTTCAATGTTTCTTTTAAAGGATGGTTGAATCAACTTCAGC 5046
 Db 374 TGTTCCTTTTACAAATGTTGAATG---TTCCTTTTATGATGGTGAATTAACCTTCAGC 316
 QY 5047 ATCCAAGTTT-ATGAATGACAGCAGTCACACAGTCTGTATATATAGTTTAAAGGTAAGA 5105
 Db 315 ATCCAAGTTTAAATGAATCGTAGTTAAGTATATTCGTGTTAATATAGTTTAAAGGTAAGA 256
 QY 5106 GTCTTGTGTTTATTCAGATTGGGAATCCATCTCTATTTTGTGAATGGG---ATAATAA 5162
 Db 255 GTCTTGTGTTTATTCAGATTGGGAATCCGTTCTATTTTGTGAATGGGACATAATAA 196
 QY 5163 CAGCAGTGGAAATAGTACTTAGAAATGTGAAATGAGCAGTAAATGATGAGATAAG 5222
 Db 195 CAGCAGTGGAGTAGTATTAGAAAGTGTG---AATTCACCGTGAATAGGTGAGAT--- 141
 QY 5223 AACTAAAGAAATTAAGAGATAGTCAATCTTCCTTATACCTCAGTCTATTCTGTAAAT 5282
 Db 142 -----AAATAAAGATACCTTAATCCCGCTTAAGCTCAGTCTATTCTGTAAAT 91
 QY 5283 TT-TTAAAGATATATGATACCTGGAATTCCTTGGCTTCTTTGAGAAATGAAGAGAAAT 5341
 Db 90 TTAATAAATATATATGATACCTGGAATTCCTTGGCTTC---GTGAATGAAGAGAAAT 34
 QY 5342 AACTTGAATTAAGAAATCTCTCTGTCA 5370
 Db 33 AACTTGAATTAATTAATCTTCTGTAA 5
 RESULT 14
 LOCUS AW250219/c
 DEFINITION AW250219 521 bp mRNA EST 07-JAN-2000
 ACCESSION AW250219
 VERSION AW250219.1 GI:6593212
 KEYWORDS EST.
 SOURCE human.
 ORGANISM Homo sapiens
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
 REFERENCE 1 (bases 1 to 521)
 AUTHORS NIH-MGC <http://www.ncbi.nlm.nih.gov/MGC/>.
 TITLE National Institutes of Health, Mammalian Gene Collection (MGC)
 JOURNAL Unpublished (1999)
 COMMENT On Jun 15, 1998 this sequence version replaced gi:3222620.
 Other ESTs: 2822505.5prime
 CONTACT: Robert Strausberg, Ph.D.
 EMAIL: Robert.Strausberg@nih.gov
 Tissue Procurement: DCTD/DTF CDNA Library Preparation: Ling Hong/Rubin Laboratory CDNA Library Arrayed by: The I.M.A.G.E. Consortium/LLNL DNA Sequencing by: Berkeley MGC sequencing project
 Project Clone distribution: MGC clone distribution information can be found through the I.M.A.G.E. Consortium/LLNL at: www-bio.llnl.gov/bbrp/image/image.html
 Scores: PERED from University of Washington Genome Center. Vector Trimming: cross_match from University of Washington Genome Center. PHRAP suite. Poly-T Identification: patMatch.pl from Berkeley Drosophila Genome Project. University of Washington Genome Center: <http://www.genome.washington.edu/Polyadenylation>. Based upon the

presence of a XhoI site followed by a run of 14 or more T residues at the beginning of the sequence, this cDNA insert was polyadenylated.
Plate: LfCM9 row: J column: 10
High quality sequence stop: 453.

FEATURES

source
1..521
Location/Qualifiers
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="IMAGE:2822505"
/clone_lib="NIH_MGC_7"
/tissue_type="small cell carcinoma"
/cell_line="MGC3"
/lab_host="DH10B (phage-resistant)"
/note="Organ: lung; Vector: pO1B7; Site_1: XhoI; Site_2: EcoRI; cDNA made by oligo-dT priming. Directionally cloned into EcoRI/XhoI sites using the following 5' adaptor: GGCACGAG(G). Size-selected >500bp for average insert size 1.8kb. Library constructed by Ling Hong in the laboratory of Gerald M. Rubin (University of California, Berkeley) using ZAP-cDNA synthesis kit (Stratagene) and Superscript II RT (Life Technologies)."

BASE COUNT

184 a 100 c 87 g 150 t

Query Match 4.6%; Score 260.2; DB 70; Length 521;

Best Local Similarity 81.9%; Pred. No. 2.8e-54; Mismatches 73; Indels 21; Gaps 10;

Qy	4866	GC	CGCGTCGACGAGCTTCCCGCTGCTGATGACATGAGGCCCATCTTTCACATC	--TGAA	4923
Db	521	GC	CCCATCCCTTAGTTTCCACATGCTCTGAGCGAGGCCCATCTTTCACATCTTGA		462
Qy	4824	GAG	ACGGCTGAGTCTTCAGTAGTAGTTCCTGCTCTATTTGGGTGACCTTGGAGATTTA		4983
Db	461	GCG	AGCAGTCAGCATCTTCTAGTAGTGGTTCCTGCTGTTGATGACCTTGGAGATTTA		402
Qy	4984	CTT	TGTTCTCTTTGGAAATGTTCAATGTTTTTTTAAAGGATGTTGAATGAACCTTC		5043
Db	401	CTT	TGTTTCTGTTGGAGTTGTTCAATG-TTCTTTTACGGATGTTGAATGAGCGTC		343
Qy	5044	AGC	ATCCAGTTTATGAATGAGACAGTCACAC--AGTCTGTGTATATAGTTTAAGGTT		5101
Db	342	AGC	ATCCAGTTTATGAATGAGACAGTCACACATAGTCTGTGTTATATAGTTTAGAGT		283
Qy	5102	AAG	AGTCTCTGTGTTTATTCAGATTGGAAATCCATCTATTTTGTGAATTGGG--ATAA		5159
Db	282	AAG	AGTCTCTGTGTTTATTCAGATTGGAAATCCATCTATTTTGTGAATTGACATAA		223
Qy	5160	TAC	AGCAGTGGAAATAAGTA-----CTTAGAAATGTGAAA--AATGACAGTAAATAGATG		5214
Db	222	TAT	AGCAGTGGAAATAAGTATTTGCTTAAATTTGTGAGCGAATAGCAATAACATACATG		163
Qy	5215	AGA	TAAAGAACTAAGAAATAGACAGTACTCAATCTTG-CCTTATACCTCAGTCTATT		5273
Db	162	AGA	T-----AACTCAAGAAATCAAAAGATGTTGATTTCCCTTGTACCTCAATCTATT		107
Qy	5274	CTG	TAAATATTTTAAAGATATATGATACCTGGATTTCCCTGGCTCTTTTGAGAAATGTA		5333
Db	106	CTG	TAAAA-----TTAAACAATATGCAACCCAGGATTTCCCTTGACTTCTTTGGCATTCGAA		50
Qy	5334	-GAG	AATTAATTAATTAAGAAATTTCTTCCTGTTTCC 5371		
Db	49	GCG	AAATTAATTTGGATTAAATATATTTTCTTTTCCC 11		

RESULT

15
AI222439/c
LOCUS
DEFINITION
qh04h04.x1 Soares_NFL_T_GBC_S1 Homo sapiens cDNA clone
IMAGE:1843735 3', mRNA sequence.
AI222439
ACCESSION

VERSION
KEYWORDS
SOURCE

AI222439.1 GI:3804642

ORGANISM

human.
Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
1 (bases 1 to 459)
NCI-CCAP <http://www.ncbi.nlm.nih.gov/ncicgap>.
National Cancer Institute, Cancer Genome Anatomy Project (CGAP),
Tumor Gene Index
Unpublished (1997)

REFERENCE

AUTHORS

TITLE

JOURNAL

COMMENT

CONTACT

EMAIL

NOTE

INSER

SEQ

High

Location/Qualifiers

1..459

/organism="Homo sapiens"

/db_xref="taxon:9606"

/clone="IMAGE:1843735"

/clone_lib="Soares_NFL_T_GBC_S1"

/lab_host="DH10B"

/note="Organ: pooled; Vector: pT7M3D-Pac (Pharmacia) with

a modified polylinker; Site_1: Not I; Site_2: Eco RI;

Equal amounts of plasmid DNA from three normalized

libraries (fetal lung NBHL19W, testis NHT, and B-cell

NCI-CCAP-GCB1) were mixed, and ss circles were made in

vitro. Following HAP purification, this DNA was used as

tracer in a subtractive hybridization reaction. The driver

was PCR-amplified cDNAs from pools of 5,000 clones made

from the same 3 libraries. The pools consisted of

I.M.A.G.E. clones 297480-302087, 682632-687239,

726408-728711, and 729096-731399. Subtraction by Bento

Soares and M. Fatima Bonaldo."

BASE COUNT

159 a 84 c 65 g 151 t

Query Match

Best Local Similarity

Mismatches

Conservative

0;

Mismatches

57;

Indels

17;

Gaps

7;

Qy

4927

ACG

GTCAGTGTCTCAGTAGTAGTTCCTGCTCTATTGGGTGACTTGGAGATTATCTT

4986

Db

459

ACG

AGTCACATCTCTAGTAGTGGGTTCTGCTCTGTTGGATGACTTGGAGATTATCTT

400

Qy

4987

TGT

CTCTTTTGAATGTTCATAATGTTTTTTTAAAGGATGTTGAATGAATTCACG

5046

Db

399

TGT

TTCTCTGAGTGTGTTCAATG-TTCTTTTAAACGGATGTTGAATGAGCGTCACG

341

Qy

5047

ATCC

AGATTATGATGACAGCAGTCACAC--AGTCTCTGTATATAGTTTAAAGGTAAG

5104

Db

340

ATCC

AGATTATGATGACAGCAGTCACACATAGTCGCTGTTATATAGTTTAAAGGTAAG

281

Qy

5105

AGT

CTTGTGTTTATTCAGATTGGGAAATCCATCTTATTTTGAATGGG--ATAATAA

5162

Db

280

AGT

CTTGTGTTTATTCAGATTGGGAAATCCATCTTATTTTGAATGGG--ATAATAA

221

Qy

5163

CAG

CAGTGAATAGTA---CTTAGAATATGA--AAATGAGCAGTAAATAGATAGA

5217

Db

220

TAG

CAGTGAATAGTATTTGCTTAAATTTGAGCGAATTAGCAATACATACATAGA

161

Qy

5218

TAA

AGAACTAAAGAAATTAAGAGATAGTCAATCTTGTGCTTATACCTCAGTCTATTCTGT

5277

Db

160

T---

AACTCAGAATCAAGATAGTTGATCTTGTGCTTGTACCTCAATCTATTCTGT

105

Qy

5278

AAA

ATTTTAAAGATATATGCAATACCTGGATTTCTTGGCTCTCTTTGAGAAATGTAAGA

5337

Db


104

AAAA

---TTTAAACAATATGCAACAGGATTTCTTGTGACTTCTTTTGTGAGAAATGCAAGCA

48

Search completed: September 13, 2000, 02:38:16
Job time: 4783 sec



Release 3.1A John F. Collins, Biocomputing Research Unit.
Copyright (c) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

MPSrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Wed Sep 13 07:14:42 2000; MasPar time 3.43 Seconds
Tabular output not generated. 40.218 Million cell updates/sec

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pep
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
Gap 15

Searched: 152433 seqs, 15329240 residues

Post-processing: Minimum Match 0%
Listing first 45 summaries

Database: a-issued
1:5A_COMB 2:5B_COMB 3:6_COMB 4:PCT_COMB 5:backfiles1
Statistics: Mean 14.653; Variance 34.108; scale 0.430

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description	Pred. No.
1	61	100.0	9	2	US-09-036- Sequence 1, Applicatio	1.24e-01
2	61	100.0	9	2	US-08-986- Sequence 1, Applicatio	1.24e-01
3	61	100.0	9	1	US-07-938- Sequence 1, Applicatio	1.24e-01
4	61	100.0	9	1	US-08-443- Sequence 12, Applicati	1.24e-01
5	61	100.0	9	1	US-08-787- Sequence 12, Applicati	1.24e-01
6	61	100.0	9	1	US-08-073- Sequence 12, Applicati	1.24e-01
7	61	100.0	9	3	US-08-159- Sequence 12, Applicati	1.24e-01
8	61	100.0	9	3	US-08-354- Sequence 99, Applicati	1.24e-01
9	61	100.0	9	2	US-08-902- Sequence 12, Applicati	1.24e-01
10	61	100.0	9	2	US-08-142- Sequence 21, Applicati	1.24e-01
11	61	100.0	9	4	PCT-US95-0 Sequence 26, Applicati	1.24e-01
12	61	100.0	9	4	PCT-US95-0 Sequence 2, Applicatio	1.24e-01
13	61	100.0	9	1	US-08-299- Sequence 1, Applicatio	1.24e-01
14	61	100.0	9	2	US-08-498- Sequence 26, Applicatio	1.24e-01
15	61	100.0	9	3	US-08-967- Sequence 4, Applicatio	1.24e-01
16	61	100.0	9	1	US-08-186- Sequence 26, Applicatio	1.24e-01
17	61	100.0	10	3	US-08-602- Sequence 1, Applicatio	1.24e-01
18	61	100.0	10	1	US-08-796- Sequence 25, Applicati	1.24e-01
19	61	100.0	10	2	US-08-498- Sequence 25, Applicati	1.24e-01
20	61	100.0	12	2	US-08-560- Sequence 5, Applicatio	1.24e-01
21	61	100.0	12	1	US-08-190- Sequence 4, Applicatio	1.24e-01
22	61	100.0	309	1	US-08-465- Sequence 24, Applicati	1.24e-01
23	61	100.0	309	2	US-08-993- Sequence 10, Applicati	1.24e-01

24	61	100.0	309	3	US-08-845- Sequence 10, Applicati	1.24e-01
25	59	96.7	9	3	US-08-159- Sequence 1201, Applic	2.48e-01
26	57	93.4	9	3	US-08-159- Sequence 1196, Applic	4.92e-01
27	55	90.2	8	1	US-08-073- Sequence 14, Applicati	9.70e-01
28	55	90.2	8	1	US-08-443- Sequence 14, Applicati	9.70e-01
29	55	90.2	8	3	US-08-354- Sequence 8, Applicatio	9.70e-01
30	55	90.2	9	2	US-08-498- Sequence 8, Applicatio	9.70e-01
31	53	86.9	9	3	US-08-159- Sequence 1193, Applic	1.90e+00
32	53	86.9	9	3	US-08-159- Sequence 1198, Applic	1.90e+00
33	52	85.2	9	2	US-08-498- Sequence 1, Applicatio	2.65e+00
34	52	85.2	9	2	US-08-498- Sequence 6, Applicatio	2.65e+00
35	52	85.2	369	2	US-08-773- Sequence 4, Applicatio	2.65e+00
36	51	83.6	9	3	US-08-159- Sequence 1200, Applic	3.70e+00
37	49	80.3	8	1	US-08-073- Sequence 13, Applicati	7.15e+00
38	49	80.3	8	3	US-08-354- Sequence 13, Applicati	7.15e+00
39	49	80.3	8	1	US-08-443- Sequence 13, Applicati	7.15e+00
40	49	80.3	8	1	US-07-938- Sequence 21, Applicati	7.15e+00
41	49	80.3	9	3	US-08-159- Sequence 1195, Applic	7.15e+00
42	48	78.7	873	3	US-09-187- Sequence 6, Applicatio	9.91e+00
43	48	78.7	925	2	US-08-504- Sequence 1, Applicatio	9.91e+00
44	48	78.7	925	2	US-08-392- Sequence 1, Applicatio	9.91e+00
45	48	78.7	925	4	PCT-US94-1 Sequence 1, Applicatio	9.91e+00

ALIGNMENTS

RESULT 1
ID US-09-036-582-1 STANDARD; PRT; 9 AA.
XX AC xxxxxx
XX DT
XX XX

Sequence 1, Application US/09036582A

Sequence 1, Application US/09036582A

Patent No. 5965381

GENERAL INFORMATION:

APPLICANT: van der Bruggen, Pierre

APPLICANT: Cornelis, Guy R.

TITLE OF INVENTION: DELIVERY OF PROTEINS INTO EUKARYOTIC CELLS

TITLE OF INVENTION: WITH RECOMBINANT YERSINIA

FILE REFERENCE: 11154

CURRENT APPLICATION NUMBER: US/09/036,582A

CURRENT FILING DATE: 1998-03-06

NUMBER OF SEQ ID NOS: 39

SOFTWARE: PatentIn ver. 2.0

SEQ ID NO 1

LENGTH: 9

TYPE: PRT

ORGANISM: Human MAGP-1 peptide

SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match 100.0%; Score 61; DB 2; Length 9;

Best Local Similarity 100.0%; Pred. No. 1.24e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

Qy 1 EADPTGHSY 9

RESULT 2

ID US-08-986-234-1 STANDARD; PRT; 9 AA.

XX AC xxxxxx

XX DT

XX XX

DE Sequence 1, Application US/08986234

XX Sequence 1, Application US/08986234

CC Patent No. 5981705

CC GENERAL INFORMATION:
CC APPLICANT: Wallen, et al.
CC TITLE OF INVENTION: Methods for Synthesizing Heat Shock Protein Complexes
CC FILE REFERENCE: UNME-0008-1
CC CURRENT APPLICATION NUMBER: US/08/986,234
CC CURRENT FILING DATE: 1997-12-05
CC NUMBER OF SEQ ID NOS: 114
CC SOFTWARE: Patentin ver. 2.0
CC SEQ ID NO 1
CC LENGTH: 9
CC TYPE: PRT
CC ORGANISM: human
CC SEQUENCE 9 AA; 976 MW; 576 CN;
SQ

Query Match 100.0%; Score 61; DB 2; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
| | | | | | | | | |
QY 1 EADPTGHSY 9

RESULT 3
ID US-07-938-334C-1 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
DT
XX

Sequence 1, Application US/07938334C
Patent No. 5405940
GENERAL INFORMATION:
APPLICANT: Boon, Thierry; van der Bruggen, Pierre;
APPLICANT: De Plaen, Etienne; Lurquin Christophe; Traversari, Catia
TITLE OF INVENTION: ISOLATED NONAPEPTIDES DERIVED FROM
NUMBER OF SEQUENCES: 22
CORRESPONDENCE ADDRESS:
ADDRESSEE: Felfe & Lynch
STREET: 805 Third Avenue
CITY: New York City
STATE: New York
COUNTRY: USA
ZIP: 10022
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
COMPUTER: IBM PS/2
OPERATING SYSTEM: PC-DOS
SOFTWARE: Wordperfect
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/07/938,334C
FILING DATE: 31-AUG-1992
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Hanson, No. 5405940man D.
REGISTRATION NUMBER: 30,946
REFERENCE/DOCKET NUMBER: LUD 293
TELEPHONE: (212) 688-9200
TELEFAX: (212) 838-3884
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 9 amino acid residues
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
FEATURE:
NAME/KEY: MAGE-1 derived nonapeptide
SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
| | | | | | | | | |
QY 1 EADPTGHSY 9

RESULT 4
ID US-08-443-341-12 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
DT
XX

Sequence 12, Application US/08443341
Patent No. 5695994
GENERAL INFORMATION:
APPLICANT: Boon-Falleur, Thierry
APPLICANT: van der Bruggen, Pierre
APPLICANT: De Plaen, Etienne
APPLICANT: Lurquin, Christophe
APPLICANT: Traversari, Catia
APPLICANT: Gaugler, Beatrice
APPLICANT: Van den Eynde, Benoit
TITLE OF INVENTION: ISOLATED NONAPEPTIDES DERIVED FROM
NUMBER OF SEQUENCES: 22
CORRESPONDENCE ADDRESS:
ADDRESSEE: Felfe & Lynch
STREET: 805 Third Avenue
CITY: New York City
STATE: New York
COUNTRY: USA
ZIP: 10022
COMPUTER READABLE FORM:
MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
COMPUTER: IBM PS/2
OPERATING SYSTEM: PC-DOS
SOFTWARE: Wordperfect
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/443,341
FILING DATE: 17-MAY-1995
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/073,103
FILING DATE: 7-JUNE-1993
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 07/938,334
FILING DATE: 31-AUG-1992
PRIOR APPLICATION DATA:
APPLICATION NUMBER: 08/037,230
FILING DATE: 26-MARCH-1993
ATTORNEY/AGENT INFORMATION:
NAME: Hanson, No. 5695994man D.
REGISTRATION NUMBER: 30,946
REFERENCE/DOCKET NUMBER: LUD 5293.5
TELECOMMUNICATION INFORMATION:
TELEPHONE: (212) 688-9200
TELEFAX: (212) 838-3884
INFORMATION FOR SEQ ID NO: 12:
SEQUENCE CHARACTERISTICS:
LENGTH: 9 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: protein
SEQUENCE 9 AA; 976 MW; 576 CN;
SQ

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9

RESULT 5
ID US-08-787-547-49 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
DT
XX
DE
XX

Sequence 49, Application US/08787547

Sequence 49, Application US/08787547

Patent No. 5783567

GENERAL INFORMATION:

APPLICANT: Hedley, Mary Lynne

APPLICANT: Curley, Joanne M.

APPLICANT: Langer, Robert S.

TITLE OF INVENTION: MICROPARTICLES FOR DELIVERY

TITLE OF INVENTION: OF NUCLEIC ACID

NUMBER OF SEQUENCES: 107

CORRESPONDENCE ADDRESS:

ADDRESSEE: Fish & Richardson, P.C.

STREET: 225 Franklin Street

CITY: Boston

STATE: MA

COUNTRY: US

ZIP: 02110-2804

COMPUTER READABLE FORM:

MEDIUM TYPE: Diskette

COMPUTER: IBM Compatible

OPERATING SYSTEM: Windows95

SOFTWARE: FastSeq for Windows Version 2.0

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/787,547

FILING DATE: 22-JAN-1997

CLASSIFICATION: 514

PRIOR APPLICATION DATA:

APPLICATION NUMBER:

FILING DATE:

ATTORNEY/AGENT INFORMATION:

NAME: Fraser, Janis K.

REGISTRATION NUMBER: 34,819

REFERENCE/DOCKET NUMBER: 08191/003001

TELEPHONE: 617-542-5070

TELEFAX: 617-542-8906

TELEX: 200154

INFORMATION FOR SEQ ID NO: 49:

SEQUENCE CHARACTERISTICS:

LENGTH: 9 amino acids

TYPE: amino acid

TOPOLOGY: linear

MOLECULE TYPE: peptide

SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 1.24e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9

RESULT 6
ID US-08-073-103A-12 STANDARD; PRT; 9 AA.
XX

AC xxxxxx

XX

DT

XX

DE

XX

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

CC

Sequence 12, Application US/08073103A

Sequence 12, Application US/08073103A

Patent No. 5462871

GENERAL INFORMATION:

APPLICANT: Boon-falleur, Thierry

APPLICANT: van der Bruggen, Pierre

APPLICANT: De Plaen, Etienne

APPLICANT: Lurquin, Christophe

APPLICANT: Traversari, Catia

APPLICANT: Gaugler, Beatrice

APPLICANT: van den Eynde, Benoit

TITLE OF INVENTION: ISOLATED NONAPEPTIDES DERIVED FROM

TITLE OF INVENTION: MAGE-3 GENE AND PRESENTED BY HLA-A1 AND USES THEREOF

NUMBER OF SEQUENCES: 22

CORRESPONDENCE ADDRESS:

ADDRESSEE: Felfe & Lynch

STREET: 805 Third Avenue

CITY: New York City

STATE: New York

COUNTRY: USA

ZIP: 10022

COMPUTER READABLE FORM:

MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage

COMPUTER: IBM PS/2

OPERATING SYSTEM: PC-DOS

SOFTWARE: Wordperfect

CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/073,103A

FILING DATE: 7-JUNE-1993

CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: 07/938,334

FILING DATE: 31-AUG-1992

ATTORNEY/AGENT INFORMATION:

NAME: Hanson, No. 5462871man D.

REGISTRATION NUMBER: 30,946

REFERENCE/DOCKET NUMBER: LUD 5293.1

TELEPHONE: (212) 688-9200

TELEFAX: (212) 838-3884

INFORMATION FOR SEQ ID NO: 12:

SEQUENCE CHARACTERISTICS:

LENGTH: 9 amino acids

TYPE: amino acid

STRANDEDNESS: single

TOPOLOGY: linear

MOLECULE TYPE: protein

SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 1.24e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 7

ID US-08-159-339A-99 STANDARD; PRT; 9 AA.

XX

AC xxxxxx

XX

DT

XX

DE

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

XX

Sequence 99, Application US/08159339A

Sequence 99, Application US/08159339A

CC	Patent No. 6037135
CC	GENERAL INFORMATION:
CC	APPLICANT: Kubo, Ralph T.
CC	APPLICANT: Grey, Howard M.
CC	APPLICANT: Sette, Alessandro
CC	APPLICANT: Celis, Esteban
CC	TITLE OF INVENTION: HLA Binding peptides and Their
CC	TITLE OF INVENTION: Uses
CC	NUMBER OF SEQUENCES: 1254
CC	CORRESPONDENCE ADDRESS:
CC	ADDRESSES: Townsend and Townsend and Crew LLP
CC	STREET: Two Embarcadero Center, Eighth Floor
CC	CITY: San Francisco
CC	STATE: CA
CC	COUNTRY: USA
CC	ZIP: 94111-3834
CC	COMPUTER READABLE FORM:
CC	MEDIUM TYPE: Diskette
CC	COMPUTER: IBM Compatible
CC	OPERATING SYSTEM: DOS
CC	SOFTWARE: FastSeq for Windows Version 2.0
CC	CURRENT APPLICATION DATA:
CC	APPLICATION NUMBER: US/08/159,339A
CC	FILING DATE: 29-NOV-1993
CC	CLASSIFICATION: 424
CC	PRIOR APPLICATION DATA:
CC	APPLICATION NUMBER: US 07/926,666
CC	FILING DATE: 07-AUG-1992
CC	APPLICATION NUMBER: US 08/027,746
CC	FILING DATE: 05-MAR-1993
CC	APPLICATION NUMBER: US 08/103,396
CC	FILING DATE: 06-AUG-1993
CC	ATTORNEY/AGENT INFORMATION:
CC	NAME: Weber, Ellen lauver
CC	REGISTRATION NUMBER: 32,762
CC	REFERENCE/DOCKET NUMBER: 018623-005030US
CC	TELECOMMUNICATION INFORMATION:
CC	TELEPHONE: (415) 576-0200
CC	TELEFAX: (415) 576-0300
CC	TELEX:
CC	INFORMATION FOR SEQ ID NO: 99:
CC	SEQUENCE CHARACTERISTICS:
CC	LENGTH: 9 amino acids
CC	TYPE: amino acid
CC	STRANDEDNESS: single
CC	TOPOLOGY: linear
CC	MOLECULE TYPE: peptide
CC	SEQUENCE 9 AA: 976 MW; 576 CN;
CC	Query Match 100.0%; Score 61; DB 3; Length 9;
CC	Best Local Similarity 100.0%; Pred. No. 1,24e-01;
CC	Matches 9; Conservative 0; Mismatches 0; Indel
DB	1 EADPTGHSY 9
DB	
QY	1 EADPTGHSY 9
RESULT	8
ID	US-08-354-679C-12
XX	STANDARD: PRT; 9 AA.
XX	xxxxxx
XX	
XX	
XX	
XX	Sequence 12, Application US/08354679C
CC	Sequence 12, Application US/08354679C
CC	Patent No. 6034214
CC	GENERAL INFORMATION:
CC	APPLICANT: Boon, Thierry; van der Bruggen, Pierre;
CC	APPLICANT: De Plaen, Etienne; Lurquin Christophe;
CC	TITLE OF INVENTION: ISOLATED NONAPEPTIDES DERIVED

CC	TITLE OF INVENTION:	MAGE GENES AND USES THEREOF
CC	NUMBER OF SEQUENCES:	25
CC	CORRESPONDENCE ADDRESS:	
CC	ADDRESSEE:	Felfe & Lynch
CC	STREET:	805 Third Avenue
CC	CITY:	New York City
CC	STATE:	New York
CC	COUNTRY:	USA
CC	ZIP:	10022
CC	COMPUTER READABLE FORM:	
CC	MEDIUM TYPE:	Diskette, 3.5 inch, 1.44 mb storage
CC	COMPUTER:	IBM PS/2
CC	OPERATING SYSTEM:	PC-DOS
CC	SOFTWARE:	Wordperfect
CC	CURRENT APPLICATION DATA:	
CC	APPLICATION NUMBER:	US/08/354,679C
CC	FILING DATE:	13-DECEMBER-1994
CC	CLASSIFICATION:	530
CC	PRIOR APPLICATION DATA:	
CC	APPLICATION NUMBER:	07/938,334
CC	FILING DATE:	31-AUGUST-1992
CC	ATTORNEY/AGENT INFORMATION:	
CC	NAME:	BAER, MADELINE F.
CC	REGISTRATION NUMBER:	36,437
CC	REFERENCE/DOCKET NUMBER:	LUD 5293.2
CC	TELECOMMUNICATION INFORMATION:	
CC	TELEPHONE:	(212) 688-9200
CC	TELEFAX:	(212) 838-3884
CC	INFORMATION FOR SEQ ID NO:	12:
CC	SEQUENCE CHARACTERISTICS:	
CC	LENGTH:	9 amino acids
CC	TYPE:	amino acid
CC	STRANDEDNESS:	single
CC	TOPOLOGY:	linear
CC	MOLECULE TYPE:	protein
CC	SEQUENCE	9 AA; 976 MW; 576 CN;
SQ	Query Match	100.0%; Score 61; DB 3; Length 9;
	Best Local Similarity	100.0%; Pred. No. 1.24e-01;
	Matches	9; Conservative 0; Mismatches 0; Indel
Db	1 EADPTGHSY 9	
QY	1 EADPTGHSY 9	
RESULT	9	
ID	US-08-902-516-21	STANDARD; PRT; 9 AA.
XX		
AC	XXXXXX	
XX		
DT		
XX		
XX		
DE	Sequence 21, Application US/08902516	
XX		
CC	Sequence 21, Application US/08902516	
CC	Patent No. 5891432	
CC	GENERAL INFORMATION:	
CC	APPLICANT:	SOO HOO, William
CC	TITLE OF INVENTION:	MEMBRANE-BOUND CYTOKINE COMPOS
CC	TITLE OF INVENTION:	COMPRISING GM-CSF AND METHODS
CC	TITLE OF INVENTION:	RESPONSE USING SAME
CC	NUMBER OF SEQUENCES:	50
CC	CORRESPONDENCE ADDRESS:	
CC	ADDRESSEE:	CAMPBELL & FLORES, LLP
CC	STREET:	4370 La Jolla Village Drive, Suite 700
CC	CITY:	San Diego
CC	STATE:	California
CC	COUNTRY:	United States
CC	ZIP:	92121
CC	COMPUTER READABLE FORM:	
CC	MEDIUM TYPE:	Floppy disk
CC	COMPUTER:	IBM PC compatible

CC OPERATING SYSTEM: PC-DOS/MS-DOS
CC SOFTWARE: PatentIn Release #1.0, Version #1.25
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/902,516
CC FILING DATE: 29-JUL-1997
CC CLASSIFICATION: 424
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Campbell, Cathryn A.
CC REGISTRATION NUMBER: 31,815
CC REFERENCE/DOCKET NUMBER: P-IM 2442
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (619)535-9001
CC TELEFAX: (619)535-9949
CC INFORMATION FOR SEQ ID NO: 21:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 9 amino acids
CC TYPE: amino acid
CC TOPOLOGY: linear
CC MOLECULE TYPE: peptide
CC SEQUENCE 9 AA; 976 MW; 576 CN;
SQ
Query Match 100.0%; Score 61; DB 2; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 1 EADPTGHSY 9
QY |||||
1 EADPTGHSY 9
RESULT 10
ID US-08-142-368A-26 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
DT
XX
XX
DE Sequence 26, Application US/08142368A
XX
XX Sequence 26, Application US/08142368A
CC Patent No. 5925729
CC GENERAL INFORMATION:
CC APPLICANT: Boon-Falleur, Thierry; Van der Bruggen, Thierry;
CC APPLICANT: Van den Eynde, Beno t; Van Pel, Aline; De Plaen, Etienne;
CC APPLICANT: Lurquin, Christophe; Chomez, Patrick; Traversari, Catia
CC TITLE OF INVENTION: Tumor Rejection Antigen Precursors, Tumor
CC TITLE OF INVENTION: Rejection Antigens and Uses Thereof
CC NUMBER OF SEQUENCES: 26
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Felfe & Lynch
CC STREET: 805 Third Avenue
CC CITY: New York City
CC STATE: New York
CC ZIP: 10022
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
CC COMPUTER: IBM
CC OPERATING SYSTEM: PC-DOS
CC SOFTWARE: wordperfect
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/142,368A
CC FILING DATE: 02-MAY-1994
CC CLASSIFICATION: 435
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: PCT/US92/04354
CC FILING DATE: 22-MAY-1992
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/807,043
CC FILING DATE: 12-DECEMBER-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/764,364
CC FILING DATE: 23-SEPTEMBER-1991
CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: 07/728,838
CC APPLICATION NUMBER: 9-JULY-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/705,702
CC FILING DATE: 23-May-1991
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Hanson, No. 5925729man D.
CC REGISTRATION NUMBER: 30,946
CC REFERENCE/DOCKET NUMBER: LUD 5253.4-US
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (212) 688-9200
CC TELEFAX: (212) 838-3884
CC INFORMATION FOR SEQ ID NO: 26:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 9 amino acids
CC TYPE: amino acids
CC TOPOLOGY: linear
CC MOLECULE TYPE: protein
CC SEQUENCE 9 AA; 976 MW; 576 CN;
SQ
Query Match 100.0%; Score 61; DB 2; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 1 EADPTGHSY 9
QY |||||
1 EADPTGHSY 9
RESULT 11
ID PCT-US95-04975-2 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
DT
XX
XX
DE Sequence 2, Application PC/TUS9504975
XX
XX Sequence 2, Application PC/TUS9504975
CC GENERAL INFORMATION:
CC APPLICANT: Dyall, Rubendra
CC TITLE OF INVENTION: INDUCTION OF CYTOTOXIC T LYMPHOCYTES (CTL)USING
CC TITLE OF INVENTION: ANTIGENIC PEPTIDES AND A SUITABLE ADJUVANT
CC NUMBER OF SEQUENCES: 19
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Cooper & Dunham LLP
CC STREET: 1185 Avenue of the Americas
CC CITY: New York
CC STATE: New York
CC COUNTRY: USA
CC ZIP: 10036
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: floppy disk
CC COMPUTER: IBM PC compatible
CC OPERATING SYSTEM: PC-DOS/MS-DOS
CC SOFTWARE: PatentIn Release #1.24
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: PCT/US95/04975
CC FILING DATE:
CC CLASSIFICATION:
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/233,496
CC FILING DATE: April 22, 1994
CC ATTORNEY/AGENT INFORMATION:
CC NAME: White Esq., John P.
CC REGISTRATION NUMBER: 28,678
CC REFERENCE/DOCKET NUMBER: 45059/JPW/MS/AMB
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: 212-278-0400
CC TELEFAX: 212-391-0525
CC INFORMATION FOR SEQ ID NO: 2:
CC SEQUENCE CHARACTERISTICS:

CC LENGTH: 9 amino acids
CC TYPE: amino acids
CC TOPOLOGY: linear
CC MOLECULE TYPE: peptide
CC HYPOTHETICAL: N
CC ANTI-SENSE: N
SQ SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match 100.0%; Score 61; DB 4; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
|||||
QY 1 EADPTGHSY 9

RESULT 12
ID PCT-US95-02121-1 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
XX
DT
XX
XX

DE Sequence 1, Application PC/TUS9502121

XX Sequence 1, Application PC/TUS9502121

GENERAL INFORMATION:

CC APPLICANT:
CC TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR ELICITING
CC TITLE OF INVENTION: CTL IMMUNITY
CC NUMBER OF SEQUENCES: 153

CC COMPUTER READABLE FORM:

CC MEDIUM TYPE: Floppy disk
CC COMPUTER: IBM PC compatible
CC OPERATING SYSTEM: PC-DOS/MS-DOS
CC SOFTWARE: Patent In Release #1.0, Version #1.25
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: PCT/US95/02121
CC FILING DATE: 16-FEB-1995

CC CLASSIFICATION:

CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: US 08/197,484
CC FILING DATE: 16-FEB-1994

CC PRIOR APPLICATION DATA: US 07/935,811

CC FILING DATE: 26-AUG-1992

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: US 07/874,491

CC FILING DATE: 27-APR-1992

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: US 07/827,682

CC FILING DATE: 29-JAN-1992

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: US 07/749,568

CC FILING DATE: 26-AUG-1991

CC ATTORNEY/AGENT INFORMATION:

CC NAME: Parmelee, Steven W.

CC REGISTRATION NUMBER: 31,990

CC REFERENCE/DOCKET NUMBER: 14137-26-4PC

CC TELECOMMUNICATION INFORMATION:

CC TELEPHONE: (206) 467-9600

CC TELEFAX: (415) 543-5043

CC INFORMATION FOR SEQ ID NO: 1:

CC SEQUENCE CHARACTERISTICS:

CC LENGTH: 9 amino acids

CC TYPE: amino acid

CC STRANDEDNESS: unknown

CC TOPOLOGY: unknown

CC MOLECULE TYPE: peptide

CC SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match 100.0%; Score 61; DB 4; Length 9;

Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
|||||
QY 1 EADPTGHSY 9

RESULT 13
ID US-08-299-849B-26 STANDARD; PRT; 9 AA.
XX
AC xxxxxx
XX
XX
DT
XX
XX
DE
XX
XX

Sequence 26, Application US/08299849B

Sequence 26, Application US/08299849B

Patent No. 5612201

GENERAL INFORMATION:

CC APPLICANT: De Plaen, Etienne; Boon-Falleur, Thierry;

CC APPLICANT: Leth, Bernard; Szikora, Jean-Pierre; De Smet, Charles;

CC APPLICANT: Chomez, Patrick

CC TITLE OF INVENTION: Isolated Nucleic Acid Molecules Useful In

CC TITLE OF INVENTION: Determining Expression Of A Tumor Antigen Precursor

CC NUMBER OF SEQUENCES: 48

CC CORRESPONDENCE ADDRESS:

CC ADDRESSEE: Felfe & Lynch

CC STREET: 805 Third Avenue

CC CITY: New York City

CC STATE: New York

CC ZIP: 10022

CC COMPUTER READABLE FORM:

CC MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage

CC COMPUTER: IBM

CC OPERATING SYSTEM: PC-DOS

CC SOFTWARE: Wordperfect

CC CURRENT APPLICATION DATA:

CC APPLICATION NUMBER: US/08/299,849B

CC FILING DATE: 1-SEPTEMBER-1994

CC CLASSIFICATION: 435

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: 08/037,230

CC FILING DATE: 26-MARCH-1993

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: PCT/US92/04354

CC FILING DATE: 22-MAY-1992

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: 07/807,043

CC FILING DATE: 12-DECEMBER-1991

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: 07/764,364

CC FILING DATE: 23-SEPTEMBER-1991

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: 07/728,838

CC FILING DATE: 9-JULY-1991

CC PRIOR APPLICATION DATA:

CC APPLICATION NUMBER: 07/705,702

CC FILING DATE: 23-MAY-1991

CC ATTORNEY/AGENT INFORMATION:

CC NAME: Hanson, No. 5612201man D.

CC REGISTRATION NUMBER: 30,946

CC REFERENCE/DOCKET NUMBER: LOD 5355

CC TELECOMMUNICATION INFORMATION:

CC TELEPHONE: (212) 688-9200

CC TELEFAX: (212) 838-3884

CC INFORMATION FOR SEQ ID NO: 26:

CC SEQUENCE CHARACTERISTICS:

CC LENGTH: 9 amino acids

CC TYPE: amino acids

CC TOPOLOGY: linear

CC MOLECULE TYPE: protein

CC SEQUENCE 9 AA; 976 MW; 576 CN;

```
Query Match          100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches          9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db      1 EADPTGHSY 9
QY      1 EADPTGHSY 9

RESULT 14
ID      US-08-498-461-4          STANDARD;      PRT;      9 AA.
AC      xxxxxx
XX
DT
DE
DE      Sequence 4, Application US/08498461
XX
XX      Patent No. 5827073
XX      GENERAL INFORMATION:
CC      APPLICANT: Idescher, Immanuel; Anjuere, Fabienne;
CC      APPLICANT: Layer, Andreas; Romero, Pedro; Cerottini, Jean-Charles
CC      TITLE OF INVENTION: Photoreactive Peptide Derivatives
CC      NUMBER OF SEQUENCES: 16
CC      CORRESPONDENCE ADDRESS:
CC      ADDRESSEE: Felfe & Lynch
CC      STREET: 805 Third Avenue
CC      CITY: New York City
CC      STATE: New York
CC      ZIP: 10022
CC      COMPUTER READABLE FORM:
CC      MEDIUM TYPE: Diskette, 3.5 inch, 1.44 kb storage
CC      COMPUTER: IBM
CC      OPERATING SYSTEM: PC-DOS
CC      SOFTWARE: Wordperfect
CC      CURRENT APPLICATION DATA:
CC      APPLICATION NUMBER: US/08498461
CC      FILING DATE: 5-JULY-1995
CC      CLASSIFICATION: 435
CC      ATTORNEY/AGENT INFORMATION:
CC      NAME: Hanson, No. 5827073man D.
CC      REGISTRATION NUMBER: 30,946
CC      REFERENCE/DOCKET NUMBER: LUD 5403
CC      TELECOMMUNICATION INFORMATION:
CC      TELEPHONE: (212) 688-9200
CC      TELEFAX: (212) 838-3884
CC      INFORMATION FOR SEQ ID NO: 4:
CC      SEQUENCE CHARACTERISTICS:
CC      LENGTH: 9 amino acids
CC      TYPE: amino acid
CC      TOPOLOGY: linear
CC      MOLECULE TYPE: protein
SQ      SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match          100.0%; Score 61; DB 2; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches          9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db      1 EADPTGHSY 9
QY      1 EADPTGHSY 9

RESULT 15
ID      US-08-967-727-26          STANDARD;      PRT;      9 AA.
AC      xxxxxx
XX
XX
XX
XX
XX      Sequence 26, Application US/08967727
DE
DE      Sequence 26, Application US/08967727
XX
XX      Patent No. 6025474
XX      GENERAL INFORMATION:
CC      APPLICANT: Gaugler, B atrice; Van den Eynde, Beno t;
CC      APPLICANT: van der Bruggen, Pierre; Boon-Falleur, Thierry
CC      TITLE OF INVENTION: Isolated Nucleic Acid Molecules Coding For
CC      TITLE OF INVENTION: Tumor Rejection Antigen Precursor Mage-3 And Uses There
CC      NUMBER OF SEQUENCES: 30
CC      CORRESPONDENCE ADDRESS:
CC      ADDRESSEE: Felfe & Lynch
CC      STREET: 805 Third Avenue
CC      CITY: New York City
CC      STATE: New York
CC      ZIP: 10022
CC      COMPUTER READABLE FORM:
CC      MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
CC      COMPUTER: IBM
CC      OPERATING SYSTEM: PC-DOS
CC      SOFTWARE: Wordperfect
CC      CURRENT APPLICATION DATA:
CC      APPLICATION NUMBER: US/08967,727
CC      FILING DATE:
CC      CLASSIFICATION: 435
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 08/037,230
CC      FILING DATE: 26-MARCH-1993
CC      APPLICATION NUMBER: PCT/US92/04354
CC      FILING DATE: 22-MAY-1992
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/807,043
CC      FILING DATE: 12-DECEMBER-1991
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/764,365
CC      FILING DATE: 23-SEPTEMBER-1991
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/728,838
CC      FILING DATE: 9-JULY-1991
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/705,702
CC      FILING DATE: 23-MAY-1991
CC      ATTORNEY/AGENT INFORMATION:
CC      NAME: Hanson, No. 6025474man D.
CC      REGISTRATION NUMBER: 30,946
CC      REFERENCE/DOCKET NUMBER: LUD 5353
CC      TELECOMMUNICATION INFORMATION:
CC      TELEPHONE: (212) 688-9200
CC      TELEFAX: (212) 838-3884
CC      INFORMATION FOR SEQ ID NO: 26:
CC      SEQUENCE CHARACTERISTICS:
CC      LENGTH: 9 amino acids
CC      TYPE: amino acids
CC      TOPOLOGY: linear
CC      MOLECULE TYPE: protein
SQ      SEQUENCE 9 AA; 976 MW; 576 CN;

Query Match          100.0%; Score 61; DB 3; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches          9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db      1 EADPTGHSY 9
QY      1 EADPTGHSY 9

RESULT 16
ID      US-08-186-266-1          STANDARD;      PRT;      9 AA.
AC      xxxxxx
XX
XX
XX
XX
XX      Sequence 1, Application US/08186266
DE
DE      Sequence 1, Application US/08186266
XX
XX      Patent No. 6025474
XX      GENERAL INFORMATION:
CC      APPLICANT: Gaugler, B atrice; Van den Eynde, Beno t;
CC      APPLICANT: van der Bruggen, Pierre; Boon-Falleur, Thierry
CC      TITLE OF INVENTION: Isolated Nucleic Acid Molecules Coding For
CC      TITLE OF INVENTION: Tumor Rejection Antigen Precursor Mage-3 And Uses There
CC      NUMBER OF SEQUENCES: 30
CC      CORRESPONDENCE ADDRESS:
CC      ADDRESSEE: Felfe & Lynch
CC      STREET: 805 Third Avenue
CC      CITY: New York City
CC      STATE: New York
CC      ZIP: 10022
CC      COMPUTER READABLE FORM:
CC      MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
CC      COMPUTER: IBM
CC      OPERATING SYSTEM: PC-DOS
CC      SOFTWARE: Wordperfect
CC      CURRENT APPLICATION DATA:
CC      APPLICATION NUMBER: US/08967,727
CC      FILING DATE:
CC      CLASSIFICATION: 435
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 08/037,230
CC      FILING DATE: 26-MARCH-1993
CC      APPLICATION NUMBER: PCT/US92/04354
CC      FILING DATE: 22-MAY-1992
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/807,043
CC      FILING DATE: 12-DECEMBER-1991
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/764,365
CC      FILING DATE: 23-SEPTEMBER-1991
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/728,838
CC      FILING DATE: 9-JULY-1991
CC      PRIOR APPLICATION DATA:
CC      APPLICATION NUMBER: 07/705,702
CC      FILING DATE: 23-MAY-1991
CC      ATTORNEY/AGENT INFORMATION:
CC      NAME: Hanson, No. 6025474man D.
CC      REGISTRATION NUMBER: 30,946
CC      REFERENCE/DOCKET NUMBER: LUD 5353
CC      TELECOMMUNICATION INFORMATION:
CC      TELEPHONE: (212) 688-9200
CC      TELEFAX: (212) 838-3884
CC      INFORMATION FOR SEQ ID NO: 26:
CC      SEQUENCE CHARACTERISTICS:
CC      LENGTH: 9 amino acids
CC      TYPE: amino acids
CC      TOPOLOGY: linear
CC      MOLECULE TYPE: protein
SQ      SEQUENCE 9 AA; 976 MW; 576 CN;
```


CC Sequence 1, Application US/08186266
CC Patent No. 5662907
CC GENERAL INFORMATION:
CC APPLICANT: KUBO, Ralph T.
CC APPLICANT: GREY, Howard M.
CC APPLICANT: SETTE, Alessandro
CC APPLICANT: CELIS, Esceban
CC TITLE OF INVENTION: INDUCTION OF ANTI-TUMOR CYTOTOXIC
CC TITLE OF INVENTION: T LYMPHOCYTES IN HUMANS USING
CC TITLE OF INVENTION: SYNTHETIC PEPTIDE EPITOPES
CC NUMBER OF SEQUENCES: 20
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Townsend and Townsend Khourie and Crew
CC STREET: Steuart Street Tower, One Market Plaza
CC CITY: San Francisco
CC STATE: California
CC COUNTRY: US
CC ZIP: 94105-1493
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Floppy disk
CC COMPUTER: IBM PC compatible
CC OPERATING SYSTEM: PC-DOS/MS-DOS
CC SOFTWARE: Patentin Release #1.0, Version #1.25
CC CURRENT APPLICATION NUMBER: US/08/186,266
CC FILING DATE: 25-JAN-1994
CC CLASSIFICATION: 424
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: US 08/159,339
CC FILING DATE: 29-NOV-1993
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: US 08/103,396
CC FILING DATE: 06-AUG-1993
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: US 08/027,746
CC FILING DATE: 05-MAR-1993
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: US 07/926,666
CC FILING DATE: 07-AUG-1992
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Bastian, Kevin L.
CC REGISTRATION NUMBER: 34,774
CC REFERENCE/DOCKET NUMBER: 14137-50-4
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (415) 543-9600
CC TELEFAX: (415) 543-5043
CC INFORMATION FOR SEQ ID NO: 1:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 9 amino acids
CC TYPE: amino acid
CC TOPOLOGY: linear
CC MOLECULE TYPE: peptide
CC SEQUENCE 9 AA; 976 MW; 576 CN;
SQ
Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
RESULT 17
ID US-08-602-506A-25 STANDARD: PRT: 10 AA.
XX
AC xxxxxx
XX
DT
DE Sequence 25, Application US/08602506A
XX Sequence 25, Application US/08602506A
CC

CC Patent No. 6060257
CC GENERAL INFORMATION:
CC APPLICANT: Herman, Jean; Coullie, Pierre;
CC APPLICANT: Boon-Falleur, Thierry; van der Bruggen, Pierre;
CC APPLICANT: Luescher, Immanuel.
CC TITLE OF INVENTION: Tumor Rejection Antigens Presented By HLA-
CC TITLE OF INVENTION: B44 Molecules, And Uses Thereof
CC NUMBER OF SEQUENCES: 30
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Felfe & Lynch
CC STREET: 805 Third Avenue
CC CITY: New York City
CC STATE: New York
CC ZIP: 10022
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Diskette, 3.5 inch, 360 kb storage
CC COMPUTER: IBM
CC OPERATING SYSTEM: PC-DOS
CC SOFTWARE: Wordperfect
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/602,506A
CC FILING DATE: 20-FEBRUARY-1996
CC CLASSIFICATION: 435
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/531,864
CC FILING DATE: 21-SEPTEMBER-1995
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/373,636
CC FILING DATE: 17-JANUARY-1995
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/253,503
CC FILING DATE: 3-JUNE-1994
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Hanson, No. 6060257man D.
CC REGISTRATION NUMBER: 30,946
CC REFERENCE/DOCKET NUMBER: LUD 5436
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (212) 688-9200
CC TELEFAX: (212) 838-3884
CC INFORMATION FOR SEQ ID NO: 25:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 10 amino acids
CC TYPE: amino acid
CC TOPOLOGY: linear
CC MOLECULE TYPE: protein
CC FEATURE:
CC NAME/KEY: MAGE-1/HLA-B44
CC SEQUENCE 10 AA; 1104 MW; 684 CN;
SQ
Query Match 100.0%; Score 61; DB 3; Length 10;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 2 EADPTGHSY 10
QY 1 EADPTGHSY 9
RESULT 18
ID US-08-796-883-25 STANDARD: PRT: 10 AA.
XX
AC xxxxxx
XX
DT
XX
DE Sequence 25, Application US/08796883
XX
CC Sequence 25, Application US/08796883
CC Patent No. 5744353
CC GENERAL INFORMATION:
CC APPLICANT: Herman, Jean; Coullie, Pierre;
CC APPLICANT: Boon-Falleur, Thierry; van der Bruggen, Pierre;
CC APPLICANT: Luescher, Immanuel.
CC

CC TITLE OF INVENTION: Tumor Rejection Antigens Presented By
CC TITLE OF INVENTION: HLA-B44 Molecules, And Uses Thereof
CC NUMBER OF SEQUENCES: 30
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Felfe & Lynch
CC STREET: 805 Third Avenue
CC CITY: New York City
CC STATE: New York
CC ZIP: 10022
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Diskette, 3.5 inch, 360 kb storage
CC COMPUTER: IBM
CC OPERATING SYSTEM: PC-DOS
CC SOFTWARE: Wordperfect
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/796,883
CC FILING DATE: 06-FEB-1997
CC CLASSIFICATION: 435
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/602,506
CC FILING DATE: 20-FEBRUARY-1996
CC APPLICATION NUMBER: 08/531,864
CC FILING DATE: 21-SEPTEMBER-1995
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/373,636
CC FILING DATE: 17-JANUARY-1995
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 08/253,503
CC FILING DATE: 3-JUNE-1994
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Hanson, No. 5744353man D.
CC REGISTRATION NUMBER: 30,946
CC REFERENCE/DOCKET NUMBER: LUD 5436
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (212) 688-9200
CC TELEFAX: (212) 838-3884
CC INFORMATION FOR SEQ ID NO: 25:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 10 amino acids
CC TYPE: amino acid
CC TOPOLOGY: linear
CC MOLECULE TYPE: protein
CC FEATURE:
CC NAME/KEY: MAGE-1/HLA-B44
CC SEQUENCE 10 AA; 1104 MW; 684 CN;

Query Match 100.0%; Score 61; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 2 EADPTGHSY 10
QY 1 EADPTGHSY 9
|||||

RESULT 19
ID US-08-498-461-5 STANDARD; PRT; 10 AA.
XX
AC xxxxxx
XX
DT
DT
XX
XX
DE Sequence 5, Application US/08498461
XX Sequence 5, Application US/08498461
CC Patent No. 5827073
CC GENERAL INFORMATION:
CC APPLICANT: Luescher, Immanuel; Anjuere, Fabienne;
CC APPLICANT: Laver, Andreas; Romero, Pedro; Cerottini, Jean-Charles
CC TITLE OF INVENTION: Photoreactive peptide Derivatives
CC NUMBER OF SEQUENCES: 16
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Felfe & Lynch

CC STREET: 805 Third Avenue
CC CITY: New York City
CC STATE: New York
CC ZIP: 10022
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Diskette, 3.5 inch, 1.44 kb storage
CC COMPUTER: IBM
CC OPERATING SYSTEM: PC-DOS
CC SOFTWARE: Wordperfect
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/498,461
CC FILING DATE: 5-JULY-1995
CC CLASSIFICATION: 435
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Hanson, No. 5827073man D.
CC REGISTRATION NUMBER: 30,946
CC REFERENCE/DOCKET NUMBER: LUD 5403
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (212) 688-9200
CC TELEFAX: (212) 838-3884
CC INFORMATION FOR SEQ ID NO: 5:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 10 amino acids
CC TYPE: amino acid
CC TOPOLOGY: linear
CC FEATURE:
CC OTHER INFORMATION: The xaa is iodinated 2.
CC OTHER INFORMATION: 3-[4-azidosallyloyl]-diaminopropionic acid.
CC SEQUENCE 10 AA; 1086 MW; 695 CN;

Query Match 100.0%; Score 61; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 2 EADPTGHSY 10
QY 1 EADPTGHSY 9
|||||

RESULT 20
ID US-08-560-024-4 STANDARD; PRT; 12 AA.
XX
AC xxxxxx
XX
DT
DT
XX
XX
DE Sequence 4, Application US/08560024
XX Sequence 4, Application US/08560024
CC Patent No. 5843448
CC GENERAL INFORMATION:
CC APPLICANT: Chen, Yao-Tseng; Stockert, Elisabeth;
CC APPLICANT: Chen, Yachi; Garin-Chesa, Pilar; Rettig, Wolfgang J.;
CC APPLICANT: van der Bruggen, Pierre; Boon-Falleur, Thierry;
CC APPLICANT: Old, Lloyd J.
CC TITLE OF INVENTION: MONOCLONAL ANTIBODIES WHICH BIND TO
CC TITLE OF INVENTION: TUMOR REJECTION ANTIGEN PRECURSOR MAGE-1, RECOMBINANT M
CC NUMBER OF SEQUENCES: 4
CC NUMBER OF SEQUENCES: 4
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Felfe & Lynch
CC STREET: 805 Third Avenue
CC CITY: New York City
CC STATE: New York
CC ZIP: 10022
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage
CC COMPUTER: IBM
CC OPERATING SYSTEM: PC-DOS
CC SOFTWARE: Wordperfect
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/560,024
CC FILING DATE:

CC CLASSIFICATION: 514
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: US/08/190,411
CC FILING DATE: 01-FEBRUARY-1994
CC APPLICATION NUMBER: 037,230
CC FILING DATE: 26-MARCH-1993
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: PCT/US92/04354
CC FILING DATE: 22-MAY-1992
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/807,043
CC FILING DATE: 12-DECEMBER-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/764,364
CC FILING DATE: 23-SEPTEMBER-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/705,702
CC FILING DATE: 23-MAY-1991
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Hanson, No. 5843448man D.
CC REGISTRATION NUMBER: 30,946
CC REFERENCE/DOCKET NUMBER: LUD 5354
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (212) 838-3884
CC TELEFAX: (212) 838-3884
CC INFORMATION FOR SEQ ID NO: 4:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 12 amino acid residues
CC TYPE: amino acid
CC TOPOLOGY: linear
CC MOLECULE TYPE: protein
CC SEQUENCE 12 AA; 1318 MW; 944 CN;
Query Match 100.0%; Score 61; DB 2; Length 12;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 4 EADPTGHSY 12
| | | | | | | |
Qy 1 EADPTGHSY 9
RESULT 21
ID US-08-190-411A-4 STANDARD; PRT; 12 AA.
XX
AC xxxxxx
XX
DT
XX
DE Sequence 4, Application US/08190411A
CC Sequence 4, Application US/08190411A
CC Patent No. 5541104
CC GENERAL INFORMATION:
CC APPLICANT: Chen, Yao-Tseng; Stockert, Elisabeth;
CC APPLICANT: Chen, Yachi; Garin-Chesa, Pilar; Rettig, Wolfgang J.;
CC APPLICANT: van der Bruggen, Pierre; Boon-Falleur, Thierry;
CC APPLICANT: Old, Lloyd J.
CC TITLE OF INVENTION: MONOCLONAL ANTIBODIES WHICH BIND TO
CC TITLE OF INVENTION: TUMOR REJECTION ANTIGEN PRECURSOR MAGE-1, RECOMBINANT MAGE
CC TITLE OF INVENTION: AND MAGE-1 DERIVED IMMUNOGENIC PEPTIDES
CC NUMBER OF SEQUENCES: 4
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Felie & Lynch
CC STREET: 805 Third Avenue
CC CITY: New York City
CC STATE: New York
CC ZIP: 10022
CC COMPUTER READABLE FORM:
CC MEDIUM TYPE: Diskette, 5.25 inch, 360 kb storage

CC COMPUTER: IBM
CC OPERATING SYSTEM: PC-DOS
CC SOFTWARE: Wordperfect
CC CURRENT APPLICATION DATA:
CC APPLICATION NUMBER: US/08/190,411A
CC FILING DATE: 01-FEBRUARY-1994
CC CLASSIFICATION: 436
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 037,230
CC FILING DATE: 26-MARCH-1993
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: PCT/US92/04354
CC FILING DATE: 22-MAY-1992
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/807,043
CC FILING DATE: 12-DECEMBER-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/764,364
CC FILING DATE: 23-SEPTEMBER-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/728,838
CC FILING DATE: 9-JULY-1991
CC PRIOR APPLICATION DATA:
CC APPLICATION NUMBER: 07/705,702
CC FILING DATE: 23-MAY-1991
CC ATTORNEY/AGENT INFORMATION:
CC NAME: Hanson, No. 5541104man D.
CC REGISTRATION NUMBER: 30,946
CC REFERENCE/DOCKET NUMBER: LUD 5354
CC TELECOMMUNICATION INFORMATION:
CC TELEPHONE: (212) 688-9200
CC TELEFAX: (212) 838-3884
CC INFORMATION FOR SEQ ID NO: 4:
CC SEQUENCE CHARACTERISTICS:
CC LENGTH: 12 amino acid residues
CC TYPE: amino acid
CC TOPOLOGY: linear
CC MOLECULE TYPE: protein
CC SEQUENCE 12 AA; 1318 MW; 944 CN;
Query Match 100.0%; Score 61; DB 1; Length 12;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 4 EADPTGHSY 12
| | | | | | | |
Qy 1 EADPTGHSY 9
RESULT 22
ID US-08-465-167A-24 STANDARD; PRT; 309 AA.
XX
AC xxxxxx
XX
DT
XX
DE Sequence 24, Application US/08465167A
CC Sequence 24, Application US/08465167A
CC Patent No. 5750395
CC GENERAL INFORMATION:
CC APPLICANT: Fikes, John D.
CC APPLICANT: Livingston, Brian D.
CC APPLICANT: Sette, Alessandro D.
CC APPLICANT: Sidney, John C.
CC TITLE OF INVENTION: DNA ENCODING MAGE-1 C-TERMINAL
CC TITLE OF INVENTION: IMMUNOGENIC PEPTIDES (as amended)
CC NUMBER OF SEQUENCES: 51
CC CORRESPONDENCE ADDRESS:
CC ADDRESSEE: Townsend and Crew LLP
CC STREET: Two Embarcadero Center, 8th Floor
CC CITY: San Francisco
CC STATE: CA

CC TYPE: amino acids
CC STRANDEDNESS: single stranded
CC TOPOLOGY: linear
SQ SEQUENCE 309 AA; 34342 MW; 512752 CN;
Query Match 100.0%; Score 61; DB 3; Length 309;
Best Local Similarity 100.0%; Pred. No. 1.24e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Db 161 EADPTGHSY 169
QY 1 EADPTGHSY 9
|||||||

Search completed: Wed Sep 13 07:14:50 2000
Job time : 8 secs.

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: September 13, 2000, 01:41:38 ; Search time 6530.16 Seconds
(without alignments)
1550.707 Million cell updates/sec

Title: US-08-819-669E-8
Perfect score: 5674
Sequence: 1 CCGGGGACCACTGGCATC.....TAATGATCTTGGTGGATCC 5674

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 972840 seqs, 892348106 residues

Total number of hits satisfying chosen parameters: 1945680

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

GenEmbl :

1: gb_ba1.*
2: gb_ba2.*
3: gb_om.*
4: gb_ov.*
5: gb_pat.*
6: gb_ph.*
7: gb_pl1.*
8: gb_pl2.*
9: gb_pr1.*
10: gb_pr2.*
11: gb_pr3.*
12: gb_ro.*
13: gb_sts.*
14: gb_sy.*
15: gb_un.*
16: em_fun.*
17: em_hum1.*
18: em_hum2.*
19: em_in.*
20: em_om.*
21: em_or.*
22: em_ov.*
23: em_pat.*
24: em_ph.*
25: em_pl.*
26: em_ro.*
27: em_sts.*
28: em_sy.*
29: em_un.*
30: em_vi.*
31: gb_htg1.*
32: gb_htg2.*
33: gb_in1.*
34: gb_in2.*
35: em_ba1.*
36: em_ba2.*
37: em_hum3.*
38: em_hum4.*
39: gb_pr4.*
40: gb_htg3.*
41: gb_htg4.*
42: gb_htg5.*
43: gb_htg6.*

44: gb_htg7.*
45: em_htg1.*
46: em_htg2.*
47: em_htg3.*
48: em_hum5.*
49: gb_pl3.*
50: gb_pr5.*
51: gb_htg8.*
52: gb_htg9.*
53: gb_htg10.*
54: gb_htg11.*
55: gb_htg12.*
56: gb_htg13.*
57: gb_htg14.*
58: gb_in3.*
59: gb_htg15.*
60: gb_htg16.*
61: gb_htg17.*
62: em_htg4.*
63: em_htg5.*
64: em_htg6.*
65: em_htg7.*
66: em_hum6.*
67: gb_htg18.*
68: gb_htg19.*
69: gb_htg20.*
70: gb_htg21.*
71: gb_htg22.*
72: gb_htg23.*
73: gb_htg24.*
74: gb_htg25.*
75: gb_htg26.*
76: gb_htg27.*
77: gb_htg28.*
78: gb_htg29.*
79: gb_htg30.*
80: gb_htg31.*
81: gb_vil.*
82: gb_vil2.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Match	Query Length	DB ID	Description
1	5674	100.0	5674	5 AR060975	AR060975 Sequence
2	5674	100.0	5674	5 I24013	I24013 Sequence:1
3	5674	100.0	5674	5 I36923	I36923 Sequence:8
C	5566.2	98.1	275159	50 U82670	U82670 Homo sapien
C	5532.6	97.5	156854	48 HSU82672	U82672 Human chrom
6	2777.2	48.9	49375	39 AF134576	AF134576 Homo sapi
7	2655	46.8	11495	10 HSU10687	U10687 Human MAGE-
8	2653.2	46.8	15898	11 U82696	U82696 Homo sapien
9	2513.6	44.3	4895	10 HSU10688	U10688 Human MAGE-
10	2429.6	42.8	4736	10 HSU10690	U10690 Human MAGE-
11	2422.8	42.7	4741	10 HSU10689	U10689 Human MAGE-
12	2419	42.6	2419	5 I36922	I36922 Sequence:7
13	2408	42.4	2420	5 AR007331	AR007331 Sequence
14	2408	42.4	2420	9 HUMMAG1A	M7481 Human antiq
15	2328	41.0	178515	74 AC009621	AC009621 Homo sapi
C	2307.6	40.7	37781	17 AF030261	AF030261 Homo sapi
17	2307.6	40.7	54155	37 HSAF2994	AF002994 Homo sapi
C	2307.6	40.7	302250	50 U82671	U82671 Homo sapien
19	2306	40.6	48574	37 HSAF2996	AF002996 Homo sapi
20	2306	40.6	302250	50 U82671	U82671 Homo sapien
C	2199.6	38.8	48574	37 HSAF2996	AF002996 Homo sapi
22	2117.8	37.3	4559	9 HUMMAGE2X	L18920 Human MAGE-
23	2058.8	36.3	4157	5 I36924	I36924 Sequence:9
24	1945	34.3	4523	9 HUMMAGE12X	L18877 Human MAGE-

25 1762.6 31.1 4204 9 HSU03735 U03735 Human MAGE-
26 1678.8 29.6 2531 5 I36928 I36928 Sequence 13
27 1678.8 29.6 2531 5 I36929 I36929 Sequence 14
28 1677 29.6 3871 10 HSU10691 U10691 Human MAGE-
29 1556.6 27.4 43927 11 HSU69588 U69588 Human Xq28
30 1555 27.4 118440 50 AC016939 AC016939 Homo sapi
31 1536.4 27.1 3680 10 HSU10692 U10692 Human MAGE-
32 1535.2 27.1 111560 50 AC016940 AC016940 Homo sapi
33 1504.6 26.5 2305 5 I36932 I36932 Sequence 17
34 1410.8 24.9 2226 5 I36931 I36931 Sequence 16
35 1396.6 24.6 74299 50 AC016941 AC016941 Homo sapi
36 1363.8 23.9 73360 11 HSU66083 U66083 Human contl
37 1247.4 22.0 3839 10 HSU10693 U10693 Human MAGE-
38 1226.6 21.6 2931 10 HSU10694 U10694 Human MAGE-
39 1051 18.5 3672 10 HSU10686 U10686 Human MAGE-
40 988.8 17.4 1640 5 I36926 I36926 Sequence 11
41 955.8 16.8 165648 69 AC024727 AC024727 Homo sapi
42 900.2 15.9 1810 5 I36935 I36935 Sequence 20
43 866 15.3 3510 10 HSU10685 U10685 Human MAGE-
44 863.4 15.2 165648 69 AC024727 AC024727 Homo sapi
45 834.4 14.7 1094 5 AR052773 AR052773 Sequence

ALIGNMENTS

RESULT 1
AR060975 AR060975 5674 bp DNA PAT 29-SEP-1999
LOCUS Sequence 1 from patent US 5843448.
DEFINITION AR060975
ACCESSION AR060975
VERSION AR060975.1 GI:5988666
KEYWORDS Unknown.
SOURCE Unknown.
ORGANISM Unknown.
REFERENCE Unclassified.
1 (bases 1 to 5674)
AUTHORS Chen, Y., Stockert, E., Chen, Y., Garin-Chesa, P., Rettig, W. J. and Old, L. J.
TITLE Tumor rejection antigen precursor
JOURNAL Patent: US 5843448-A 1 01-DEC-1998;
FEATURES Location/Qualifiers
source
BASE COUNT 1276 a 1644 c 1569 g 1185 t
ORIGIN

Query Match 100.0%; Score 5674; DB 5; Length 5674;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 5674; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 CCCGGGACCACCTGGCATCCCTCCCTACACCCCAATCCCTCCCTTTACGCCACCC 60
DB 1 CCCGGGACCACCTGGCATCCCTCCCTACACCCCAATCCCTCCCTTTACGCCACCC 60
QY 61 ATCCAAACATCTTACGGTTCACCGTCCACCCAGCCAGCAGGAGATCCGGTTCACCCCTG 120
DB 61 ATCCAAACATCTTACGGTTCACCGTCCACCCAGCCAGCAGGAGATCCGGTTCACCCCTG 120
QY 121 CTCTCAACCCAGGGAAGCCAGGTGCCAGATGTGACGCCACTGACTTGACATTAAGTGG 180
DB 121 CTCTCAACCCAGGGAAGCCAGGTGCCAGATGTGACGCCACTGACTTGACATTAAGTGG 180
QY 181 TTAGAGAGAGAGGTTTTCGGTCTAGGGGGCGGCTTGAGATCGGTGGAGGGAAGCGGG 240
DB 181 TTAGAGAGAGAGGTTTTCGGTCTAGGGGGCGGCTTGAGATCGGTGGAGGGAAGCGGG 240
QY 241 CCCAGCTGTAAAGAGGACAGGTGACATGCTGAGGAGGAGTACGAGGACCACTTACCCC 300
DB 241 CCCAGCTGTAAAGAGGACAGGTGACATGCTGAGGAGGAGTACGAGGACCACTTACCCC 300
QY 301 AGATAGAGGACCCCAATAATCCCTTCATGCCAGTCTGGACCACATCTGGTGGGACTTC 360

Db 301 AGATAGAGGACCCCAATAATCCCTTCATGCCAGTCTGGACCACATCTGGTGGGACTTC 360
QY 361 TCAGGCTGGGCCACCCAGCCCTTGTCTGCTTAACCACTGGGACTCGAAGTCAGAG 420
Db 361 TCAGGCTGGGCCACCCAGCCCTTGTCTGCTTAACCACTGGGACTCGAAGTCAGAG 420
QY 421 CTCGCTGTATCATAGGAAGGGCTGCTTAGGAGGAGGCGCTCCAGGCTCTGCCAGACAT 480
Db 421 CTCGCTGTATCATAGGAAGGGCTGCTTAGGAGGAGGCGCTCCAGGCTCTGCCAGACAT 480
QY 481 CATGCTCAGGATTCCTCAAGAGGGCTGAGGTCCTTAAGACCCACTCCGCTGACCCAAC 540
Db 481 CATGCTCAGGATTCCTCAAGAGGGCTGAGGTCCTTAAGACCCACTCCGCTGACCCAAC 540
QY 541 CCCACTTCCAAATGCTCACTCCCGTACCCAAACCCCTCTTCATTGTCATTCACAAACCCCA 600
Db 541 CCCACTTCCAAATGCTCACTCCCGTACCCAAACCCCTCTTCATTGTCATTCACAAACCCCA 600
QY 601 CCCACATCCCCACCCCAATCCCTCAACCTGATGTCCTCCAGGAGGATCCGCTTCGCG 720
Db 601 CCCACATCCCCACCCCAATCCCTCAACCTGATGTCCTCCAGGAGGATCCGCTTCGCG 720
QY 721 CCAGGAAACATCCGGTGCCTGATGTAGGCGCACTGACTTGGCATTTGGGGGAGAGA 780
Db 721 CCAGGAAACATCCGGTGCCTGATGTAGGCGCACTGACTTGGCATTTGGGGGAGAGA 780
QY 781 GAAGGAGGTTTCATTCTGAGGAGCGGTAGAGTTCGSCCGAAGAACCTCACCACAGG 840
Db 781 GAAGGAGGTTTCATTCTGAGGAGCGGTAGAGTTCGSCCGAAGAACCTCACCACAGG 840
QY 841 CTCTGTAGGAGGCAAGGTGAGAGGTGAGGAGGACTGAGGACCCCGCCACTCCCAATA 900
Db 841 CTCTGTAGGAGGCAAGGTGAGAGGTGAGGAGGACTGAGGACCCCGCCACTCCCAATA 900
QY 901 GAGAGCCCAATATTCACGCCCGCTGCTGCCAGCCCTGGCCACCCCGCGGAAGA 960
Db 901 GAGAGCCCAATATTCACGCCCGCTGCTGCCAGCCCTGGCCACCCCGCGGAAGA 960
QY 961 CGTCTCAGCCTGGCTGCCCGCCAGACCCCTGCTCCAAAGCCCTTGAGAGACACAGGTT 1020
Db 961 CGTCTCAGCCTGGCTGCCCGCCAGACCCCTGCTCCAAAGCCCTTGAGAGACACAGGTT 1020
QY 1021 TTCTCCCAAGCTCTGGAATCAGAGTTCGTGTGACAGGCGAGGACTGTTAGGAGAG 1080
Db 1021 TTCTCCCAAGCTCTGGAATCAGAGTTCGTGTGACAGGCGAGGACTGTTAGGAGAG 1080
QY 1081 GCAGGCGACAGGCTCTGCCAGGATCAAGATCAGCACCACCAAGAGGAGGCGCTTGGGCC 1140
Db 1081 GCAGGCGACAGGCTCTGCCAGGATCAAGATCAGCACCACCAAGAGGAGGCGCTTGGGCC 1140
QY 1141 CCAGGCTGCACTCCCAATCCCACTCCAGCCCATTCGATTCGATTCGCCACCAACC 1200
Db 1141 CCAGGCTGCACTCCCAATCCCACTCCAGCCCATTCGATTCGATTCGCCACCAACC 1200
QY 1201 CCATCTCTCAGCTACACCTCCACCCCTCCCTACTCTACTCTACTCTACTCTACTCT 1260
Db 1201 CCATCTCTCAGCTACACCTCCACCCCTCCCTACTCTACTCTACTCTACTCTACTCT 1260
QY 1261 ACCTTCAGGCCAGCAGCAGCCCAACCCCTTCTGCGACCTCACCCTCACTGCCCCAAC 1320
Db 1261 ACCTTCAGGCCAGCAGCAGCCCAACCCCTTCTGCGACCTCACCCTCACTGCCCCAAC 1320
QY 1321 CCACCTCTATCTCTCTCATGTGCCCATCTCCATCGCTCCCTCCCTCTCTGCGAGATCC 1380
Db 1321 CCACCTCTATCTCTCTCATGTGCCCATCTCCATCGCTCCCTCCCTCTCTGCGAGATCC 1380
QY 1381 GGTTCGCCCTGCTCTCAACCCAGGGAAGCCCTGTTAGGCGCGATGTGAACCACTGACT 1440

Db 1381 GGTGTGCCCTGTCTCAACCCAGGAGCCCTGGTAGGCCCGATGTGAACCACTGACT 1440
QY 1441 TGAACCTCACAGATCTGAGAGAACCGAGTTTCATTTAATGGTCTTGAGGGCGCGCTTGAG 1500
Db 1441 TGAACCTCACAGATCTGAGAGAACCGAGTTTCATTTAATGGTCTTGAGGGCGCGCTTGAG 1500
QY 1501 ATCCACTGAGGGGAGTGGTTTTAGGCTCTGTGAGGAGGCAAGGTGAGATGCTGAGGGAGG 1560
Db 1501 ATCCACTGAGGGGAGTGGTTTTAGGCTCTGTGAGGAGGCAAGGTGAGATGCTGAGGGAGG 1560
QY 1561 ACTGAGGAGGCACACACCCCGAGTGTAGATGGCCCCAAATGATCCAGTACCACCCCTGCTG 1620
Db 1561 ACTGAGGAGGCACACACCCCGAGTGTAGATGGCCCCAAATGATCCAGTACCACCCCTGCTG 1620
QY 1621 CCAGCCTTGGACCAACCCCGGCCAGGACAGATGCTCTACGTGGACCAACCCCGCTCCCTGCC 1680
Db 1621 CCAGCCTTGGACCAACCCCGGCCAGGACAGATGCTCTACGTGGACCAACCCCGCTCCCTGCC 1680
QY 1681 CACTGGCACTTAAACCCACAGGCAATCTGTAGTCAATAGCTTATGTGACCGGGCAGGGTT 1740
Db 1681 CACTGGCACTTAAACCCACAGGCAATCTGTAGTCAATAGCTTATGTGACCGGGCAGGGTT 1740
QY 1741 GGTGAGGAGGCGAGGCCAGGATCAAGTCCAGATCCGCCGCAATAGGTCAGG 1800
Db 1741 GGTGAGGAGGCGAGGCCAGGATCAAGTCCAGATCCGCCGCAATAGGTCAGG 1800
QY 1801 ACCCTGGAGGAACTGAGGTTTCCCAACCCACACCTGTCTCCTCATCTCCCGCAC 1860
Db 1801 ACCCTGGAGGAACTGAGGTTTCCCAACCCACACCTGTCTCCTCATCTCCCGCAC 1860
QY 1861 CCACCTACATTCACATACCTACCCCTACCCCAACCTCATCTGTGACAGATCCCTGCTG 1920
Db 1861 CCACCTACATTCACATACCCCTACCCCAACCTCATCTGTGACAGATCCCTGCTG 1920
QY 1921 TCAACCCACGAAACCCAGGGAATGGCGCCAGGCACTCGATCTTGACCTCCCATCCA 1980
Db 1921 TCAACCCACGAAACCCAGGGAATGGCGCCAGGCACTCGATCTTGACCTCCCATCCA 1980
QY 1981 GGGTCTGATGAGGGAAGGGCTTGAACAGGGCTCAGAGGGCTCAGGAGGAGGAGGCCCTAC 2040
Db 1981 GGGTCTGATGAGGGAAGGGCTTGAACAGGGCTCAGAGGGCTCAGGAGGAGGAGGCCCTAC 2040
QY 2041 TGCAGATGAGGGAGGCTCAGAGGACCCAGCACCCCTTAGGACACCCGACCCCTGTCTGAG 2100
Db 2041 TGCAGATGAGGGAGGCTCAGAGGACCCAGCACCCCTTAGGACACCCGACCCCTGTCTGAG 2100
QY 2101 ACTGAGGCTGCCACTTGTGGCTCAAGAACTCAGAACGATGGGACCTCAGATTCATGGGG 2160
Db 2101 ACTGAGGCTGCCACTTGTGGCTCAAGAACTCAGAACGATGGGACCTCAGATTCATGGGG 2160
QY 2161 GTGGACCCAGGCTTGAAGGCTTACCGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGCTT 2220
Db 2161 GTGGACCCAGGCTTGAAGGCTTACCGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGCTT 2220
QY 2221 GGAATCCAGATCAGTGTGGACCTCGGCCCTGAGAGGTCCTCAGGACCGGTGGCCACATATG 2280
Db 2221 GGAATCCAGATCAGTGTGGACCTCGGCCCTGAGAGGTCCTCAGGACCGGTGGCCACATATG 2280
QY 2281 GCCCATATTTCTGCATCTTGTAGGTACAGGACAGAGCTGTGGTCTGAGAGTGGGGCC 2340
Db 2281 GCCCATATTTCTGCATCTTGTAGGTACAGGACAGAGCTGTGGTCTGAGAGTGGGGCC 2340
QY 2341 TCAGGTCAACAGAGGGAGGAGTTCCAGGATCCATATGGCCCAAGATGTGCCCTTCATG 2400
Db 2341 TCAGGTCAACAGAGGGAGGAGTTCCAGGATCCATATGGCCCAAGATGTGCCCTTCATG 2400
QY 2401 AGGACTGGGATATCCCGGCTCAGAAGAGGAGCTCCACAGTCTGGCTGCCCTT 2460
Db 2401 AGGACTGGGATATCCCGGCTCAGAAGAGGAGCTCCACAGTCTGGCTGCCCTT 2460
QY 2461 TTAGTAGCTCTAGGGGACCAAGATCAGGGATGGCGGTATGTTCCATTTCTCAGTTGACCA 2520
Db 2461 TTAGTAGCTCTAGGGGACCAAGATCAGGGATGGCGGTATGTTCCATTTCTCAGTTGACCA 2520

QY 2521 CAGGAGGAGTTGGGGGGCCCTCAGGAGATGGGGTCTTGGGTAAGAGGGGGATGTCT 2580
Db 2521 CAGGAGGAGTTGGGGGGCCCTCAGGAGATGGGGTCTTGGGTAAGAGGGGGATGTCT 2580
QY 2581 ACTCATGTTCAGGGAATTTGGGGTTGAGGAAGCACAGGCCCTGGCAGGAATAAAGATGACT 2640
Db 2581 ACTCATGTTCAGGGAATTTGGGGTTGAGGAAGCACAGGCCCTGGCAGGAATAAAGATGACT 2640
QY 2641 GAGACAGACAAGGCTATTGGAATCCACACCCAGACCAAAAGGGGTGACCCCTGGACAC 2700
Db 2641 GAGACAGACAAGGCTATTGGAATCCACACCCAGACCAAAAGGGGTGACCCCTGGACAC 2700
QY 2701 TCACCCAGAGTGTGGCTTCTTTTTCACCTCTGTTTCCAGATCTGGGCAAGGTGAGGACT 2760
Db 2701 TCACCCAGAGTGTGGCTTCTTTTTCACCTCTGTTTCCAGATCTGGGCAAGGTGAGGACT 2760
QY 2761 CATTCACAGGGTGTACTCAGGTCAACGTAGGACCCCACTCTGGTCTTAAAGACAGAGCG 2820
Db 2761 CATTCACAGGGTGTACTCAGGTCAACGTAGGACCCCACTCTGGTCTTAAAGACAGAGCG 2820
QY 2821 GTCCAGGATCTGCCATGCGTTTCGGGTGAGGAACATGAGGAGGACTGAGGTACCCAC 2880
Db 2821 GTCCAGGATCTGCCATGCGTTTCGGGTGAGGAACATGAGGAGGACTGAGGTACCCAC 2880
QY 2881 GACCAAGACACTGAGGAGACTGCACAGAAATCAGCCCTGCCCTGCTGTACCCACAGAG 2940
Db 2881 GACCAAGACACTGAGGAGACTGCACAGAAATCAGCCCTGCCCTGCTGTACCCACAGAG 2940
QY 2941 AGCATGGGTGGCGCTCTGCCAGGTCTTCCGTTATCCTGGGATCATGTGATGTCAGGG 3000
Db 2941 AGCATGGGTGGCGCTCTGCCAGGTCTTCCGTTATCCTGGGATCATGTGATGTCAGGG 3000
QY 3001 ACGGGAGGCCCTTGCTGTGAGAGGCTGCGCTCAGGTCTAGTAGAGGAGCGTCCCGAGCC 3060
Db 3001 ACGGGAGGCCCTTGCTGTGAGAGGCTGCGCTCAGGTCTAGTAGAGGAGCGTCCCGAGCC 3060
QY 3061 CTGCCAGGACTCAAGGTGAGGAGCCAGCCGCGCACCTCACCCAGGACACATTAATCCAA 3120
Db 3061 CTGCCAGGACTCAAGGTGAGGAGCCAGCCGCGCACCTCACCCAGGACACATTAATCCAA 3120
QY 3121 GAATTTGATATCTCTGTCTGCTGCCCTTCCCAAGGACTAGGCACGTGTGGCCAGATGTT 3180
Db 3121 GAATTTGATATCTCTGTCTGCTGCCCTTCCCAAGGACTAGGCACGTGTGGCCAGATGTT 3180
QY 3181 GTCCCTCTCTGCTTCCATTCCTTATCATGATGTGAATCTTGTATTTGGATTTCTCAG 3240
Db 3181 GTCCCTCTCTGCTTCCATTCCTTATCATGATGTGAATCTTGTATTTGGATTTCTCAG 3240
QY 3241 ACCAGCAAAAGGCGAGGATCCAGGCCCTGCCAGAAAAATAAAGGGCCCTCGGTGAGAA 3300
Db 3241 ACCAGCAAAAGGCGAGGATCCAGGCCCTGCCAGAAAAATAAAGGGCCCTCGGTGAGAA 3300
QY 3301 CAGAGGGGTCTATCCACTGCATGAGAGTGGGATGTCAAGAGTCCAGGCCACCTCTCTG 3360
Db 3301 CAGAGGGGTCTATCCACTGCATGAGAGTGGGATGTCAAGAGTCCAGGCCACCTCTCTG 3360
QY 3361 GTAGCACTGAGAGGCCAGGCTGTGCTGCGTCTGACCCCTGAGGGCCCTGGATTCCT 3420
Db 3361 GTAGCACTGAGAGGCCAGGCTGTGCTGCGTCTGACCCCTGAGGGCCCTGGATTCCT 3420
QY 3421 CTTTCTGGAGCTCCAGGAACCGAGGCTGAGGCTTGGTCTGAGACAGTATCCTCAGGTC 3480
Db 3421 CTTTCTGGAGCTCCAGGAACCGAGGCTGAGGCTTGGTCTGAGACAGTATCCTCAGGTC 3480
QY 3481 ACAGACAGAGGATGACAGGGTGTGCCAGCAGTGAATCTTTTCCCTGATCCACACCAA 3540
Db 3481 ACAGACAGAGGATGACAGGGTGTGCCAGCAGTGAATCTTTTCCCTGATCCACACCAA 3540
QY 3541 GGGCCCCACCTGCCCACAGGACACATAGGACTCCACAGACTCTGGCCTCACCTCCCTACTG 3600
Db 3541 GGGCCCCACCTGCCCACAGGACACATAGGACTCCACAGACTCTGGCCTCACCTCCCTACTG 3600

VERSION 124013.1 GI:1603883

KEYWORDS
SOURCE
ORGANISM

Unknown.
Unknown.
Unclassified.

REFERENCE 1 (bases 1 to 5674)

Chen, F., Stockert, B., Chen, Y., Garin-Chesa, P., Rettig, W. J., van der
Bruggen, P., Boon-Falleur, T. and Old, L. J.
Monoclonal antibodies which bind to tumor rejection antigen
precursor mage-1

JOURNAL Patent: US 5541104-A 1 30-JUL-1996;

FEATURES
Location/Qualifiers
1..5674

source /organism="unknown"

BASE COUNT 1276 a 1644 c 1569 g 1185 t

ORIGIN

Query Match 100.0%; Score 5674; DB 5; Length 5674;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 5674; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 CCCGGGACACATGGGATCCCTCCCTACACCCCAATCCCTCCCTTTAGGCCACCC 60

Db 1 CCCGGGACACATGGGATCCCTCCCTACACCCCAATCCCTCCCTTTAGGCCACCC 60

Qy 61 ATCCAAACATCTTCAAGTACACCCGAGCCCAAGCCAGGAGGATCCGGTTCCACCCCTG 120

Db 61 ATCCAAACATCTTCAAGTACACCCGAGCCCAAGCCAGGAGGATCCGGTTCCACCCCTG 120

Qy 121 CTCTCAACCCAGGAAAGCCAGGTCGCCAGATGTGACGCCACTGACGTGAGCATTAGTGG 180

Db 121 CTCTCAACCCAGGAAAGCCAGGTCGCCAGATGTGACGCCACTGACGTGAGCATTAGTGG 180

Qy 191 TTAGAGAAACGAGGTTTCGGTCTGAGGGGGGCTTGAGATCGGTGGAGGAGGGGG 240

Db 191 TTAGAGAAACGAGGTTTCGGTCTGAGGGGGGCTTGAGATCGGTGGAGGAGGGGG 240

Qy 241 CCCAGCTGTGTAAGGAGGCAAGGTGACATGTGAGGAGGAGGACTGAGGACCCACTTACCCC 300

Db 241 CCCAGCTGTGTAAGGAGGCAAGGTGACATGTGAGGAGGAGGACTGAGGACCCACTTACCCC 300

Qy 301 AGATAGAGGACCCCAATATCCCTTCATGCCAGTCTGACACCATCTGGTGGGATTC 360

Db 301 AGATAGAGGACCCCAATATCCCTTCATGCCAGTCTGACACCATCTGGTGGGATTC 360

Qy 361 TCAGGCTGGGCCACCCAGCCGCTTGTGCTTAAACCACTGGGGACTCGAAGTCAGAG 420

Db 361 TCAGGCTGGGCCACCCAGCCGCTTGTGCTTAAACCACTGGGGACTCGAAGTCAGAG 420

Qy 421 CTCGGTGTGATCAGGAGGGCTGCTTAGGAGAGGGCAGCGTCCAGGCTCTGCCAGACAT 480

Db 421 CTCGGTGTGATCAGGAGGGCTGCTTAGGAGAGGGCAGCGTCCAGGCTCTGCCAGACAT 480

Qy 481 CATGCTCAGGATCTCAAGAGGGCTGAGGGTCCCTAAGACCCCACTCCCGTGNCCCAAC 540

Db 481 CATGCTCAGGATCTCAAGAGGGCTGAGGGTCCCTAAGACCCCACTCCCGTGNCCCAAC 540

Qy 541 CCCCACTCCAATGCTCACTCCCGTGACCCCAACCCCTCTTCATTGTCAATTCACACCCCA 600

Db 541 CCCCACTCCAATGCTCACTCCCGTGACCCCAACCCCTCTTCATTGTCAATTCACACCCCA 600

Qy 601 CCCCACTCCAATGCTCACTCCCGTGACCCCAACCCCTCTTCATTGTCAATTCACACCCCA 660

Db 601 CCCCACTCCAATGCTCACTCCCGTGACCCCAACCCCTCTTCATTGTCAATTCACACCCCA 660

Qy 661 CACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCA 720

Db 661 CACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCA 720

Qy 721 CCAGGAACATCCGGGTGCGCGGATGTGACGCCACTGACCTGGCGCATTTGTGGGCGCAGAG 780

Db 721 CCAGGAACATCCGGGTGCGCGGATGTGACGCCACTGACCTGGCGCATTTGTGGGCGCAGAG 780

Qy 781 GAAGCGAGGTTTCCATTCTGAGGACGCGGTAGAGTTTCGGCCGAAGAAACCTGACCCAGG 840

Db 781 GAAGCGAGGTTTCCATTCTGAGGACGCGGTAGAGTTTCGGCCGAAGAAACCTGACCCAGG 840

Qy 841 CTCTGTGAGAGGCAAGGTGTGAGGCTGAGGAGGACTGAGGACCCCGCCACTTCCAATA 900

Db 841 CTCTGTGAGAGGCAAGGTGTGAGGCTGAGGAGGACTGAGGACCCCGCCACTTCCAATA 900

Qy 901 GAGAGCCCAATATTTCCAGCCCGCCCTTGTGTCAGCCCTGGCCACCCCGCGGGAAGA 960

Db 901 GAGAGCCCAATATTTCCAGCCCGCCCTTGTGTCAGCCCTGGCCACCCCGCGGGAAGA 960

Qy 961 CGTCTCAGCCTGGGCTGCGCCGAGACCCCTGCTCCAAAAGCCCTTGAGAGACACAGGTTTC 1020

Db 961 CGTCTCAGCCTGGGCTGCGCCGAGACCCCTGCTCCAAAAGCCCTTGAGAGACACAGGTTTC 1020

Qy 1021 TTCTCCCAAGCTCTGGAATCAGAGGTTTGTGTGACAGGCGAGGACTGTTAGGAGAGG 1080

Db 1021 TTCTCCCAAGCTCTGGAATCAGAGGTTTGTGTGACAGGCGAGGACTGTTAGGAGAGG 1080

Qy 1081 GCAGGSCACAGGCTCTGCGAGGATCAAGATCAGACACCAAGAGGAGGCGCTGTGGGCC 1140

Db 1081 GCAGGSCACAGGCTCTGCGAGGATCAAGATCAGACACCAAGAGGAGGCGCTGTGGGCC 1140

Qy 1141 CCAAGACTGCACCTCCAAATCCCACTCCCACTCCCACTCCCACTCCCACTCCCACTCCCA 1200

Db 1141 CCAAGACTGCACCTCCAAATCCCACTCCCACTCCCACTCCCACTCCCACTCCCACTCCCA 1200

Qy 1201 CCATCTCTCAGTACACTCCACCCCATCCCTACTCTCTACTCTCTACTCTCTACTCTCTACT 1260

Db 1201 CCATCTCTCAGTACACTCCACCCCATCCCTACTCTCTACTCTCTACTCTCTACTCTCTACT 1260

Qy 1261 ACCTCCAGCCGAGCAGGCGGCAAGCCCTTCTGCGACCTCACCCTCACTGCCCCCAAC 1320

Db 1261 ACCTCCAGCCGAGCAGGCGGCAAGCCCTTCTGCGACCTCACCCTCACTGCCCCCAAC 1320

Qy 1321 CCACCTCTCATCTCTCATGTGCGCCACTCCCATGCGCTCCGCCATTTGCGCAGATCC 1380

Db 1321 CCACCTCTCATCTCTCATGTGCGCCACTCCCATGCGCTCCGCCATTTGCGCAGATCC 1380

Qy 1381 GGTTCGCCCTGCTCTCAACCCAGGAAAGCCCTGTTAGGCGCGGATGTGAACCACTGACT 1440

Db 1381 GGTTCGCCCTGCTCTCAACCCAGGAAAGCCCTGTTAGGCGCGGATGTGAACCACTGACT 1440

Qy 1441 TGAACCTCACAGATCTGAGAGAGGCGAGGTTTCAATTTAATGTTCTGAGGGCGGCTTGAG 1500

Db 1441 TGAACCTCACAGATCTGAGAGAGGCGAGGTTTCAATTTAATGTTCTGAGGGCGGCTTGAG 1500

Qy 1501 ATCCACTGAGGGAGTGGTTTTAGGCTCTGTGAGGAGGCAAGGTGAGATGCTGAGGGAGG 1560

Db 1501 ATCCACTGAGGGAGTGGTTTTAGGCTCTGTGAGGAGGCAAGGTGAGATGCTGAGGGAGG 1560

Qy 1561 ACTGAGGAGGACACACCCAGGTAGATGCGCCCAAAATGATCCAGTACACCCCTGCTG 1620

Db 1561 ACTGAGGAGGACACACCCAGGTAGATGCGCCCAAAATGATCCAGTACACCCCTGCTG 1620

Qy 1621 CCAGCCCTGGACCAACCCGCGGAGGAGATGCTCAGTGTGACACCCCGCTCCCGTCC 1680

Db 1621 CCAGCCCTGGACCAACCCGCGGAGGAGATGCTCAGTGTGACACCCCGCTCCCGTCC 1680

Qy 1681 CACTGCCCTTAACCCACAGGCAATCTGTAGTATAGTATGACCGGGCAGGGTT 1740

Db 1681 CACTGCCCTTAACCCACAGGCAATCTGTAGTATAGTATGACCGGGCAGGGTT 1740

Qy 1741 GGTAGGAGGAGGAGGCGGCGGAGGATCAAGTCCAGCATCCCGCCGGCATTAGGTCAGG 1800

Db 1741 GGTAGGAGGAGGAGGCGGCGGAGGATCAAGTCCAGCATCCCGCCGGCATTAGGTCAGG 1800

Qy 1801 ACCCTGGGAGGAACTGAGGGTTCCCAACCCACACCTGTCTCTCATCTCCACCCGAC 1860

Db 1801 ACCCTGGGAGGAACTGAGGGTTCCCAACCCACACCTGTCTCTCATCTCCACCCGAC 1860

Db 4021 CACTGCTGGGTACAGATCCTCCCCAGAGTCTCCTCAGGAGCCTCGCCCTTCCCACTAC 4080
QY 4081 CATCACTTCCTCGACAGAGGCAACCCAGTGGGTTCCAGCAGCCGTCGAAGAGGAGG 4140
Db 4081 CATCACTTCCTCGACAGAGGCAACCCAGTGGGTTCCAGCAGCCGTCGAAGAGGAGG 4140
QY 4141 GCCAAGCAGCCTCTGTATCTCTGGAGTCCCTTGTTCGAGCAGTAACTCAAGAAGGTGGC 4200
Db 4141 GCCAAGCAGCCTCTGTATCTCTGGAGTCCCTTGTTCGAGCAGTAACTCAAGAAGGTGGC 4200
QY 4201 TGATTTGGTGGTTCCTGCTCCTCAATATCGAGCAGGAGCCAGTCACAAGGCAGA 4260
Db 4201 TGATTTGGTGGTTCCTGCTCCTCAATATCGAGCAGGAGCCAGTCACAAGGCAGA 4260
QY 4261 AATCCTGGAGAGTGCATCAAAAATTAACAAGCACTGTTTTCCTGAGATCTTCGGCAAGC 4320
Db 4261 AATCCTGGAGAGTGCATCAAAAATTAACAAGCACTGTTTTCCTGAGATCTTCGGCAAGC 4320
QY 4321 CTCTGAGTCTTCAGCTGGTCTTTGGCATGAGGTGAAGAGCAGACCCACCGCCA 4380
Db 4321 CTCTGAGTCTTCAGCTGGTCTTTGGCATGAGGTGAAGAGCAGACCCACCGCCA 4380
QY 4381 CTCCTATGCTCTGTCACCTGCTAGTCTCTCTATGATGGCTGCTGGGTGATATCA 4440
Db 4381 CTCCTATGCTCTGTCACCTGCTAGTCTCTCTATGATGGCTGCTGGGTGATATCA 4440
QY 4441 GATCATGCCAAGACAGGCTTCCTGATTAATGTCCTGGTCAATGATGCAATGAGGCGG 4500
Db 4441 GATCATGCCAAGACAGGCTTCCTGATTAATGTCCTGGTCAATGATGCAATGAGGCGG 4500
QY 4501 CCATGCTCCTGAGAGAAATCTGGAGAGCTGAGTGTGATGAGGTGTATGAGGAG 4560
Db 4501 CCATGCTCCTGAGAGAAATCTGGAGAGCTGAGTGTGATGAGGTGTATGAGGAG 4560
QY 4561 GGAGCAGTGCCTATGGGAGCCAGGAAGCTGCTCACCAAGATTTGGTGCAGGAAGA 4620
Db 4561 GGAGCAGTGCCTATGGGAGCCAGGAAGCTGCTCACCAAGATTTGGTGCAGGAAGA 4620
QY 4621 GTACCTGAGTACGAGGTGCGGAGCAGTATCCCGCAGCTATGATGTCCTGGGGT 4680
Db 4621 GTACCTGAGTACGAGGTGCGGAGCAGTATCCCGCAGCTATGATGTCCTGGGGT 4680
QY 4681 CCAAGGCGCTCTGCTGAACCCAGCTATGTGAAGTCCCTTGAGTATGTATCAAGGTCA 4740
Db 4681 CCAAGGCGCTCTGCTGAACCCAGCTATGTGAAGTCCCTTGAGTATGTATCAAGGTCA 4740
QY 4741 GCAAGAGTTCGCTTTTCTCCCATCCCTGCTGCTGAGCAGCTTTGAGAGAGGAGAG 4800
Db 4741 GCAAGAGTTCGCTTTTCTCCCATCCCTGCTGCTGAGCAGCTTTGAGAGAGGAGAG 4800
QY 4801 GGAGTCTGAGCATGAGTTGAGCCAGGAGGAGGAGTGGGCGCAGTGCACCTT 4860
Db 4801 GGAGTCTGAGCATGAGTTGAGCCAGGAGGAGGAGTGGGCGCAGTGCACCTT 4860
QY 4861 CCAGGCGCGGTCCAGCAGCTTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 4920
Db 4861 CCAGGCGCGGTCCAGCAGCTTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 4920
QY 4921 GAAGAGAGCGGTGAGTCTCTCAGTACTAGTCTCTCTCTCTCTCTCTCTCTCTCTCT 4980
Db 4921 GAAGAGAGCGGTGAGTCTCTCAGTACTAGTCTCTCTCTCTCTCTCTCTCTCTCTCT 4980
QY 4981 TATCTTTGTTCTCTTTTGGAAATGTTTCAAAATGTTTTTTTAAAGGATGTTTAAAGG 5040
Db 4981 TATCTTTGTTCTCTTTTGGAAATGTTTCAAAATGTTTTTTTAAAGGATGTTTAAAGG 5040
QY 5041 TTCAGATCCAAAGTTTATGATGACAGCTCACACAGTCTCTCTGATATAGTTTAAAGG 5100
Db 5041 TTCAGATCCAAAGTTTATGATGACAGCTCACACAGTCTCTCTGATATAGTTTAAAGG 5100
QY 5101 TAAGAGCTCTTGTGTTTATTCAGATTTGGGAATCCATCTCTATTTTGTGAATTTGGGATA 5160
Db 5101 TAAGAGCTCTTGTGTTTATTCAGATTTGGGAATCCATCTCTATTTTGTGAATTTGGGATA 5160

QY 5161 AACAGCAGTGGATTAAGTACTTAGAAATCTGAAATATGACAGTAAATAGATGAGATAA 5220
Db 5161 AACAGCAGTGGATTAAGTACTTAGAAATCTGAAATATGACAGTAAATAGATGAGATAA 5220
QY 5221 AGAATCAAGAAATTAAGAGATAGTCAATCTTGCTTTATACCTCAGTCTATCTCTGATA 5280
Db 5221 AGAATCAAGAAATTAAGAGATAGTCAATCTTGCTTTATACCTCAGTCTATCTCTGATA 5280
QY 5281 ATTTTAAAGATATATGATACCTGATTTCTTGGCTTTCTTTGAGATGTAAGAGAAAT 5340
Db 5281 ATTTTAAAGATATATGATACCTGATTTCTTGGCTTTCTTTGAGATGTAAGAGAAAT 5340
QY 5341 TAAATCTGAATAAAGAAATCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 5400
Db 5341 TAAATCTGAATAAAGAAATCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT 5400
QY 5401 TCTGCTTTTGAAGCCCTGGGTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCT 5460
Db 5401 TCTGCTTTTGAAGCCCTGGGTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCTAGTCT 5460
QY 5461 CCACCATAGGTCGTAGAGTCTAGGAGTGCAGTCAACGATCAGTCTAGTCTAGTCTAGTCT 5520
Db 5461 CCACCATAGGTCGTAGAGTCTAGGAGTGCAGTCAACGATCAGTCTAGTCTAGTCTAGTCT 5520
QY 5521 CTCTAAGATGATAGGAAAGTGAAGAGGGGTGAGGAGTGGGGTCCGGGTGAGAGTG 5580
Db 5521 CTCTAAGATGATAGGAAAGTGAAGAGGGGTGAGGAGTGGGGTCCGGGTGAGAGTG 5580
QY 5581 GTGGAGTGTCAATGCCCTGAGTGGGGCATTTTGGCTTTTGGAACTGCAGTCTTCTTCT 5640
Db 5581 GTGGAGTGTCAATGCCCTGAGTGGGGCATTTTGGCTTTTGGAACTGCAGTCTTCTTCT 5640
QY 5641 GGGGAGCTGATGTAATGATCTTGGTGGATCC 5674
Db 5641 GGGGAGCTGATGTAATGATCTTGGTGGATCC 5674

RESULT 3
LOCUS I36923 5674 bp DNA PAT 13-MAY-1997
DEFINITION Sequence 8 from patent US 5612201.
ACCESSION I36923
VERSION I36923.1 GI:2084883
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 5674)
AUTHORS De Plaen,E., Boon-Falleur,T., Lethe,B., Szikora,J., De Smet,C. and Chomez,P.
TITLE Isolated nucleic acid molecules useful in determining expression of a tumor rejection antigen precursor
JOURNAL Patent: US 5612201-A 8-18-MAR-1997;
FEATURES Location/Qualifiers
source 1..5674
BASE COUNT 1276 a 1644 c 1569 g 1185 t
ORIGIN

Query Match 100.0%; Score 5674; DB 5; Length 5674;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 5674; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 CCGGGGACCACTGCGATCCCTCCCTTACACCCCAATCCCTCCCTTTACGCCACCC 60
Db 1 CCGGGGACCACTGCGATCCCTCCCTTACACCCCAATCCCTCCCTTTACGCCACCC 60
QY 61 ATCCAAACATCTTACGCTCACCCCAAGCCAGGAGCAATCCGGTTCCACCCCTG 120
Db 61 ATCCAAACATCTTACGCTCACCCCAAGCCAGGAGCAATCCGGTTCCACCCCTG 120

QY 121 CTCTCAACCCAGGAGCCAGGTGCCAGATGTGAGCCACTGACTTGAGCATTAGTGS 180
Db 121 CTCTCAACCCAGGAGCCAGGTGCCAGATGTGAGCCACTGACTTGAGCATTAGTGS 180
QY 181 TTAGAGAGAGCGAGGTTTTCGGTCTGAGGGCGGCTTGAGATCGGTGAGGGAACGGG 240
Db 181 TTAGAGAGAGCGAGGTTTTCGGTCTGAGGGCGGCTTGAGATCGGTGAGGGAACGGG 240
QY 241 CCAGGCTCTGAGGAGGCAAGGTGACATGCTGAGGAGGACTGAGGACCCACTTACCC 300
Db 241 CCAGGCTCTGAGGAGGCAAGGTGACATGCTGAGGAGGACTGAGGACCCACTTACCC 300
QY 301 AGATAGAGAGCCCAATAATCCCTTCATGCCAGTCTGAGGAGGACTGAGGACCCACTTACCC 360
Db 301 AGATAGAGAGCCCAATAATCCCTTCATGCCAGTCTGAGGAGGACTGAGGACCCACTTACCC 360
QY 361 TCAGGCTGGGCCACCCAGCCCTTGCTTAACCACTGGGACTCGAGTTCAGAG 420
Db 361 TCAGGCTGGGCCACCCAGCCCTTGCTTAACCACTGGGACTCGAGTTCAGAG 420
QY 421 CTCGGTGTGATCAGGAGAGGCTGCTTAGGAGAGGCGAGCGTCCAGGCTCTGCCAGACAT 480
Db 421 CTCGGTGTGATCAGGAGAGGCTGCTTAGGAGAGGCGAGCGTCCAGGCTCTGCCAGACAT 480
QY 481 CATGCTCAGGATTCAGAGAGGCTGAGGTCCTTAAGACCCACTCCCGTGAACCAAC 540
Db 481 CATGCTCAGGATTCAGAGAGGCTGAGGTCCTTAAGACCCACTCCCGTGAACCAAC 540
QY 541 CCCCACTCCAATGCTACTCCCGTGAACCAACCCCTCTTCATTGCTATCCAAACCCCA 600
Db 541 CCCCACTCCAATGCTACTCCCGTGAACCAACCCCTCTTCATTGCTATCCAAACCCCA 600
QY 601 CCCCACTCCAATGCTACTCCCGTGAACCAACCCCTCTTCATTGCTATCCAAACCCCT 660
Db 601 CCCCACTCCAATGCTACTCCCGTGAACCAACCCCTCTTCATTGCTATCCAAACCCCT 660
QY 661 CACCCACACCCACCCAGCCCTGACCCACCCAGGAGGATCCGGTCCCG 720
Db 661 CACCCACACCCACCCAGCCCTGACCCACCCAGGAGGATCCGGTCCCG 720
QY 721 CCAGGAACATCCCGGTGCCGGATGTAGCCCACTGACCTGGCCATTTGGGGCAGAGA 780
Db 721 CCAGGAACATCCCGGTGCCGGATGTAGCCCACTGACCTGGCCATTTGGGGCAGAGA 780
QY 781 GAAGCGAGTTTCCATTCTGAGGAGCGGCTGAGGTTGCGCGAAGGAACCTGACCCAGG 840
Db 781 GAAGCGAGTTTCCATTCTGAGGAGCGGCTGAGGTTGCGCGAAGGAACCTGACCCAGG 840
QY 841 CTCTGTGAGGAGGCAAGGTGAGAGGCTGAGGAGGACTGAGGACCCCGCACTCCAATA 900
Db 841 CTCTGTGAGGAGGCAAGGTGAGAGGCTGAGGAGGACTGAGGACCCCGCACTCCAATA 900
QY 901 GAGAGCCCAATATTCAGCCCGCCCTTGCTGCCAGCCCTGGCCACCCGCGGAGAGA 960
Db 901 GAGAGCCCAATATTCAGCCCGCCCTTGCTGCCAGCCCTGGCCACCCGCGGAGAGA 960
QY 961 CGTCTCAGCTGGGCTGCCCGCAGACCCCTGCTCCAAAGCCCTTGAGAGACACAGGTTT 1020
Db 961 CGTCTCAGCTGGGCTGCCCGCAGACCCCTGCTCCAAAGCCCTTGAGAGACACAGGTTT 1020
QY 1021 TTCTCCCAAGCTTGGAATCAGAGGTTGTGTACACAGGCGAGGACTGTTAGGAGAGG 1080
Db 1021 TTCTCCCAAGCTTGGAATCAGAGGTTGTGTACACAGGCGAGGACTGTTAGGAGAGG 1080
QY 1081 GCAGGGACAGGCTGCTGCCAGGATCAAGATCAGCACCCCAAGAGGGAGGCTGTGGGCC 1140
Db 1081 GCAGGGACAGGCTGCTGCCAGGATCAAGATCAGCACCCCAAGAGGGAGGCTGTGGGCC 1140
QY 1141 CCAGACTGCACTCCATCCCACTCCACCCCAATTCGATTCGCATTCGCCACCCCAACC 1200
Db 1141 CCAGACTGCACTCCATCCCACTCCACCCCAATTCGCATTCGCCACCCCAACC 1200
QY 1201 CCCATCTCTCAGCTACACCTCCACCCCACTCCCTACTCTACTCTACCTGACCCACC 1260

Db 1201 CCCATCTCTCAGCTACACCTCCACCCCACTCCCTACTCTACTCTACCTGACCCACC 1260
QY 1261 ACCCTCCAGCCCAAGCAGCCCAACCCCTTCTGCCACCTCACCCTCAGTCCGCCCAAC 1320
Db 1261 ACCCTCCAGCCCAAGCAGCCCAACCCCTTCTGCCACCTCACCCTCAGTCCGCCCAAC 1320
QY 1321 CCACCCCTCATCTCTCATGTGCCCACTCCCATCGCTCCCATTCCTGSCAATCC 1380
Db 1321 CCACCCCTCATCTCTCATGTGCCCACTCCCATCGCTCCCATTCCTGSCAATCC 1380
QY 1381 GGTTCGCCCTCTCTCAACCCAGGAGCCCTGTAGCCCGATGTGAACCACTGACT 1440
Db 1381 GGTTCGCCCTCTCTCAACCCAGGAGCCCTGTAGCCCGATGTGAACCACTGACT 1440
QY 1441 TGAACCTCACATCTGAGAGAGCCAGGTTCAATTAATGTTCTGAGGGCGGCTTGAG 1500
Db 1441 TGAACCTCACATCTGAGAGAGCCAGGTTCAATTAATGTTCTGAGGGCGGCTTGAG 1500
QY 1501 ATCCACTGAGGAGGAGTGTGTTTAGGCTCTGTGAGGAGCAAGGTGAGATGCTGAGGGAGG 1560
Db 1501 ATCCACTGAGGAGGAGTGTGTTTAGGCTCTGTGAGGAGCAAGGTGAGATGCTGAGGGAGG 1560
QY 1561 ACTGAGGAGCACACACCCAGGTAGTGGCCCAAAATGATCCAGTACACCCCTGCTG 1620
Db 1561 ACTGAGGAGCACACACCCAGGTAGTGGCCCAAAATGATCCAGTACACCCCTGCTG 1620
QY 1621 CCAGCCCTGGACACCCCGCCAGGACAGATGCTCAGGTGGACACCCCGCTCCCGTCC 1680
Db 1621 CCAGCCCTGGACACCCCGCCAGGACAGATGCTCAGGTGGACACCCCGCTCCCGTCC 1680
QY 1681 CACTGCCCTTAACCCACAGGCAATCTGTAGTATAGTTATGTGACCGGGCAGGTT 1740
Db 1681 CACTGCCCTTAACCCACAGGCAATCTGTAGTATAGTTATGTGACCGGGCAGGTT 1740
QY 1741 GGTGAGGAGGAGGCGCCAGGCAATCAAGTCCAGCATCCGCCCGGCAATTAGGTTGAG 1800
Db 1741 GGTGAGGAGGAGGCGCCAGGCAATCAAGTCCAGCATCCGCCCGGCAATTAGGTTGAG 1800
QY 1801 ACCCTGGAGGAGGACTGAGGTTCCCCACCCACCTGCTCTCTCATCTCCACCCACC 1860
Db 1801 ACCCTGGAGGAGGACTGAGGTTCCCCACCCACCTGCTCTCTCATCTCCACCCACC 1860
QY 1861 CCACTCACATTCCTACCTACCCCTACCCCAACCTCATCTTGTGAGAATCCCTGCTG 1920
Db 1861 CCACTCACATTCCTACCTACCCCTACCCCAACCTCATCTTGTGAGAATCCCTGCTG 1920
QY 1921 TCAACCCAGGAGCCACCGGAAATGGCGCCAGGCACTCGGATCTTGAGTCCCATCCA 1980
Db 1921 TCAACCCAGGAGCCACCGGAAATGGCGCCAGGCACTCGGATCTTGAGTCCCATCCA 1980
QY 1981 GGTCTGTGATGGAGGAGGCGCTTGAACAGGGCCTCAGGGGAGCAGAGGAGGGCCCTAC 2040
Db 1981 GGTCTGTGATGGAGGAGGCGCTTGAACAGGGCCTCAGGGGAGCAGAGGAGGGCCCTAC 2040
QY 2041 TGGAGATGAGGAGGCGCTCAGAGGACCCAGACCCCTAGGACACCCCGCTGTGAG 2100
Db 2041 TGGAGATGAGGAGGCGCTCAGAGGACCCAGACCCCTAGGACACCCCGCTGTGAG 2100
QY 2101 ACTGAGGCTGCCACTTCTGGCTCAAGATCAGAGTGGGACTCAGATTGCTGGG 2160
Db 2101 ACTGAGGCTGCCACTTCTGGCTCAAGATCAGAGTGGGACTCAGATTGCTGGG 2160
QY 2161 GTGGGACCCAGGCTCAAGGCTTACGGGAGGAGAGGAGGAGGACTCAGGGGACCTT 2220
Db 2161 GTGGGACCCAGGCTCAAGGCTTACGGGAGGAGAGGAGGAGGACTCAGGGGACCTT 2220
QY 2221 GGAATCCAGATCAGTGTGACCTCGGCCCTGAGAGTCCAGGGCACGGTGGCCACATAG 2280
Db 2221 GGAATCCAGATCAGTGTGACCTCGGCCCTGAGAGTCCAGGGCACGGTGGCCACATAG 2280
QY 2281 GCCATATTCTCTGACTTTGAGGTGACAGGACAGAGTGTGGTCTGAGAGTGGGGCC 2340

QY 4501 CCATGCTCCTGAGGAGAAATCTGGAGGAGCTGAGTGTGATGAGAGTGTATGATGGAG 4560
|||||
Db 4501 CCATGCTCCTGAGGAGAAATCTGGAGGAGCTGAGTGTGATGAGAGTGTATGATGGAG 4560
QY 4561 GGAGCAGTGCCTATATGGGAGCCCGAGAGCTGCTCACCAAGATTTGGTGCAGGAAA 4620
|||||
Db 4561 GGAGCAGTGCCTATATGGGAGCCCGAGAGCTGCTCACCAAGATTTGGTGCAGGAAA 4620
QY 4621 GTACCTGAGTACGCGAGCTGCGGAGAGTATCCGCGAGTATGATGATTCCTGCGGGT 4680
|||||
Db 4621 GTACCTGAGTACGCGAGTTCGCGAGAGTATCCGCGAGTATGATGATTCCTGCGGGT 4680
QY 4681 CCAAGGCGCTCGCTGAACACAGTATGTGAAGTCTCTGAGTATGTGATCAAGGTCAGT 4740
|||||
Db 4681 CCAAGGCGCTCGCTGAACACAGTATGTGAAGTCTCTGAGTATGTGATCAAGGTCAGT 4740
QY 4741 GCAGAGTTCGCTTTTCTCCCATCCTGCTGAACACAGTTCGAGAGGAGGAGAG 4800
|||||
Db 4741 GCAGAGTTCGCTTTTCTCCCATCCTGCTGAACACAGTTCGAGAGGAGGAGAGAG 4800
QY 4801 GGAGTCTGAGCATGAGTTCGAGCCAGCCAGTGGGAGGGGAGTGGCCAGTGCACCTT 4860
|||||
Db 4801 GGAGTCTGAGCATGAGTTCGAGCCAGCCAGTGGGAGGGGAGTGGCCAGTGCACCTT 4860
QY 4861 CCAGGCGCGCTCAGAGCTTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 4920
|||||
Db 4861 CCAGGCGCGCTCAGAGCTTCCCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 4920
QY 4921 GAAGAGAGCGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 4980
|||||
Db 4921 GAAGAGAGCGTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 4980
QY 4981 TATCTTTCTCTTTTGGGAATGTTCAAAATGTTTTTTTAAAGGATGTTGAATGAAC 5040
|||||
Db 4981 TATCTTTCTCTTTTGGGAATGTTCAAAATGTTTTTTTAAAGGATGTTGAATGAAC 5040
QY 5041 TTCAGTCCCAAGTTATGATGACAGCAGTCAACAGTCTCTGTTATATAGTTAAGGG 5100
|||||
Db 5041 TTCAGTCCCAAGTTATGATGACAGCAGTCAACAGTCTCTGTTATATAGTTAAGGG 5100
QY 5101 TAAGAGTCTTGTGTTTATTCAGATGCGGAATCCATCTATTTTGTGAATGGGATAT 5160
|||||
Db 5101 TAAGAGTCTTGTGTTTATTCAGATGCGGAATCCATCTATTTTGTGAATGGGATAT 5160
QY 5161 AACAGCAGTGAATAAGTACCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5220
|||||
Db 5161 AACAGCAGTGAATAAGTACCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5220
QY 5221 AGAATTAAGAAATTAAGAGATAGTCAATCTTCCCTTATACCTCAGTCTATTCGTAAA 5280
|||||
Db 5221 AGAATTAAGAAATTAAGAGATAGTCAATCTTCCCTTATACCTCAGTCTATTCGTAAA 5280
QY 5281 ATTTTAAAGATATATGATACCTGGATTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5340
|||||
Db 5281 ATTTTAAAGATATATGATACCTGGATTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5340
QY 5341 TAAATCTGAATAAGAAATCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5400
|||||
Db 5341 TAAATCTGAATAAGAAATCTTCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 5400
QY 5401 TCTGCTTTTGAAGCCCTCGGTTAGTGTGAGATGCTAAGTATAGCCAGATCATAC 5460
|||||
Db 5401 TCTGCTTTTGAAGCCCTCGGTTAGTGTGAGATGCTAAGTATAGCCAGATCATAC 5460
QY 5461 CCACCCATAGGTCGTAGAGTCTAGAGTCTGAGTCTGAGTCTGAGTCTGAGTCTGAGTCT 5520
|||||
Db 5461 CCACCCATAGGTCGTAGAGTCTAGAGTCTGAGTCTGAGTCTGAGTCTGAGTCTGAGTCT 5520
QY 5521 CTCTAAAGATGAGGAAAGTGAAGAGGGGTGAGGGTGTGGGCTCCGGGTGAGAGTG 5580
|||||
Db 5521 CTCTAAAGATGAGGAAAGTGAAGAGGGGTGAGGGTGTGGGCTCCGGGTGAGAGTG 5580
QY 5581 GTGGAGTGTCAATGCCCTGAGCTGGGCGATTTGGGCTTTGGGAACTGCAGTCTCTCT 5640

Db 5581 GTGGAGTGTCAATGCCCTGAGCTGGGCGATTTGGGCTTTGGGAACTGCAGTCTCTCT 5640
QY 5641 GGGGAGCTGATTGATGATCTTGGGTGGATCC 5674
Db 5641 GGGGAGCTGATTGATGATCTTGGGTGGATCC 5674
RESULT 4
US2670/c 275159 bp DNA PRI 31-MAR-2000
LOCUS Homo sapiens chromosome Xq28 pSHMC17 pseudogene, complete sequence;
DEFINITION (ZNF275); genes, complete cds.
ACCESSION U82670 U82672
VERSION U82670.2 GI:7274891
KEYWORDS human.
SOURCE Homo sapiens
ORGANISM Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Homnidae; Homo.
REFERENCE 1 (bases 1 to 275159)
AUTHORS Mallon,A.M., Platzer,M., Bates,R., Gloeckner,G., Botcherby,M.,
Nordsiek,G., Strivens,M.A., Kioschis,P., Dangel,A., Cunningham,D.,
Straw,R., Weston,P., Hunter,C., Gilbert,M., Fernando,S.,
Goodall,K., Kerry,G., Greystrom,J.S., Clark,D., Goerdes,M.,
Bleischmidt,K., Rump,A., Hinemann,B., Mundy,C.R., Miller,W.,
Poustka,A., Herman,G.E., Rhodes,M., Denny,P., Rosenthal,A. and
Brown,S.D.M.
TITLE Comparative genome sequence analysis of the Bpa/Str region in mouse
and man
JOURNAL Genome Res. (2000) In press
REFERENCE 2 (bases 1631 to 52906)
AUTHORS Gloeckner,G.
JOURNAL Direct Submission
TITLE Submitted (19-DEC-1996) Genome Analysis, Institute of Molecular
Biotechnology, Beutenbergstrasse 11, Jena 07745, Germany
REFERENCE 3 (bases 1 to 275159)
AUTHORS Platzer,M. and Gloeckner,G.
JOURNAL Direct Submission
TITLE Submitted (31-DEC-1999) Genome Analysis, Institute of Molecular
Biotechnology, Beutenbergstrasse 11, Jena 07745, Germany
REMARK Sequence update by submitter
COMMENT On Mar 22, 2000 this sequence version replaced gi:2078526
gi:2286115.
This sequence is part of a larger genomic contig. The start of this
sequence is directed towards the centromere. The start of this
sequence (1..250) overlaps with the end of the neighboring sequence
deposited in GenBank Accession Number U82671.

FEATURES

Source
1..275159
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="X"
/map="Xq28"
<1..35511
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="RPCIP704:L1034Q12"
1..250
/note="overlaps with the end of the sequence deposited in
GenBank Accession Number U82671"
1631..32310
/organism="Homo sapiens"
/db_xref="taxon:9606"
/clone="LK0220"
1900..2216
/rpt_family="THE1B"
complement(2590..2993)
/rpt_family="MSTA"
complement(2994..3093)
/rpt_family="MSTA-internal"
3094..3817
repeat_region
repeat_region
repeat_region
repeat_region


```
repeat_region      /rpt_family="LTR8"
repeat_region      complement(3818..5353)
repeat_region      /rpt_family="MSTA-internal"
repeat_region      complement(5354..5746)
repeat_region      /rpt_family="MSTA"
repeat_region      5946..6175
repeat_region      /rpt_family="HERVR"
repeat_region      6953..7421
repeat_region      /rpt_family="HURS-P3"
repeat_region      complement(7422..7887)
repeat_region      /rpt_family="LTR19A"
repeat_region      7888..7902
repeat_region      /rpt_family="HURS-P3"
repeat_region      complement(8146..8460)
repeat_region      /rpt_family="AluJb"
repeat_region      8603..9022
repeat_region      /rpt_family="HURS-P3"
repeat_region      9243..9437
repeat_region      /rpt_family="MSTA"
repeat_region      complement(9872..10336)
repeat_region      /rpt_family="MER41A"
repeat_region      10337..10381
repeat_region      /rpt_family="L2"
repeat_region      complement(10383..11111)
repeat_region      /rpt_family="MER41-internal"
repeat_region      complement(11112..11400)
repeat_region      /rpt_family="AluSg1"
repeat_region      complement(11401..11700)
repeat_region      /rpt_family="MER41-internal"
repeat_region      complement(11700..13089)
repeat_region      /rpt_family="MER4-internal"
repeat_region      complement(13073..13790)
repeat_region      /rpt_family="MER57-internal"
repeat_region      complement(13787..13907)
repeat_region      /rpt_family="MER57-internal"
repeat_region      complement(13903..14255)
repeat_region      /rpt_family="MER57-internal"
repeat_region      14274..15228
repeat_region      /rpt_family="L1PA5"
repeat_region      15217..18398
repeat_region      /rpt_family="L1PA5"
repeat_region      18442..18975
repeat_region      /rpt_family="L1PA15"
repeat_region      19013..19652
repeat_region      /rpt_family="LTR39"
repeat_region      19535..52906
repeat_region      /organism="Homo sapiens"
repeat_region      /db_xref="taxon:9606"
repeat_region      /clone="LK0813"
repeat_region      19653..20413
repeat_region      /rpt_family="L1M3"
repeat_region      21078..21748
repeat_region      /rpt_family="MER31-internal"
repeat_region      21752..21886
repeat_region      /rpt_family="AluYa5/8"
repeat_region      21889..22268
repeat_region      /rpt_family="MER31-internal"
repeat_region      22269..22477
repeat_region      /rpt_family="AluJo"
repeat_region      22540..22618
repeat_region      /rpt_family="MER31-internal"
repeat_region      22756..22957
repeat_region      /rpt_family="MER31-internal"
repeat_region      22968..23269
repeat_region      /rpt_family="AluJo"
repeat_region      23285..23685
repeat_region      /rpt_family="L1M4"
repeat_region      complement(24864..25145)
repeat_region      /rpt_family="AluJb"
repeat_region      25424..25454
repeat_region      /rpt_family="(GA)n"
repeat_region      complement(25765..25894)
repeat_region      /rpt_family="MLT1H"

misc_feature       25769..26426
misc_feature       /note="DXS52; acc. no. GDB:187392"
repeat_region      25918..26172
repeat_region      /rpt_family="AluY"
repeat_region      complement(26173..26252)
repeat_region      /rpt_family="polypurine"
repeat_region      26252..26359
repeat_region      /rpt_family="(TA)n"
repeat_region      complement(26798..26907)
repeat_region      /rpt_family="MIR"
repeat_region      31846..32441
repeat_region      /note="CpG island: 64.8 %GC, o/e=0.93, #CPGS=62"
repeat_region      complement(32009..32167)
repeat_region      /rpt_family="AluJo"
repeat_region      complement(33163..33210)
repeat_region      /rpt_family="AluJo"
repeat_region      34175..34216
repeat_region      /rpt_family="MSTD"
repeat_region      34754..34823
repeat_region      /rpt_family="MSTD"
repeat_region      35068..35384
repeat_region      /rpt_family="MSTD"
repeat_region      35436..37928
repeat_region      /rpt_family="HERVL"
repeat_region      complement(38078..38402)
repeat_region      /rpt_family="AluY"
repeat_region      38510..38962
repeat_region      /rpt_family="LTR168"
repeat_region      39489..39779
repeat_region      /rpt_family="AluSx"
repeat_region      complement(40031..40384)
repeat_region      /rpt_family="L2"
repeat_region      complement(40610..40802)
repeat_region      /rpt_family="L1ME1"
repeat_region      complement(40769..40937)
repeat_region      /rpt_family="L1M4"
repeat_region      complement(41230..41395)
repeat_region      /rpt_family="L1ME"
repeat_region      41398..41663
repeat_region      /rpt_family="L2"
repeat_region      complement(41928..41993)
repeat_region      /rpt_family="MLT2FB"
repeat_region      41994..42022
repeat_region      /rpt_family="(GA)n"
repeat_region      complement(42023..42381)
repeat_region      /rpt_family="MLT2FB"
repeat_region      42155..103943
repeat_region      /organism="Homo sapiens"
repeat_region      /db_xref="taxon:9606"
repeat_region      /clone="RPC1-11:K1776"
repeat_region      complement(42824..43114)
repeat_region      /rpt_family="AluJo"
repeat_region      43685..44167
repeat_region      /rpt_family="MLT1D"
repeat_region      44916..45363
repeat_region      /rpt_family="MER41B"
repeat_region      47017..47143
repeat_region      /rpt_family="MER85"
repeat_region      complement(47268..47344)
repeat_region      /rpt_family="L2"
repeat_region      47349..47645
repeat_region      /rpt_family="AluJb"
repeat_region      48693..49693
repeat_region      /rpt_family="THE1C-internal"

Query Match      98.1%; Score 5566.2; DB 50; Length 275159;
Best Local Similarity 99.6%; Pred. No. 0;
Matches 5654; Conservative 0; Mismatches 18; Indels 7; Gaps 7;

QY 1 CCGGGGACCACTGGCATCCCTCCCTCCCTACACCCCAATCCCTCCCTTAGCCACCC 60
    |||||
DB 127368 CCGGGGACCACTGGCATCCCTCCCTCCCTACACCCCAATCCCTCCCTTAGCCACCC 127309
```


QY 61 ATCAAACATCTTCACTCCACCCAGCCCAAGCAGGAGCAATCCGGTTCACCCCTG 120
D 127308 ATCAAACATCTTCACTCCACCCAGCCCAAGCAGGAGCAATCCGGTTCACCCCTG 127249
QY 121 CTCTCAACCCAGGAGGAGCCAGAGTGCCAGATGTGACGCCACTGACTTGAAGCAATTAGTG 180
D 127248 CTCTCAACCCAGGAGGAGCCAGAGTGCCAGATGTGACGCCACTGACTTGAAGCAATTAGTG 127189
QY 181 TTAGAGAGNAGAGGTTTTCGGTCTCAGGGGGGGCTTGAGATCGGTGGAGGAAGCGGG 240
D 127188 TTAGAGAGNAGAGGTTTTCGGTCTCAGGGGGGGCTTGAGATCGGTGGAGGAAGCGGG 127129
QY 241 CCCA-GCTCTGTAAAGAGGCAAGGTGACATGCTGAGGGAGGACTGAGGACCCACTTACCC 299
D 127128 CCCAGGCTCTGTAAGGAGGCAAGGTGACATGCTGAGGGAGGACTGAGGACCCACTTACCC 127059
QY 300 CAGATAGAGNACCCCAATATCCCTTCATGCCAGTCTCGGACCACTGCTGGTGTGACTT 359
D 127068 CAGATAGAGNACCCCAATATCCCTTCATGCCAGTCTCGGACCACTGCTGGTGTGACTT 127009
QY 360 CTCAGGCTGGGCCACCCCAAGCCCTTGTCTTAACCACTGGGAGCTCGAAGTCAGA 419
D 127008 CTCAGGCTGGGCCACCCCAAGCCCTTGTCTTAACCACTGGGAGCTCTGAAGTCAG 126949
QY 420 GCTCCGTGTGATAGGAGGAGGTGTAGAGAGGAGCGTCCAGGCTCTGCCAGACA 479
D 126948 AGCTCGTGTGATAGGAGGAGGTGTAGAGAGGAGCGTCCAGGCTCTGCCAGACA 126889
QY 480 TCATGCTCAGATTTCAAGGAGGCTGAGGGTCCCTTAAGACCCCACTCCCGTGACCCAA 539
D 126888 TCATGCTCAGATTTCAAGGAGGCTGAGGGTCCCTTAAGACCCCACTCCCGTGACCCAA 126829
QY 540 CCCCACATCCAAATGCTCACTCCCGTGACCCCAAGCCCTCTTCAATGTTCATTCACCCCC 599
D 126828 CCCCACATCCAAATGCTCACTCCCGTGACCCCAAGCCCTCTTCAATGTTCATTCACCCCC 126769
QY 600 ACCCAATCCCAAGCCCACTCCCTCAACCTGATGCCATCCGCCAGCCATTCACCC 659
D 126768 ACCCAATCCCAAGCCCACTCCCTCAACCTGATGCCATCCGCCAGCCATTCACCC 126709
QY 660 TCACCCCAACCCCAAGCCCACTCCCAAGCCCACTCCCAAGCCCACTCCCAAGCCCACTCC 719
D 126708 TCACCCCAACCCCAAGCCCACTCCCAAGCCCACTCCCAAGCCCACTCCCAAGCCCACTCC 126649
QY 720 GCCAGGAACATCCGGTGGCCCGATGTGAGCCACTGACTTGGCAATGTGGGGCAGAG 779
D 126648 GCCAGGAACATCCGGTGGCCCGATGTGAGCCACTGACTTGGCAATGTGGGGCAGAG 126589
QY 780 AGAAGCGAGGTTTCCATTTGAGGGAGCGGTAGAGTTCGGCCGAAGGAACCTGACCCAG 839
D 126588 AGAAGCGAGGTTTCCATTTGAGGGAGCGGTAGAGTTCGGCCGAAGGAACCTGACCCAG 126529
QY 840 GCTCTGTAGAGCAAGGTGAGAGGTGAGGGAGGACTGAGGACCCCGCACTCCCAAT 899
D 126528 GCTCTGTAGAGCAAGGTGAGAGGTGAGGGAGGACTGAGGACCCCGCACTCCCAAT 126469
QY 900 AGAGAGCCCAAAATTTCCAGCCCGCCCTTGTCTGCCAGCCCTGGCCACCCCGGGGAAG 959
D 126468 AGAGAGCCCAAAATTTCCAGCCCGCCCTTGTCTGCCAGCCCTGGCCACCCCGGGGAAG 126409
QY 960 ACGTCTAGCCTGGCTGCCCGCAGACCCCTGCTCCAAAGCCCTTGAGACACACAGGTT 1019
D 126408 ACGTCTAGCCTGGCTGCCCGCAGACCCCTGCTCCAAAGCCCTTGAGACACACAGGTT 126349
QY 1020 TTCTCTCCCAAGCTCTGGAATCAGAGTTGCTGTGACAGGGCAGGACTGGTTAGGAGAG 1079
D 126348 TTCTCTCCCAAGCTCTGGAATCAGAGTTGCTGTGACAGGGCAGGACTGGTTAGGAGAG 126289
QY 1080 GCGAGGCAAGGCTCTGCCAGGATCAAGATACGACCCCAAGAGGAGGCTGTGGGCC 1139
D 126288 GCGAGGCAAGGCTCTGCCAGGATCAAGATACGACCCCAAGAGGAGGCTGTGGGCC 126229
QY 1140 CCCAGAGCTGCATCCCAATCCCACTCCCAAGCCCAATTCGCAATTCCTCCCAACCAAC 1199

D 126228 CCCAGAGCTGCATCCAAATCCCACTCCCAAGCCCAATTCGCAATTCCTCCCAACCAAC 126169
QY 1200 CCCATCTCTCAGTACACTTCACCCCACTCCCAAGCCCAATTCGCAATTCCTCCCAACCAAC 1259
D 126168 CCCATCTCTCAGTACACTTCACCCCACTCCCAAGCCCAATTCGCAATTCCTCCCAACCAAC 126109
QY 1260 CACCTTCCAGCCCAAGCAGCAGCCCAAGCCCTTCTGCCACCTTCACCCCTACCTGCCCCCAA 1319
D 126108 CACCTTCCAGCCCAAGCAGCAGCCCAAGCCCTTCTGCCACCTTCACCCCTACCTGCCCCCAA 126049
QY 1320 CCCACCTCTATCTCTCTCATGTGCCCCACTCCCATCGCTCCCCCATCTCTGGCAGATC 1379
D 126048 CCCACCTCTATCTCTCTCATGTGCCCCACTCCCATCGCTCCCCCATCTCTGGCAGATC 125989
QY 1380 CGGTTTGGCCCTGCTCTCAACCCAGGAGGAGCCCTGCTAGGCCGATGTGAAACCACTGAC 1439
D 125988 CGGTTTGGCCCTGCTCTCAACCCAGGAGGAGCCCTGCTAGGCCGATGTGAAACCACTGAC 125929
QY 1440 TTGAACCTCACAGATCTGAGAGAACGAGGTTCAATTTAATGTTCTGAGGGGCGGCTGA 1499
D 125928 TTGAACCTCACAGATCTGAGAGAACGAGGTTCAATTTAATGTTCTGAGGGGCGGCTGA 125869
QY 1500 GATCCACTGAGGGAGTGGTTTTAGGCTCTGTGAGGAGCAAGGTGAGATGCTGAGGGAG 1559
D 125868 GATCCACTGAGGGAGTGGTTTTAGGCTCTGTGAGGAGCAAGGTGAGATGCTGAGGGAG 125809
QY 1560 GACTGAGGAGCACACACCCAGGTAGTGCCCCCAAAATGATCCAGTACCACCCCTGCT 1619
D 125808 GACTGAGGAGCACACACCCAGGTAGTGCCCCCAAAATGATCCAGTACCACCCCTGCT 125749
QY 1620 GCAGCCCTGGACCAACCCCGCCAGGACAGATGCTCAGCTGGACCAACCCCGTCCCGTC 1679
D 125748 GCAGCCCTGGACCAACCCCGCCAGGACAGATGCTCAGCTGGACCAACCCCGTCCCGTC 125689
QY 1680 CCACTGCCACTTAAACCACAGGCAATCTGTAGTCAATAGCTTATGTGACCGGGGAGGCT 1739
D 125688 CCACTGCCACTTAAACCACAGGCAATCTGTAGTCAATAGCTTATGTGACCGGGGAGGCT 125629
QY 1740 TGGTCAGGAGA-GGCAGGCCCGCAGGATCAAGTCCA-CCATCCGCGCGGCATTTAGGTC 1797
D 125628 TGGTCAGGAGAAGGCGGCGCAGGATCAAGTCCAGGCA-CCGCGCGGCATTTAGGTC 125569
QY 1798 AGACCCCTGGGAGGGAACCTGAGGGTTCCCCACCCACACCTGTCTCTCATCTCCACCGCC 1857
D 125568 AGACCCCTGGGAGGGAACCTGAGGGTTCCCCACCCACACCTGTCTCTCATCTCCACCGCC 125509
QY 1858 ACCCACTCACATTCCTCCATACCTACCCCTACCCCTACCCCTACCCCTACCCCTACCCCTG 1917
D 125508 ACCCACTCACATTCCTCCATACCTACCCCTACCCCTACCCCTACCCCTACCCCTG 125449
QY 1918 CTGTCAACCCACGGAAGCCACGGAATGGCGCAGGCACTCGGATCTTGTAGCTCCCCAT 1977
D 125448 CTGTCAACCCACGGAAGCCACGGAATGGCGCAGGCACTCGGATCTTGTAGCTCCCCAT 125389
QY 1978 CCAGGCTCTGATGGAGGGAAGGGCTTGAACAGGGCTTCAGGGAGCAGGAGGGGCC 2037
D 125388 CCAGG-CTGATGGAGGGAAGGGCTTGAACAGGGCTTCAGGGAGCAGGAGGGGCC 125330
QY 2038 TACTGGAGATGAGGAGGCTCAGAGGACCCAGCACCCTAGGACACCCACCCCTGTCT 2097
D 125329 TACTGGAGATGAGGAGGCTCAGAGGACCCAGCACCCTAGGACACCCACCCCTGTCT 125270
QY 2098 GAGACTGAGGCTGCCACTTCTGGCTCAGATCAGATCAGATCAGATCAGATCAGAT-GCAT 2156
D 125269 GAGACTGAGGCTGCCACTTCTGGCTCAGATCAGATCAGATCAGATCAGATCAGAT 125210
QY 2157 GGGGTGGGAGCCAGCCCTGCAAGGCTTACCGGAGGAGAGGAGGAGGACTCAGGGA 2216
D 125209 GGGGTGGGAGCCAGCCCTGCAAGGCTTACCGGAGGAGAGGAGGAGGACTCAGGGA 125150
QY 2217 CCTTGAATCCAGATCAGTGTGGACCTCGGCCCTGAGAGGTTCCAGGCGACGTTGGCCACA 2276

Ds 125149 CCTTGGAACTCAGATCAGTGTGGACCTCGGCCCTGAGAGGTCCAGGGCCAGCGTGGCCACA 125090
QY 2277 TATGGCCCATATTTCTCTCATCTTTGAGGTGACAGGACAGAGCTGTGTCTGAGAAATGG 2336
Ds 125089 TATGGCCCATATTTCTCTCATCTTTGAGGTGACAGGACAGAGCTGTGTCTGAGAAATGG 125030
QY 2337 GGCCTCAGGTCAACAGAGAGGAGGAGTTCAGAGATCCATATATGCCCAAGATGTGCCCTTT 2396
Ds 125029 GGCCTCAGGTCAACAGAGAGGAGGAGTTCAGAGATCCATATATGCCCAAGATGTGCCCTTT 124970
QY 2397 CATGAGGACTGGGGATATCCCGGCTCAGAAAGAGGACTTCCACAGTGTGGCTGTGCC 2456
Ds 124969 CATGAGGACTGGGGATATCCCGGCTCAGAAAGAGGAGTTCACACAGTGTGGCTGTGCC 124910
QY 2457 CTTTTTACTAGCTCTAGGGGACACAGATCAGGATGGGGATGTTCATTTCTCATTGT 2516
Ds 124909 CTTTTTACTAGCTCTAGGGGACACAGATCAGGATGGGGATGTTCATTTCTCATTGT 124850
QY 2517 ACCACAGCAGGAAGTTGGGGGCCCTCAGGGAGATGGGGTCTTGGGTAAAGGGGGAT 2576
Ds 124849 ACCACAGCAGGAAGTTGGGGGCCCTCAGGGAGATGGGGTCTTGGGTAAAGGGGGAT 124790
QY 2577 GTCTACTCATGTACAGGAATTTGGGGTTGAGGAACACAGGCGTGGCAGGAATAAGAT 2636
Ds 124789 GTCTACTCATGTACAGGAATTTGGGGTTGAGGAACACAGGCGTGGCAGGAATAAGAT 124730
QY 2637 GAGTGAGACAGAAAGGCTATTGGGAATCCACACCCAGAAACAAAGGGGTGAGCGCTGGA 2696
Ds 124729 GAGTGAGACAGAAAGGCTATTGGGAATCCACACCCAGAAACAAAGGGGTGAGCGCTGGA 124670
QY 2697 CACTTCACCCAGGATGTGGCTCTTTTCACTCTCTGTTTCCAGATCTGGGCGCAGGTGAGG 2756
Ds 124669 CACTTCACCCAGGATGTGGCTCTTTTCACTCTCTGTTTCCAGATCTGGGCGCAGGTGAGG 124611
QY 2757 ACCTCATCTCAGAGGTGACTCAGGTCAAGTATGGGACCCCACTCTGTTCTAAAGACAG 2816
Ds 124610 ACCTCATCTCAGAGGTGACTCAGGTCAAGTATGGGACCCCACTCTGTTCTAAAGACAG 124551
QY 2817 AGCGTCCACAGGATGTGCATCGCTTCGGGTGAGGAACATGAGGAGGACTGAGGGTACC 2876
Ds 124550 AGCGTCCACAGGATGTGCATCGCTTCGGGTGAGGAACATGAGGAGGACTGAGGGTACC 124491
QY 2877 CCAGACACAGACACTGAGGAGACTGCACAGAAATCAGCCCTGCCCTGTGTCAACCC 2936
Ds 124490 CCAGACACAGACACTGAGGAGACTGCACAGAAATCAGCCCTGCCCTGTGTCAACCC 124431
QY 2937 AGAGAGCATGGGCTGGGCGCTGCGGAGGTCTCCGTTATCTCTGGGATCATTTGATGTC 2996
Ds 124430 AGAGAGCATGGGCTGGGCGCTGCGGAGGTCTCCGTTATCTCTGGGATCATTTGATGTC 124371
QY 2997 AGGGAGGGGAGCCCTTGGTCTGAGAGGCTGCGTCAAGTCAAGTCAAGGAGGCGTCCCA 3056
Ds 124370 AGGGAGGGGAGCCCTTGGTCTGAGAGGCTGCGTCAAGTCAAGTCAAGGAGGCGTCCCA 124311
QY 3057 GGCCCTGCCAGGAGTCAAGGTGAGGACCAAGGGACCTCACCCAGGACACATTAATTC 3116
Ds 124310 GGCCCTGCCAGGAGTCAAGGTGAGGACCAAGGGACCTCACCCAGGACACATTAATTC 124251
QY 3117 CAATGAATTTTATATCTCTGCTGCTCTCCCAAGGACCTAGCAGCGTGGCCAGAT 3176
Ds 124250 CAATGAATTTTATATCTCTGCTGCTCTCCCAAGGACCTAGCAGCGTGGCCAGAT 124191
QY 3177 GTTTGTCCTCTGTCCTCTCATTTCTTATCATGGATGTGAATCTTTGATTTGATTTTC 3236
Ds 124190 GTTTGTCCTCTGTCCTCTCATTTCTTATCATGGATGTGAATCTTTGATTTGATTTTC 124131
QY 3237 TCAGACACGAAAGGACAGATCAGGCGCTGCCAGGAAATATAGGGCCCTGCGGTG 3296
Ds 124130 TCAGACACGAAAGGACAGATCAGGCGCTGCCAGGAAATATAGGGCCCTGCGGTG 124071
QY 3297 AGACAGAGGGGTGATCCACTGATGAGAGTGGGATGTACAGATGCCAGCCACCCCT 3356
Ds 124070 AGACAGAGGGGTGATCCACTGATGAGAGTGGGATGTACAGATGCCAGCCACCCCT 124011

QY 4437 ATCAGATCATGCCCAACAGCAGGCTTCCTGATATTTGTCCTGTGTCATGATTCGAATGAGG 4496
Db 122930 ATCAGATCATGCCCAACAGCAGGCTTCCTGATATTTGTCCTGTGTCATGATTCGAATGAGG 122871
QY 4497 GCGGCCATGCTCCGTGAGGAGGAATCTGGGAGGAGCTGAGTGTGATGGAGGTGTATGATG 4556
Db 122870 GCGGCCATGCTCCGTGAGGAGGAATCTGGGAGGAGCTGAGTGTGATGGAGGTGTATGATG 122811
QY 4557 GGAGGGAGCAGAGTGCCTATGTTGGGAGGCCAGGAGCTGCTCACCAGAGATTTGGTGCAGG 4616
Db 122810 GGAGGGAGCAGAGTGCCTATGTTGGGAGGCCAGGAGCTGCTCACCAGAGATTTGGTGCAGG 122751
QY 4617 AAAAGTACCTGGAGTA-CGGCAGGTGCGGACAGTGTATCCGCAACGCTATGATTCCTGT 4675
Db 122750 AAAAGTACCTGGAGTACCGGAGGTCGGACAGTGTATCCGCAACGCTATGATTCCTGT 122691
QY 4676 GGGTCCAAAGGGCCCTCGCTGAACACAGCTATGTGAAGTCCCTTGATGTATGATCAAGG 4735
Db 122690 GGGTCCAAAGGGCCCTCGCTGAACACAGCTATGTGAAGTCCCTTGATGTATGATCAAGG 122631
QY 4736 TCAGTGAAGAGTTCGGCTTTTCTTCCATCCCTGCGTGAAGCAGCTTTGAGAGGAGG 4795
Db 122630 TCAGTGAAGAGTTCGGCTTTTCTTCCATCCCTGCGTGAAGCAGCTTTGAGAGGAGG 122571
QY 4796 AAGAGGAGCTGAGCATGAGTTCACCAAGCCAGCCAGTGGAGGGGAGCTGGCCAGTGC 4855
Db 122570 AAGAGGAGCTGAGCATGAGTTCACCAAGCCAGCCAGTGGAGGGGAGCTGGCCAGTGC 122511
QY 4856 ACCTTCAGGCGCCGCTCCAGCAGCTTCCTGCTGCTGATGACATGAGCCCATTTTC 4915
Db 122510 ACCTTCAGGCGCCGCTCCAGCAGCTTCCTGCTGCTGATGACATGAGCCCATTTTC 122451
QY 4916 ACTCTGAAGAGCGGTGAGTTCCTCAGTAGTAGTTCCTGCTTATTTGGGTGACTGG 4975
Db 122450 ACTCTGAAGAGCGGTGAGTTCCTCAGTAGTAGTTCCTGCTTATTTGGGTGACTGG 122391
QY 4976 AGATTATCTTTGCTCTTTTGAAGTGTCAAAATGTTTTTTTAAAGGATGGTTGAA 5035
Db 122390 AGATTATCTTTGCTCTTTTGAAGTGTCAAAATGTTTTTTTAAAGGATGGTTGAA 122331
QY 5036 TGAACCTCAGCATCCAGTTTATGAATGACAGCAGTACACAGTTCCTGTATATAGTTT 5095
Db 122330 TGAACCTCAGCATCCAGTTTATGAATGACAGCAGTACACAGTTCCTGTATATAGTTT 122271
QY 5096 AAGGTAAAGTCTTGTTGTTTATTCAGATTGGGAATCAATTCATTTTGTGAATGGG 5155
Db 122270 AAGGTAAAGTCTTGTTGTTTATTCAGATTGGGAATCAATTCATTTTGTGAATGGG 122211
QY 5156 ATAATAACAGCAGTGGATAAAGTACTTAGAATCTGAAAATGACAGTAAATAGATGA 5215
Db 122210 ATAATAACAGCAGTGGATAAAGTACTTAGAATCTGAAAATGACAGTAAATAGATGA 122151
QY 5216 GATAAGAACTAAAGAAATTAAGATAGTCAATTCCTGCTTATACCTCAGTCTATTCT 5275
Db 122150 GATAAGAACTAAAGAAATTAAGATAGTCAATTCCTGCTTATACCTCAGTCTATTCT 122091
QY 5276 GTAAATTTTAAAGATATATGATACCTGATTTCTTGGCTTCCTTTGGAATGTAAAG 5335
Db 122090 GTAAATTTTAAAGATATATGATACCTGATTTCTTGGCTTCCTTTGGAATGTAAAG 122031
QY 5336 GAAATTAATCTGAATAAGAAATCTTCTGTTTACCTGGCTTCCTTTCTCCATGCACT 5395
Db 122030 GAAATTAATCTGAATAAGAAATCTTCTGTTTACCTGGCTTCCTTTCTCCATGCACT 121971
QY 5396 GAGCATCTGCTTTTGGAGGCGCTGGGTTAGTAGTGAGATGCTTAAGGTAAAGCAGACT 5455
Db 121970 GAGCATCTGCTTTTGGAGGCGCTGGGTTAGTAGTGAGATGCTTAAGGTAAAGCAGACT 121911
QY 5456 CATACCCACCATAGGTCGTAGAGTCTAGAGCTGAGTCAACCTAATCGAGGTGGCAAG 5515
Db 121910 CATACCCACCATAGGTCGTAGAGTCTAGAGCTGAGTCAACCTAATCGAGGTGGCAAG 121851
QY 5516 ATGTCTCTAAAGATGTAGGGAAGTGAAGAGAGGGGTGAGGGTGTGGGGCTCCGGGTGA 5575

Db 121850 ATGTCTCTAAAGATGTAGGGAAGTGAAGAGAGGGTGTGGGGTCTCCGGGTGA 121791
QY 5576 GAGTGGTGGAGTCAATGCCCTGAGCTGGGCAATTTGGGCAATTCGAGTTC 5635
Db 121790 GAGTGGTGGAGTCAATGCCCTGAGCTGGGCAATTTGGGCAATTCGAGTTC 121731
QY 5636 CTCTCTGGGGAGCTGATTGTAATGATCTTGGGTGATCC 5674
Db 121730 CTCTCTGGGGAGCTGATTGTAATGATCTTGGGTGATCC 121692
RESULT 5
ID HSU82672 standard; DNA; HUM; 156854 BP.
XX U82672;
XX AC
XX SV U82672.1
XX 14-MAY-1997 (Rel. 51, Created)
DT 02-JUL-1999 (Rel. 60, Last updated, Version 2)
XX Human chromosome X clone Qc15B1, complete sequence.
DE Human chromosome X clone Qc15B1, complete sequence.
XX HTG.
XX Homo sapiens (human)
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Teleostomi;
OC Euteleostomi; Mammalia; Eutheria; Primates; Catarrhini; Hominoidea; Homo.
XX [1]
RP 1-156854
RA Gloeckner G., Rump A., Nordsiek G., Hinzmann B., Kioschis P., Heiss N.,
RA Foustka A., Bauer D., Drescher B., Knob A., Rosenthal A.,
RT "Sequencing and analysis of a region in Xq28 containing MAGE-1 and a
RL putative Zinc Finger Protein";
XX Unpublished.
XX [2]
RP 1-156854
RA Gerrot G.;
RL Submitted (19-DEC-1996) to the EMBL/GenBank/DBJ databases.
XX Genome Analysis, IMB, Beutenbergstr. 11, Jena 07745, Germany
XX SWISS-PROT; P43355; MAG1_HUMAN.
XX Key Location/Qualifiers
FH source 1. .156854
FT /chromosome="X"
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /map="Xq28"
FT source 1. .40357
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="Qc15B1"
FT 1057. .1295
FT repeat_region /rpt_family="Alu-Sz"
FT 2504. .2666
FT repeat_region /rpt_family="MIR"
FT complement(4262. .5191)
FT mRNA /gene="MAGE1"
FT /product="MAGE-1 Protein"
FT complement(4262. .5191)
FT gene /gene="MAGE1"
FT complement(4262. .5191)
FT CDS /codon_start=1
FT /db_xref="SWISS-PROT:P43355"
FT /gene="MAGE1"
FT /product="MAGE-1 Protein"

```
FT /protein_id="AB54061.1"
FT /translation="MSLEQRSLHCPPEALEAQALGLVCVQAASSSPLVLCTLEE
FT /translating="MSLEQRSLHCPPEALEAQALGLVCVQAASSSPLVLCTLEE
FT VTAGSTDPQPQSGASAPTTINFTQOQSGSSSEEGPSTSCILESLFRAVITK
FT KVADVGFLLKRYAREPVKAMLESVKNYKHCPEIFGKASGLQVFGIDYKQAD
FT PTGHSYLVTCGLGVDGLGDNQIMPTKGLIIVLVIAMEGGHAPPEEIIWEEISVME
FT VVDKRSAYGPRKLLTQDLQVQRYLEYRQVQSDPARYEFVWGPRALAEYSYVKVLE
FT YIKVSARVRFPPSLREAAAREEEGV"
FT 9623..9892
FT /rpt_family="Alu-Sz"
FT complement(10698..10978)
FT /rpt_family="Alu-Sx"
FT complement(12218..12345)
FT /rpt_family="MER42C"
FT complement(12636..12851)
FT /rpt_family="MER42A"
FT complement(12909..13060)
FT /rpt_family="MER42A"
FT complement(13455..13825)
FT /rpt_family="MUT1A"
FT 13557..93516
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="QC3H10"
FT complement(13836..13904)
FT /rpt_family="LIMC2"
FT complement(13939..14597)
FT /rpt_family="LIMD1"
FT complement(14609..14916)
FT /rpt_family="L1"
FT complement(15018..15180)
FT /rpt_family="L1"
FT 15186..15590
FT /rpt_family="MUT1B"
FT complement(15707..15927)
FT /rpt_family="L1PA7"
FT 15959..16298
FT /rpt_family="MUT2C2"
FT complement(16377..16753)
FT /rpt_family="THE1B"
FT complement(16754..18327)
FT /rpt_family="THE1BR"
FT complement(18329..18704)
FT /rpt_family="THE1B"
FT complement(18983..19802)
FT /rpt_family="L1PA2"
FT complement(19804..20131)
FT /rpt_family="L1"
FT complement(20212..20639)
FT /rpt_family="L1"
FT complement(21048..21637)
FT /rpt_family="MER11B"
FT complement(21641..21879)
FT /rpt_family="MER11A"
FT complement(21880..21960)
FT /rpt_family="MER11A"
FT complement(21970..22108)
FT /rpt_family="MER11A"
FT 24072..24198
FT /rpt_family="MUT2A1"
FT 24341..24389
FT /rpt_family="MUT2A1"
FT complement(26799..26959)
FT /rpt_family="MUT2B2"
FT complement(27010..27126)
FT /rpt_family="MUT2B2"
FT 27127..27413
FT /rpt_family="Alu-Sg"
FT complement(27433..27667)
FT /rpt_family="MUT2B2"
FT 28489..28775
FT /rpt_family="Alu-Y"
FT complement(28871..28975)
FT /rpt_family="MIR"
complement(29228..29515)
/rpt_family="Alu-Sp"
complement(29616..29942)
/rpt_family="L1MA10"
complement(31359..31633)
/rpt_family="Alu-Sq"
complement(32548..32808)
/rpt_family="L1"
32809..32857
/rpt_family="L1"
complement(34762..34995)
/rpt_family="MIR"
35451..72634
/db_xref="taxon:9606"
/organism="Homo sapiens"
/clone="QC13B12"
38832
/notes="A deletion in QC13B12"
complement(41850..41971)
/rpt_family="L1PA11"
complement(42203..42617)
/rpt_family="L1"
complement(42956..44558)
/rpt_family="TIGGER1"
43979
/notes="A deletion in QC13B12"
complement(44611..45372)
/rpt_family="TIGGER1"
46194..46483
/rpt_family="Alu-Jo"
46485..46541
/rpt_family="L1MA2"
46772..47025
/rpt_family="MLT1F"
48186..48348
/rpt_family="MER5A"
complement(48811..48961)
/rpt_family="L1MA2"
complement(48962..49219)
/rpt_family="L1"
complement(49284..49572)
/rpt_family="Alu-Sbcg"
complement(49578..49626)
/rpt_family="L1"
49645..50522
/rpt_family="L1MA2"
51730..52541
/rpt_family="L1MB7"
52733..52811
/rpt_family="L1"
52814..53500
/rpt_family="L1PB3"
63990..107000
/db_xref="taxon:9606"
/organism="Homo sapiens"
/clone="LL0137"
64242
/notes="A in LL0137"
66361
/notes="G in LL0137"
67333
/notes="C in LL0137"
67603
/notes="G ion LL0137"
67825
/notes="A in LL0137"
68173
/notes="A in LL0137"
FT
Query Match 97.5%; Score 5532.6; DB 48; Length 156854;
Best Local Similarity 99.3%; Pred. No. 0;
Matches 5640; Conservative 0; Mismatches 29; Indels 10; Gaps 8;
```

QY 1 CCGGGGACCACTGGCATCCCTCCCTTACCACCCCAATCCCTCCCTTTACGCCACC 60
Db 9070 CCGGGGACCACTGGCATCCCTCCCTTACCACCCCAATCCCTCCCTTTACGCCACC 9011
QY 61 ATCAAAACATCTTACGCTCACCCAGCCAGCCAGCCAGCAATCCGGTTCCACCCCTG 120
Db 9010 ATCAAAACATCTTACGCTCACCCAGCCAGCCAGCCAGCAATCCGGTTCCACCCCTG 8951
QY 121 CTCTCAACCCAGGAGCCAGGTGCCAGATGTGACGCACCTGACTTACGATAGTGG 180
Db 8950 CTCTCAACCCAGGAGCCAGGTGCCAGATGTGACGCACCTGACTTACGATAGTGG 8891
QY 181 TTAGAGAGAACGAGGTTTTTCGGTCTGAGGGGGGCTTGAGATCGGTGAGGAGAACGGG 240
Db 8890 TTAGAGAGAACGAGGTTTTTCGGTCTGAGGGGGGCTTGAGATCGGTGAGGAGAACGGG 8831
QY 241 CCA- GCTCTGTAAAGAGGCAAGGTGACATGCTGAGGGAGGACTGAGGACCCACTTACC 299
Db 8830 CCAAGGCTCTGTAAAGAGGCAAGGTGACATGCTGAGGGAGGACTGAGGACCCACTTACC 8771
QY 300 CAGATAGAGGACCCCAATAATCCCTTCATGCCAGTCCCTGGACCATCTGGTGGTGGACTT 359
Db 8770 CAGATAGAGGACCCCAATAATCCCTTCATGCCAGTCCCTGGACCATCTGGTGGTGGACTT 8711
QY 360 CTGAGGCTGGGACCCAGCCAGCCCTTGGTGTAAACACCTGGGGACTCTGAAGTCAG 419
Db 8710 CTGAGGCTGGGACCCAGCCAGCCCTTGGTGTAAACACCTGGGGACTCTGAAGTCAG 8651
QY 420 GCTCCGCTGTATCAGGAGAGGGGTGTTAGGAGAGGGCAGCGTCCAGGCTGCGCAGACA 479
Db 8650 AGCTCGTGTATCAGGAGAGGGGTGTTAGGAGAGGGCAGCGTCCAGGCTGCGCAGACA 8591
QY 480 TCATGCTCAGGATCTCAAGGAGGGGTGAGGTCCTTAGACCCCACTCCCGTGACCCAA 539
Db 8590 TCATGCTCAGGATCTCAAGGAGGGGTGAGGTCCTTAGACCCCACTCCCGTGACCCAA 8531
QY 540 CCCCACCTCAATGCTCACTCCCGTGACCCAAACCCCTCTTATGTCATTCCAAACCCCC 599
Db 8530 CCCCACCTCAATGCTCACTCCCGTGACCCAAACCCCTCTTATGTCATTCCAAACCCCC 8471
QY 600 ACCCCACATCCCCACCCCATCCCTCAACCCCTGATGCCCATCGGCCAGCCATTCACCC 659
Db 8470 ACCCCACATCCCCACCCCATCCCTCAACCCCTGATGCCCATCGGCCAGCCATTCACCC 8411
QY 660 TCACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCA 719
Db 8410 TCACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCAACCCCA 8351
QY 720 GCCAGAAACATCCGGGTGCCGGATGTGACGCCACTGACTTGCAGATTGTGGGGCAGAG 779
Db 8350 GCCAGAAACATCCGGGTGCCGGATGTGACGCCACTGACTTGCAGATTGTGGGGCAGAG 8291
QY 780 AGAGCGAGGTTTCCATTCTGAGGGAGGGGTAGAGTTGGCCGAAGAACCTGACCCAG 839
Db 8290 AGAGCGAGGTTTCCATTCTGAGGGAGGGGTAGAGTTGGCCGAAGAACCTGACCCAG 8231
QY 840 GCTCTGTGAGGAGGCAAGGTGAGAGGCTGAGGGAGGACTGAGGACCCGCCACTTCCAAAT 899
Db 8230 GCTCTGTGAGGAGGCAAGGTGAGAGGCTGAGGGAGGACTGAGGACCCGCCACTTCCAAAT 8171
QY 900 AGAGGCCCCAAATATTCAGCCCCCGCCCTTGTGCGACCCCTGCGCCACCCCGGGAG 959
Db 8170 AGAGGCCCCAAATATTCAGCCCCCGCCCTTGTGCGACCCCTGCGCCACCCCGGGAG 8111
QY 960 ACCTCTCAGCCTGGGTGCCCCCAGACCCCTGCTCCAAAAGCCTTGAGAGACACCAAGTT 1019
Db 8110 ACCTCTCAGCCTGGGTGCCCCCAGACCCCTGCTCCAAAAGCCTTGAGAGACACCAAGTT 8051
QY 1020 CTCTCCCCAAGCTCTGGAATCAGAGTTGCTGTGACCGAGGGCAGGACTGGTTAGGAGAG 1079
Db 8050 CTCTCCCCAAGCTCTGGAATCAGAGTTGCTGTGACCGAGGGCAGGACTGGTTAGGAGAG 7991
QY 1080 GGCAGGSCACAGGCTCTGCGCAGGCATCAAGATCAGCACCCAGAGGGGGGTGTGGGC 1139

Db 7990 GGCAGGSCACAGGCTCTGCGCAGGCATCAAGATCAGCACCCAGAGGGGCTGTGGGC 7931
QY 1140 CCCAAGACTGCATCCCAATCCCACTCCCACTCCCACTCCCACTCCCACTCCCACTCCCA 1199
Db 7930 CCCAAGACTGCATCCCAATCCCACTCCCACTCCCACTCCCACTCCCACTCCCACTCCCA 7871
QY 1200 CCCATCTCTCAGTACACCTCCACCCCATCCCTACTCTCTCTCTCTCTCTCTCTCTCT 1259
Db 7870 CCCATCTCTCAGTACACCTCCACCCCATCCCTACTCTCTCTCTCTCTCTCTCTCTCT 7811
QY 1260 CACCTCCAGCCCGCAGCACCAGCCCAACCCCTTGTGCCACTCACCCTCCTCTCTCTCTCT 1319
Db 7810 CACCTCCAGCCCGCAGCACCAGCCCAACCCCTTGTGCCACTCACCCTCCTCTCTCTCTCTCT 7751
QY 1320 CCCCACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 1379
Db 7750 CCCCACCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 7691
QY 1380 CGGTTTGGCCCTGCTCTCAACCCAGGGAAGCCCTGGTAGGCCCGCATGTGAACCACTGAC 1439
Db 7690 CGGTTTGGCCCTGCTCTCAACCCAGGGAAGCCCTGGTAGGCCCGCATGTGAACCACTGAC 7631
QY 1440 TTGACCTCAGAGTCTCTGAGAGAGCCAGGTTCAATTAATGGTTCTGAGGGGGGCTTGA 1499
Db 7630 TTGACCTCAGAGTCTCTGAGAGAGCCAGGTTCAATTAATGGTTCTGAGGGGGGCTTGA 7571
QY 1500 GATCCACTGAGGGAGTGGTTTTAGGCTCTGTGAGGAGCAAGGTGAGATGCTGAGGAG 1559
Db 7570 GATCCACTGAGGGAGTGGTTTTAGGCTCTGTGAGGAGCAAGGTGAGATGCTGAGGAG 7511
QY 1560 GACTGAGGAGCAGACACCCAGGTAGATGGCCCAATATGATCCAGTACACCCCTGCT 1619
Db 7510 GACTGAGGAGCAGACACCCAGGTAGATGGCCCAATATGATCCAGTACACCCCTGCT 7451
QY 1620 GCCAGCCCTGGACCAACCCCGGCCAGGACAGATGTCTCAGCTGGACCAACCCCGTCCCTC 1679
Db 7450 GCCAGCCCTGGACCAACCCCGGCCAGGACAGATGTCTCAGCTGGACCAACCCCGTCCCTC 7391
QY 1680 CCAGTGCACCTTAACCCAGAGGCAATCTGTAGTATAGCTTATGTGACCCGGGCGAGGT 1739
Db 7390 CCAGTGCACCTTAACCCAGAGGCAATCTGTAGTATAGCTTATGTGACCCGGGCGAGGT 7331
QY 1740 TGGTCAGGAGA-GGCAGGGCCAGGCATCAAGGTCCA-GCATCCGCCCGGCATAGGCTC 1797
Db 7330 TGGTCAGGAGGCGAGGCCAGGCATCAAGTCCAGGCATCGCCGGCATTAGGCTC 7271
QY 1798 AGGACCCCTGGAGGGAATGAGGTTTCCCAACCCAGCTGTCTCTCTCTCTCTCTCTCT 1857
Db 7270 AGGACCCCTGGAGGGAATGAGGTTTCCCAACCCAGCTGTCTCTCTCTCTCTCTCTCT 7211
QY 1858 ACCCCACTCACATTCCTTACCTACCCCTTACCCCAACCTTCTTGTGAGAAATCCCTG 1917
Db 7210 ACCCCACTCACATTCCTTACCTACCCCTTACCCCAACCTTCTTGTGAGAAATCCCTG 7151
QY 1918 CTGTCAACCCAGGAGCCAGGGAATGGGCCAGGCACTCGGATCTTGTAGCTTCCCAT 1977
Db 7150 CTGTCAACCCAGGAGCCAGGGAATGGGCCAGGCACTCGGATCTTGTAGCTTCCCAT 7091
QY 1978 CCAGGCTGTGTGAGGGAAGGGGCTTGAACAGGGCCCTCAGGGGAGCAGAGGGGGGCC 2037
Db 7090 CCAGG-CTGATGAGGGAAGGGGCTTGAACAGGGCCCTCAGGGGAGCAGAGGGGGGCC 7032
QY 2038 TACTCGGAGATGAGGAGGCTCAGAGGACCCAGCACCCCTAGGACACCCGCTGTCT 2097
Db 7032 TACTCGGAGATGAGGAGGCTCAGAGGACCCAGCACCCCTAGGACACCCGCTGTCT 6972
QY 2098 GAGACTGAGGTGCCACTTCTGGCCTCAAGATCAGAATCAGGACTGGGACTCAGATT-GCAT 2156
Db 6972 GAGACTGAGGTGCCACTTCTGGCCTCAAGATCAGAATCAGGACTGGGACTCAGATT-GCAT 6912
QY 2157 GGGGTGGGACCCAGGCTTCAAGGCTTACCGGAGGAGGAGGAGGAGGACTCAGGGGA 2216

Dn	3615	CATACCCACCACATAGGTCGTAGAGTCTAGAGAGTGCGAGTCACGTAATCGAGGTGGCAAG	3556
Qy	5516	ATGCCTCTAAAGATGATAGGAAAAAGTAGAGAGAGGGGTGAGGGTGTGGGGCTCCGGGTGA	5575
Dn	3355	ATGCCTCTAAAGATGATAGGAAAAAGTAGAGAGAGGGGTGAGGGTGTGGGGCTCCGGGTGA	3496
Qy	5576	GAGTGGTGAGTGCATGCCCTGAGCTGGGGCAYTTTGGGCTTTGGGAAACTGCAGTTC	5635
Dn	3495	GAGTGGTGAGTGCATGCCCTGAGCTGGGGCAYTTTGGGCTTTGGGAAACTGCAGTTC	3436
Qy	5636	CTTCTGGGGGAGCTGATTGTAATGATCTTGGTGGATCC	5674
Dn	3435	CTTCTGGGGGAGCTGATTGTAATGATCTTGGTGGATCC	3397
RESULT	6		
AF134576			
LOCUS	AF134576	49375 bp DNA PRI	06-APR-1999
DEFINITION	Homo sapiens MAGE10 and undefined MAGE genes, complete sequence.		
ACCESSION	AF134576		
VERSION	AF134576.1	GI:4567140	
KEYWORDS	HTG.		
SOURCE	human.		
ORGANISM	Homo sapiens		
	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;		
	Eutheria; Primates; Catarrhini; Hominidae; Homo.		
REFERENCE	1 (bases 1 to 49375)		
AUTHORS	Gloeckner,G. and Rosenthal,A.		
TITLE	Sequence of three cosmids of human Xq28 (16c3, 3g5, 3h5) containing		
JOURNAL	MAGE genes		
REFERENCE	Unpublished		
AUTHORS	2 (bases 1 to 49375)		
TITLE	Gloeckner,G., Rosenthal,A. and Schattevoy,R.		
JOURNAL	Direct Submission		
FEATURES	Submitted (12-MAR-1999) Genome Analysis, Institute for Molecular Biotechnology, Beutenbergstrasse 11, Jena 07745, Germany		
source	Location/Qualifiers		
	1..49375		
	/organism="Homo sapiens"		
	/db_xref="taxon:9606"		
	/map="Xq28"		
	/chromosome="X"		
	/clone="cosmids 16c3; 3g5; 3h5"		
	1..10000		
misc_feature	/note="incomplete at 3' end"		
repeat_region	/note="Region: Cosmid 16c3"		
	complement(10..202)		
repeat_region	/rpt_family="MER93"		
	/evidence-not_experimental		
	289..372		
	/rpt_family="ILM1"		
	/evidence-not_experimental		
repeat_region	446..726		
	/rpt_family="ILM1"		
	/evidence-not_experimental		
misc_feature	528..43599		
repeat_region	/note="Region: Cosmid 3g5"		
	731..4392		
	/rpt_family="ILMC3"		
	/evidence-not_experimental		
repeat_region	complement(4393..4696)		
	/rpt_family="MER2"		
	/evidence-not_experimental		
repeat_region	complement(4697..4755)		
	/rpt_family="ILMA2"		
	/evidence-not_experimental		
repeat_region	complement(4756..4803)		
	/rpt_family="MER2"		
	/evidence-not_experimental		
repeat_region	4805..4847		
	/rpt_family="ILMC3"		
	/evidence-not_experimental		


```

repeat_region 4837. .5414
/rpt_family="LIMC5"
/evidence=not_experimental
repeat_region 5566. .6545
/rpt_family="LIM4"
/evidence=not_experimental
repeat_region complement(6905. .6963)
/rpt_family="MIR"
/evidence=not_experimental
repeat_region 7671. .7697
/note="111 with 85% homology to 112"
/rpt_type=inverted
repeat_region 7814. .7981
/evidence=not_experimental
/note="homology = 66.10%, score = 48, counts = 28"
/rpt_type=tandem
/rpt_unit=cccccac
evidence=not_experimental
misc_feature 7814. .8708
/note="GC score = 44.00 (895bp)"
/note="Region: GC content"
evidence=not_experimental
misc_feature 8294. .8511
/note="CpG island score = 0.74, GC = 66.50%, CpGs = 17"
/note="Region: Cpg island"
evidence=not_experimental
repeat_region 8854. .8880
/note="112 with 85% homology to 111"
/rpt_type=inverted
evidence=not_experimental
gene 9050. .11121
/gene="MAGE10"
/note="1. .2072 of gb|U10685|HSU10685 Human
MAGE-10 antigen (MAGE10) gene, complete cds. 6/95 P = 0.0
S = 9975"
misc_feature 9936. .10064
/note="GC score = 5.60 (129bp)"
/note="Region: GC content"
evidence=not_experimental
misc_feature 10412. .10533
/note="GC score = 8.80 (122bp)"
/note="Region: GC content"
evidence=not_experimental
misc_feature 11591. .49375
/note="Region: Cosmid 3h5"
repeat_region 12154. .12482
/rpt_family="LIM45"
evidence=not_experimental
repeat_region complement(12670. .12980)
/rpt_family="AluSx"
evidence=not_experimental
repeat_region complement(14281. .14525)
/rpt_family="MIR"
evidence=not_experimental
repeat_region complement(16047. .17011)
/rpt_family="LTR5"
evidence=not_experimental
repeat_region 17625. .17747
/rpt_family="LIM1"
evidence=not_experimental
repeat_region 17800. .17815
/rpt_family="LIM4"
evidence=not_experimental
repeat_region 17843. .18317
/rpt_family="LIM4"
evidence=not_experimental
repeat_region 20010. .20829
/rpt_family="LIMC/D"
evidence=not_experimental
repeat_region complement(20859. .21195)
/rpt_family="MLR2E"
evidence=not_experimental
repeat_region 21198. .21305

```

```

/rpt_family="LIMC/D"
evidence=not_experimental
complement(21306. .21496)
/rpt_family="MLT1B"
evidence=not_experimental
repeat_region complement(21670. .21839)
/rpt_family="MLT1B"
evidence=not_experimental
repeat_region 21844. .21992
/rpt_family="LIMC/D"
evidence=not_experimental
repeat_region 22019. .22814
/rpt_family="LIMC/D"
evidence=not_experimental
repeat_region 22796. .23134
/rpt_family="LIM4"
evidence=not_experimental
repeat_region 23127. .23300
/rpt_family="LIMD3"
evidence=not_experimental
repeat_region 23271. .23837
/rpt_family="LIMC5"
evidence=not_experimental
repeat_region 24267. .25020
/rpt_family="LIM4"
evidence=not_experimental
misc_feature 26071. .28617
/note="GC score = 31.80 (2547bp)"
/note="Region: GC content"
evidence=not_experimental
repeat_region 26655. .26726
/note="homology = 79.20%, score = 36, counts = 12"
/rpt_type=tandem
/rpt_unit=catccc
evidence=not_experimental
repeat_region 27233. .27358
/note="homology = 65.90%, score = 34, counts = 21"
/rpt_type=tandem
/rpt_unit=cccccac
evidence=not_experimental
misc_feature 27403. .27510
/note="CpG island score = 1.29, GC = 61.10%, CpGs = 9"
/note="Region: Cpg island"
evidence=not_experimental
repeat_region 27829. .27906
/note="homology = 79.50%, score = 40, counts = 13"
/rpt_type=tandem
/rpt_unit=tcccca
evidence=not_experimental
repeat_region 28990. .29073
/note="homology = 69.00%, score = 26, counts = 14"
/rpt_type=tandem
/rpt_unit=cccccac
evidence=not_experimental
misc_feature 30461. .30620
/note="GC score = 5.00 (160bp)"
/note="Region: GC content"
evidence=not_experimental
repeat_region 30896. .30958
/note="homology = 82.50%, score = 20, counts = 3"
/rpt_type=tandem
/rpt_unit=aggtcttagagatcacagg
evidence=not_experimental
gene 31110. .31778
/gene="undefined MAGE"
/note="1. .185 of gb|D32077|HUMMAGEC_1 Homo
sapiens Human mRNA for MAGE-41 protein, complete P =
6.0e-95 S = 592-193. .283 of gb|D32076|HUMMAGEB_1 Homo
sapiens Human mRNA for MAGE-6 protein, complete cds; P =
1.5e-80 S = 356"
misc_feature 31172. .31331
/note="GC score = 13.00 (160bp)"

```


Db	28315	CCCCAGTCCCCACCGCTTAAGCCGACGGGA-----CTCAGGAG	28353
Qy	1040	TCAGAGGTTGCTGTGACACGGCGAGGACTGTTAGGAGAGGGCAGGGCAGAGGCTCTGCC	1099
Db	28354	ACAGAGCTTGGTATGACACGGCGAGGACTGTTAGGAGAGGACAGCTCCAGGCTCTGCC	28413
Qy	1100	AGGCATCAAGATCAGACACCCAAAGAGGAGGCGCTGTGGGCCCCCAAGACTGCATCCCAATC	1159
Db	28414	AGAAACAACCTCAGGACCTTAAGGGAAGCTAGGCTACCCC-----	28456
Qy	1160	CCCACTCCACCCCATTCGCATTGCCATTGCCACCCCAACCCCATCTCTCTCAGTACAC	1219
Db	28457	-----CAC	28459
Qy	1220	CTCACCCCCCATCCCTACTCTCTACTCTCCGTCACTTGACACACACCCCTCCAGCCCCCAGACCC	1279
Db	28460	CCCAAACTCTATTCTGTCCGTACTCTCGTCCCCACACTACACCCGCCCATTC-----CC	28514
Qy	1280	AGCCCCAACCCCTTCTGCACCTCAACCTCACTGCCGCCCAACCCCAACCTCATCTCTCTCA	1339
Db	28515	CACCCCATCCCTACGGGCACCTCTATCCACATCCCCA-----	28553
Qy	1340	TGTGCCCACTCCCATGCGCTTCCCCCACTTGTGGCAGAAATCCGGTT-TGCCCTTGCTCTCA	1398
Db	28554	-----CCCTATCTCCGTGGAGATCCGATCTGCCCTGATTTCA	28592
Qy	1399	ACCCAGGAAGCCCTGTTAGGCCCGATGTGAACACACTGACTTGAACCTCACAGATCTGA	1458
Db	28593	ACCCAGGAAGCCCTAGGGGCCGGATGTGATGTCTGACTTGTGATTCGGGGTCTAGA	28652
Qy	1459	GAGAAGCCAGGTTTCATTTAATGTGTCTAGGGGGCGCTTGAGTCCACTGAGGGGAGTGG	1518
Db	28653	GAGAATCAAG-----GCATGGTCTTGAGAAGCCGACTGAGATCAGCAGAGGGGAATGG	28706
Qy	1519	TTTTAGGCTCTGAGGAGCAAGGTGAGA-TGCTGAGGGAGGACTGAGGAGGCACACAC	1577
Db	28707	GCCCGGGCTCTGAGGAGGCAAGGTGAGACCCCGAGAAGGAATGAGGAAGCCCTCAC	28766
Qy	1578	CCCAGTAGATGGCCCCAAAATGATCCAGTACCACCCCTGTGCCAGCCCTGGACCAACC	1637
Db	28767	CCA--GATAGAGAACCACCAATAATCCAGTACTACCTTTGTGCCAGCCCTGGACCA--	28822
Qy	1638	GCCCAGGACATGTCCTAGCTGGACACACCCCGTCCCGTCCCACTGCCACTTAAACCA	1697
Db	28823	--CCAGGCGACATCTCAGGCTGGACCTCC--CCCTCCCACTGCCACTTAAAGCA	28877
Qy	1698	CAGGCAATCTGTAGTCTATAGCTT-ATGTGACCCGGGCAGGGTTGGTCAGGAGAGGCAGG	1756
Db	28878	CAAGGACTCTGGAGTCAGACCTTGGTGTACCAGGGAAGGCCGGTCAGGAGAG--	28933
Qy	1757	GCCCAGGCATCAAGGTCAGATCCGCCCGCGCATTAGGCTCAGACCCCTGGAGGGGAATC	1816
Db	28934	-----GCAGGGCCAGGCTCTGTCCAGGCATCAAAATCAGGACCCCTGAGAGAAAT	28984
Qy	1817	GAGGTTCCCCACCCACACCTGTCTCTCTATCTCCACGCCACCCCACTCATCTCCCAT	1876
Db	28985	GAGGCCCCCACCACCCCTATACCATCCCTAACCCCATACCCACTCTACTTGCATT	29044
Qy	1877	ACCTACCCCTACCCCCA-----ACCTCATCTGTGCAGAA-----TCCCTGCTCTC	1922
Db	29045	CCAGCCCCATCCCCACACCCCTACCCCATCTTTGGCAGAACTGTCTTCTTCCCTGCAGTC	29104
Qy	1923	AACCCAGGAGCCACCGGAATGGGGCCCGGCACTCGGATCTTGACGTGCCCATCCCAAGG	1982
Db	29105	AACCCACAGAGACCCCGAGATGACAGACAGGACACCCNATCTTGACGTCCACATCCAGG	29164
Qy	1983	GTCTGATGGAGGGAAGGGCT-----TGAAACAGGGGCTCAGGGAGCAGAGGAGG--	2039
Db	29165	GCTGAAGAGGGAAGGGCTTAGTATCATGAGCAGGGGCTCAGGGAGTCTCTGCTCCTC	29224
Qy	2034	--GCCCTACTGCGAGATGAGGAGGCGCTCAGAGGACCCAGCACCCCTAGGA-----C	2082

exon /note="exon 1-6"
4906..4983
exon /note="exon 1-7"
5519..5648
exon /note="exon 1-8"
9377..9448
exon /number=2
9524..11091
/number=3
9589..10542
gene /gene="MAGE4a"
9589..10542
CDS /gene="MAGE4a"
/codon_start=1
/product="MAGE-4a antigen"
/protein_id="AA68871.1"
/db_xref="GI:533515"
/translation="MSEQKSHCKPEEGVEAEEALGLVQAQPTTEQEAIVSSSS
PLVPGTLEEVPAEAPGPOGASALPTTFTCWROPNEGSSQEEGSTSPDA
ESLFRALSNKVDLAFLKRYKAKELVTKAEMLERVTKNKRCPVIFGKASESLK
MIRGIDKVDNPASNYTLVTCGLGSDGLGNNOIFPKTGLLIIVLGTIAMEGDSAS
EELWEELGVMGYDGRHTVYGEPRKLLTQDWQENYLEYRQVPGSNPARYEFLWGP
KALAEISYKVLSEHVVRNARVRIATPSLREAAALLEEEGV"
polyA_signal
11072..11077
polyA_site
BASE COUNT 2530 a 3788 c 2924 g 2253 t
ORIGIN

Query Match 46.88; Score 2655; DB 10; Length 11495;
Best Local Similarity 73.66; Pred. No. 0;
Matches 4231; Conservative 0; Mismatches 1100; Indels 416; Gaps 50;
QY 21 CTTCCCTACACCCCAATCCCTTACGCCACCCCAATCCCAATCTTACACCTC 80
Db 5969 CCAGCAGCCCTATCTCCCAAAACCCCACTACCTTATGCTCTATCCCCCAAC 6028
QY 81 ACCCCAGCCCAAGCAGGAGAGATCGGTTCCACCCCTGCTCTCAACCCAGGAGC-C 139
Db 6029 ACCACTATCCCATCCAGGTTGAATCGATTCCGTTTCTGCTTCAACCCAGGAGCTC 6088
QY 140 CAGGTGCCAGATGTGAGCCGACACTTGTAGCATTTAGTGGTTAGAGAGAGGAGGTTT 199
Db 6089 CAGGTTCTGTGATGATGCCAGTGTGATGTCATTTGGGGTTAGAGAGAGCTAGTTC 6148
QY 200 TCGTCTGAGGGGGGTTGAGATCGGTGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 258
Db 6149 TCAGTCTACAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 6208
QY 259 CAAGGTGACATGCTGAGGAGGAGT---GAGGAGGAGGAGGAGGAGGAGGAGGAGG 315
Db 6209 CATAGTGAAGAGCTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 6268
QY 316 AATAATCC-----CTTCATGCCAGTCTGTGAGCAGTCTGTGTGGAGTCTTCTCAGGC 366
Db 6269 AATAATCGGACACCCCTCTCTGAGTCTGTGGCCACCCGTTGGGCGGACTTCTGAGTC 6328
QY 367 TGGCGCACCCCGCCCTGCTGTCTTAACCACTGGGAGTCTGAGTCTGAGAGTCTGAG 426
Db 6329 TGGAGCCCGCCACCCAGTCTGAGTCTGAGTCTGAGTCTGAGTCTGAGTCTGAGTCT 6388
QY 427 GTGATCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 486
Db 6389 GTGATCAGTGCAGGAGTGTGGGGGT-----AGGCTGTGCCAGGATCAAGCT 6436
QY 487 CAGGATTCGAAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 546
Db 6437 CAGGAGCCCTAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 6493
QY 547 TCCATGCTCACTCCGTTGAGCCCAACCCCTCTTCATTGTGTCATTTCCCAACCCCA 606
Db 6494 TCCCATCTGCACTCCC-----TACCCCATCTGTACCCCC 6527

QY 607 ATCCCCACCCCACTCCCTCAACCCCTGATGCCCATCCGCCAGCCATTCACCCCTCAGCCC 666
Db 6528 ATTCCCCACCCCTGTGCCCTATCTCCCAACCCCAACCCCAACCCCTATACCCCTCCCCC 6589
QY 667 CACCCCAACCCCAACCCCACTCCCAACCCCAACCCCAACCCCAACCCCTGCTTCAATCCAG 725
Db 6588 CACCCCTACCTTCATCCCATCAGTCAGCATCCGGTTCCACCCCTGCTTCAATCCAG 6647
QY 726 AAACATCCGGGTCCCGGATGTGACGCCACTGACTTGGCATTTGGGGCAGAGAGAGC 785
Db 6648 CAAGCCCTGGGTGGCGGATGTGATGCCACTGACTTGTGAATTTAGGGTTAGAGAGA 6707
QY 786 GAGGTTTCCATTTGAGGAGGAGGAGTGTGCGGCGGAAGAACCTGACCCAGGCTCTG 845
Db 6708 GAGTTTCTGGGCTGAGGGTGGC-TTGAGTCCGCGAGAGGAGGAGGAGGAGGAGG 6766
QY 846 TGAGGAGGCAAGTGTGAGGAGGAGTGTGAGGAGGAGTGTGAGGAGGAGTGTGAGGAG 905
Db 6767 TGAAGAGGCAAGTGTGAGGAGGAGTGTGAGGAGGAGTGTGAGGAGGAGTGTGAGGAG 6826
QY 906 CCCCATAATTTCCAGCCCGCCCTTCTGCCAGCCCTGCCCCACCCCGGAGAGAGCTCT 965
Db 6827 TCCAGCCCTGGACTACCC-----CGCGGAGGCTGACTTCT 6862
QY 966 CAGCTGGGTGCCCCCAGACCCCTGCTCCAAAGCCTTTGAGAGACACAGGTTCTTCTC 1025
Db 6863 CAGACTGGGTGCTCCCACTCCGCCCTC-----TTGCAACGCGTTTGTTTAAGCCAC 6917
QY 1026 CCCAAGCTCTGATCAGAGGTTGCTGTACAGGAGGAGGAGTGTGAGGAGGAGGAG 1085
Db 6918 AGGGGACTCTGGAGTGTGAGGAGGAGTGTGATCAGGAGGAGGAGTGTGAGGAGGAG 6976
QY 1086 GCACAGGCTCTGCGAGGATCAAGATCAGACCCCAAGAGGAGGAGGAGTGTGCGGCCCAAG 1145
Db 6977 GCCAGGCGCTGCGAGGATCAAGATCAGAAACCCAGAGGAGGAGTGTGAGGAGGAG 7035
QY 1146 ACTGCACTTCAATCCCACTCCCAACCCCTTCCGATTCCTCCATTCCTCCCAACCCCA 1205
Db 7036 ATCTAGTCTAAGCCCACTCCCAAC-----7062
QY 1206 CTCTCAGCTACACTTCCCACTCCCACTCCCACTCCCACTTCTGCGAGAGTCCGGTT 1385
Db 7117 -----GGCAGATCCAGTTC 7131
QY 1386 GGC-CCTGCTCTCAACCCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1444
Db 7132 CCGTTTCTGCTATCAATCCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 7183
QY 1445 CCTCAGATCTGAGAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1504
Db 7184 -----TGGGGTCAAGAGATCAAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 7232
QY 1505 ACTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1564
Db 7233 GCTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 7292
QY 1565 AGGAGGACACACCCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1624
Db 7293 AGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 7351
QY 1625 CCGTGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1684
Db 7352 TCCGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 7404
QY 1685 GGCACCTTACCCACAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1744


```

JOURNAL Submitted (19-DEC-1996) Genome Analysis, Institut für Molekular
FEATURES Biotechnology, Beutenbergstrasse 11, Jena 07745, Germany
source Location/Qualifiers
1..158898
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="X"
/map="Xq28"
misc_feature 1..39138
/note="Region: cosmid IF064"
repeat_region 1..106
/rpt_family="L1pA11"
/evidence-not_experimental
repeat_region 213..282
/rpt_family="L1MB3"
/evidence-not_experimental
complement(1180..1284)
/note="GRAIL, score = 43.000%, comment = marginal"
exon /evidence-not_experimental
complement(1683..1767)
/note="M2EF, score = 60%"
exon /evidence-not_experimental
complement(2062..2120)
/note="FEXHB, score = 11.76%"
/evidence-not_experimental
complement(2637..2710)
/rpt_family="L1ME2"
exon /evidence-not_experimental
complement(2859..3028)
/rpt_family="L1ME3A"
repeat_region /evidence-not_experimental
complement(2911..2978)
/note="M2EF, score = 79.7%"
exon /evidence-not_experimental
4250..4431
/note="GRAIL, score = 52.000%, comment = good shadow"
exon /evidence-not_experimental
complement(4639..4866)
/rpt_family="L1MA2"
repeat_region /evidence-not_experimental
complement(4893..5203)
/rpt_family="L1MA2"
exon /evidence-not_experimental
complement(4974..5117)
/note="GRAIL, score = 61.000%, comment = good"
repeat_region /evidence-not_experimental
complement(5206..5561)
/rpt_family="L1MA2"
repeat_region /evidence-not_experimental
complement(5562..5602)
/rpt_family="L1MA9"
repeat_region /evidence-not_experimental
complement(5619..5655)
/rpt_family="L1MA5"
repeat_region /evidence-not_experimental
complement(6084..6254)
/rpt_family="MLT1D"
repeat_region /evidence-not_experimental
complement(6262..6322)
/rpt_family="MLT1D"
repeat_region /evidence-not_experimental
complement(6384..6549)
/rpt_family="MLT1D"
repeat_region /evidence-not_experimental
6664..6771
/note="homology = 89.80%, score = 82, counts = 27"
/rpt_type=tandem
/rpt_unit=ctctt
exon /evidence-not_experimental
6807..6884
/note="FEXHB, score = 10.83%"
repeat_region /evidence-not_experimental
7337..7454

```

```

/rpt_family="L1"
/evidence-not_experimental
7483..7533
/note="FEXHB, score = 12.95%"
/evidence-not_experimental
7950..8010
/rpt_family="MSTA"
/evidence-not_experimental
8147..8238
/rpt_family="MSTA"
/evidence-not_experimental
8245..8286
/rpt_family="MSTA"
/evidence-not_experimental
8287..8361
/rpt_family="MSTC"
/evidence-not_experimental
8876..8921
/note="homology = 97.70%, score = 20, counts = 2"
/rpt_type=tandem
/rpt_unit=gattttacctgtcaagtgcta
exon /evidence-not_experimental
complement(9471..9526)
/note="M2EF, score = 85.6%"
exon /evidence-not_experimental
complement(9474..9529)
/note="FEXHB, score = 12.03%"
/evidence-not_experimental
9618..9660
/rpt_family="MER3"
repeat_region /evidence-not_experimental
10066..10099
/note="GRAIL, score = 61.000%, comment = good"
exon /evidence-not_experimental
11110..11190
/note="GRAIL, score = 76.000%, comment = excellent"
exon /evidence-not_experimental
11257..11275
/note="FEXHB, score = 19.61%"
repeat_region /evidence-not_experimental
11360..11419
/note="homology = 91.70%, score = 20, counts = 2"
/rpt_type=tandem
/rpt_unit=agggcaaatagctagatactatcatcaggc
exon /evidence-not_experimental
11613..11637
/note="Xpound exon prediction, score = 68% (0%)
/evidence-not_experimental
complement(12630..12662)
/note="FEXHB, score = 13.07%"
exon /evidence-not_experimental
13530..13600
/rpt_family="MLT2B2"
repeat_region /evidence-not_experimental
13607..13760
/rpt_family="MLT2B2"
exon /evidence-not_experimental
13820..13947
/note="GRAIL, score = 88.000%, comment = excellent"
repeat_region /evidence-not_experimental
13924..13977
/rpt_family="MLT2D"
repeat_region /evidence-not_experimental
13978..14043
/note="homology = 75.80%, score = 23, counts = 6"
/rpt_type=tandem
/rpt_unit=ctctctctctt
exon /evidence-not_experimental
14034..14087
/note="homology = 94.10%, score = 28, counts = 17"
repeat_region /evidence-not_experimental
/rpt_unit=ctg
/evidence-not_experimental

```


AUTHORS De Plaen, E., Arden, K., Traversari, C., Gaforio, J. J., Szikora, J. P.,
De Smet, C., Brasseur, F., van der Bruggen, P., Lethé, B., Lurquin, C.,
Brasseur, R., Chomez, P., De Backer, O., Cavenee, W. and Boon, T.
TITLE Structure, chromosomal localization, and expression of 12 genes of
the MAGE family
JOURNAL Immunogenetics 40 (5), 360-369 (1994)
MEDLINE 95012457
REFERENCE 2 (bases 1 to 4895)
AUTHORS De Plaen, E.
TITLE Direct Submission
JOURNAL Submitted (14-JUN-1994) Etienne De Plaen, Ludwig Institute for
Cancer Research, 74 Avenue Hippocrate, Brussels, 1200, Belgium
Location/Qualifiers

FEATURES
Source
1..4895
/organism="Homo sapiens"
/isolate="patient MZ2"
/db_xref="taxon:9606"
/chromosome="X"
/sex="female"
/cell_type="lymphocyte"
/tissue_type="blood"
/dev_stage="adult"
277..2848
/number=2
2924..4491
/number=3
2989..3942
/gene="MAGE4b"
2989..3942
/gene="MAGE4b"
/codon_start=1
/product="MAGE-4b antigen"
/protein_id="AA68872.1"
/db_xref="GI:533517"
/translation="MSSEKQSHQKPEGVAEALGLVGAQPTTBEQEAIVSSSS
PLVPGTLEVPAAEAGAPPOGASALPTTISFTCWPNESSSQEEGPGSPDPA
ESLFRALSNKVDLAHLPLRYRAKELVTKAEMLVTKNKRCPVIFPKASLSLK
MIFGIDKVEDTSNTYLVLTCLGSLYGLGNOLIEPKTGLIIVLTGIAEAGDSAS
EEIEDELGVMGVYDREHTVYGEPRKLLTDQWVENLYEYRQVPGSPARYEFLWGP
RALAETSYKVLHVVRVNRVRIAPSLREALLLEEEGV"
polyA_signal
4472..4477
BASE COUNT 1134 a 1235 c 1433 g 1093 t
ORIGIN

Query Match 44.3%; Score 2513.6; DB 10; Length 4895;
Best Local Similarity 79.9%; Pred. No. 0;
Matches 3415; Conservative 0; Mismatches 694; Indels 165; Gaps 32;

Qy 1478 ATGGTTCTGAGGGCGCTTGAGATCCACTGAGGAGTGGTTTATGGCTCTGTGAGGAG 1537
Db 607 ATAGTCTGAGGGCCAGTTGAGATCGCTGAGGGAGCGGGCCCGCCAGCTCTGTGCGGAG 666
Qy 1538 GCAAGGTGAGATGCTGAGGAGGAGCTGAGGAGGACACACACCCAGGTGAGTGGCCCAAA 1597
Db 667 GCAAGGTGAGACTCTGAGGAGGAGCTGAGGAGGCGCCGCCAACAGATAGA-GGAACCCAA 725
Qy 1598 ATGATCCAGTACACCCCTGCTCCAGCCCTGGACACACCCCGCCAGACAGATGTCTCAG 1657
Db 726 ATAATCCAGCCAGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 781
Qy 1658 CTGACACACCCCGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 1717
Db 782 ---GGCTAGGCCATCCAGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT 836
Qy 1718 GCTTATGACCGGGGAGTGGTCTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 1777
Db 837 -----AGAGCTTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGG 866
Qy 1778 ATCCGCCCGGCTTAGGCTCAGGACCTGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1837
Db 867 CTCTGCTGGCTCGGGTCTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG 936

Qy 1838 GTCTCTCATCTCCACCGCCACCCCACTCACATTCCTACCTACCTACCTACCTACCTACCTAC 1897
Db 927 CATCGGCAATC-----CACATGCCCGCCCATCCCACTCCGTTTTCGAGAA 976
Qy 1898 TCATCTTGTCTAGATTCCTGTCTCAACCCACGGAAGCCAGGGAATGGCGGCGCAGGCAC 1957
Db 977 TCCATTTT-----TCCCTGTCAGTCAACCCCGGGAAGACCTTGGGAATGGT---CAGGCAC 1029
Qy 1958 TCGGATCTTGACGCTCCCATCCAGGCTGTGATGGAGGAAGG-----GCTTGAACAG 2010
Db 1030 TCGGATCTTGACATCCATCGAGGCTGAAGAGGAGGAGAGTGGTATCATGAGCAG 1089
Qy 2011 GGCCTCAGGGGAGCAGAGGAGGAG-----GGCCCTACTCCGAGATCAGGAGGCTCAGAG 2064
Db 1090 AGCCTCAGGGTAGCAGAGGAGGAGGAGCCCTGGCCCTCTGGGAGATCAGGAAGGCTCAGGA 1149
Qy 2065 GACCCAGCACCC-----TAGGACACCCACCCCTGTCTGAGACTGAG--CCTGCCA 2113
Db 1150 GACCCAGCACCCCAAGGAGGAGGAGGAGCCACCCACCCCTGTCTGAGATGAGGTGCTCTCT 1209
Qy 2114 CTCTGCGCTCAAGAATCAGAACGATGGGAGCTCAGATTGATGGGGTGGGA--CCACAG 2171
Db 1210 CCTTAGCTCAGGAATCCAGGGATGCAACTCAGGTCAGCAGAGGGGTGGTTCACAG 1269
Qy 2172 GCCTCAAGGCTTAGCGGAGGAGGAGGAGGAGCTCAGGAGACCTTGAATCCAGAT 2231
Db 1270 CCGTCCAGGATCAAGAAAGGAGGAGGAGGAGGATTCAGGGGGCTTGCATTCAGAT 1329
Qy 2232 CAGTGTGACCTCGGCCCTGAGAGGTCAGAGGTCAGGTCGAGGTCGAGGTCGAGGTCGAG 2291
Db 1330 CAGTGTGAGACCTTGGCCCTGGAGGTCCTGGGCAAGGTAGCCACCTGTAGCTCATCTTC 1369
Qy 2292 CTGCACTTTGAGGT---GACAGCAGACAGCTGTGGTCTGAGAGTGGGGCTCAGGTC 2347
Db 1390 CTGCACTTTCAGGTCACAGAGGAGGAGGAGGCTATGGTCTGAGGGGTGGTACTTCAGGTC 1419
Qy 2348 AACAGGAGGAGGTTCAGAGATCCATATGGCCCAAGATGTGCC--CCCTTCATGAGGACT 2406
Db 1450 CCGAGAGGAGGAGTCCAGGATCTACAGGACCCCAAGGTGTGCCACACTTCCAGGAGAT 1509
Qy 2407 GGGGATATCCCGGCTCAGAAAGAGGAGGACTCCACACAGTCTGGCTGTCCCTTTAGTA 2466
Db 1510 GGGGATATCTGGCTCAGAAAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1569
Qy 2467 GCTTAGGGGGACAGATCAGGATGGGGTATGTTCATCTCTACTGTACACAGGCA 2525
Db 1570 GCTCAGGGGGACAGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1629
Qy 2527 GGAAGTTGGGGGGCCCTCAGGAGATGGGGTCTTGGGGTAAAGGGGGGATGCTTACTCAT 2589
Db 1630 GGAAGTTGGGGAACTTCAGGAGATGAGGTTTGGAGTAAAGGGGCAATGTTTCTCAT 1689
Qy 2587 GTCAGGAATGGGGTTCAGGAGACACAGGCGCTGGCAGGAATAAAGATGATGAGCAGACA 2646
Db 1690 CTCAGGGGGTGGGGTTCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1749
Qy 2647 GACAGGCTATTGGATCCACACCCCGAGAACAAAGGGGTGAGCCCTGAGCAGCTCACCC 2706
Db 1749 CAGGAGGCTCAGAACCCCTCACCCAGAACAAAGGGGTGAGCCCTGAGCAGCTCACCC 1808
Qy 2707 AG-----GATGTGGTCTCTTTTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 2758
Db 1809 AGGGGTGACAGGATGGCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 1868
Qy 2759 CTCATCTCAGAGGCTGACTCAGGTAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2819
Db 1869 CTGTCTCAGAGGCTGACTCAGGTACCCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1928
Qy 2819 CGGTCCAGGATCTGCGATCGCTTGGGTGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2878
Db 1929 TGGTCCAGGATCTGCCAAGAGTCTGGTGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 1989
Qy 2879 AGGACAGAACACTGAGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG 2938

ACCESSION U10689
VERSION U10689.1 GI:533518
KEYWORDS
SOURCE human.
ORGANISM Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
Eutheria; Primates; Catarrhini; Homnidae; Homo.
REFERENCE 1 (bases 1 to 4741)
AUTHORS De Plaen,E., Arden,K., Traversari,C., Gaforio,J.J., Szikora,J.P.,
De Smet,C., Brasseur,F., Van der Bruggen,P., Lethe,B., Lurquin,C.,
Brasseur,R., Chomez,P., De Backer,O., Cavenee,W. and Boon,T.
TITLE Structure, chromosomal localization, and expression of 12 genes of
the MAGE family
JOURNAL Immunogenetics 40 (5), 360-369 (1994)
MEDLINE 95012457
REFERENCE 2 (bases 1 to 4741)
AUTHORS De Plaen,E.
TITLE Direct Submission
JOURNAL Submitted (14-JUN-1994) Etienne De Plaen, Ludwig Institute for
Cancer Research, 74 Avenue Hippocrate, Brussels, 1200, Belgium
FEATURES
source
1..4741
/organism="Homo sapiens"
/isolate="patient M22"
/db_xref="taxon:9606"
/chromosome="X"
/sex="female"
/cell_type="lymphocyte"
/tissue_type="blood"
/dev_stage="adult"
644..696
/number=1
2848..2934
/number=2
3010..24560
/number=3
3075..3449
/gene="MAGE5a"
3075..3449
/gene="MAGE5a"
/codon_start=1
/product="MAGE-5a antigen"
/protein_id="AA88873.1"
/db_xref="GI:533518"
/translation="MSLEQKSHQKPEGLDTEALGLVGVQAAATTEEEAVSSSP
LVPGLGVPAAGSPGLKSPQASAIPTAIDFTLWRSIKSSNQEEGSPSTDPPE
SVFRAALSKKVADLTHFLLYK"
BASE COUNT 1118 a 1274 c 1305 g 1044 t
ORIGIN

Query Match 42.7%; Score 2422.8; DB 10; Length 4741;
Best Local Similarity 75.7%; Pred. No. 0;
Matches 3726; Conservative 0; Mismatches 882; Indels 314; Gaps 46;

Db 254 AGGCAGGACTTCTTAGCTGGGCCACCCAGTCCCCACCGCTTAAGCGCAGGGGA - 312
QY 1012 ACCAGGTTCTTCTCCCAAGCTCTGGAAATCAGAGTTGTGTGACCGGCGAGACTGGT 1073
Db 313 -----CTCAGGAGACAGAGCTTGGTATGACCGGCGAGACTGGT 352
QY 1072 TAGGAGAGGCGAGGACAGGCTCTGCCAGGCATCAAGATCAGCACCCCAAGAGGAGGC 1131
Db 353 TAGGAGAGGACAGGCTCCCA - GCTCTGCCAGAAACAACAGCTCAGGAACCTAAGGAAGCT 411
QY 1132 TGTGGGCCCCAAGAGCTGCACTCCAAATCCCACATGCCACCCCATTCGCATTCOCATCCC 1191
Db 412 GAGGCTACCCC----- 423
QY 1192 CACCAACCCCATCTCTCTCAGCTAGACTCCACCCCATCCCTACTCTCTCTCTCTCTCT 1253
Db 423 -----CACCCCAAACTCTATCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 457
QY 1252 CTGACCACCCCTCCAGCCCGCAGCACAGCCAGCCCAACCCCTTCTGCCACCTCACCCCTCACT 1311
Db 458 CCCACCTACACCCCATTC-----CCACCCCTTCCCTACCGGACCTCTATATCCACCA 512
QY 1312 GCCCCCAACCCCATCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCTCT 1371
Db 513 TCCCCCA-----COCCTATCCTG 530
QY 1372 GCAGAAATCCGGTT-TGCCCTCTCTCAACCCAGGAGCCCTGGTAGGCCCGGATGTGAA 1430
Db 531 GCAGAAATCCGATTCTGCCCTGATTTCACCCAGGAGCCCTAGGGCGCGGATGTGAT 590
QY 1431 ACCACTGACTTGAACCTCACAGATCTGAGAGAGCCAGGTTCAATTAATGTTCTGAGG 1490
Db 591 GCTGCTGACTTGTGCTTGGGGTTCAGAGAGATCAAG-----GCATGTTCTGAGAA 644
QY 1491 CGGCTTGAGATCCACTGAGGGAGTGGTTTGTAGGCTCTGTGAGGAGCAAGGTGAGATG 1550
Db 645 CCCACTGAGATCAGCAGAGGAGGGAATGGCCCGGCTCTGTGAGGAGCAAGGTGAGACC 704
QY 1551 CT-GAGGAGGACTGAGGAGGACACACCCAGGTAGATGGCCCCCAAAATGATCAGTAC 1609
Db 705 CCCGAGGAAGGAATGAGGAAGCCCTCACCC--AGATAGAGAAACCCCAAAATATCCAGTAC 762
QY 1610 CACCCCTGCTCCAGCCCTGGACCCACCCGCGCAGGACAGATGTCTCAGCTGGACACACCC 1669
Db 763 TACCTTTGCTGCCAGCCCTGGACCAC-----CCAGGCGAGACTTCTCAGGCTGACCTTCC 818
QY 1670 CCGTCCCTCCACTGCCACTTAACCCACAGGCAATCTGTAGTATAGCTT-ATGTGAC 1728
Db 819 C---CCCTCCCACTGCCACTTAAGCCACAGGACCTCTGGAGTCAGACCTTGGTGTAC 875
QY 1729 CGGGCAGGTTGTCAGGAGAGGCGAGGCGCCAGGCATCAAGTCCAGCATCCCGCCGCG 1788
Db 876 CAGGGAAGGCGCGTCAGGAGAG-----GCAGGGCCAGGCTCTGTCTCAGCG 922
QY 1789 ATTAGGTCAGGACCCCTGGGAGGAACCTGAGGTTCCCCACCCACACACCTGTCTCTCTCATC 1848
Db 923 ATCAAAATCAGGACCCCTGAGAGAGATGAGGCGCCCAACCCCAACCCCTATACCCATCC 982
QY 1849 TCCACCGCCACCCCACTCATTCCCATACCTAC-----CCCTACCCCAACCTCATCTT 1904
Db 983 CTAAACCCCATACCCACTCTACTTGCATTCCAGGCCCTCCCAACCCCTACCCCATCTT 1042
QY 1905 GTCAGAA-----TCCCTGTCTCAACCCAGGAAGCCAGGGAATGGCGCCAGG 1954
Db 1043 GGCAGATCTTCTTTTCCCTGAGTCAACCCACAGAGAGCCCAAGGATGACAGACAG 1102
QY 1955 CACTCGGATCTGAGTCCCATCCAGGTTGTATGAGGAAGAG-----GCTTGA 2007
Db 1103 CACACTATTCTGAGTCCACATCCAGGCTGAAGGAGGAAGGCTTAGTATCATGAG 1162
QY 2008 CAGGCGCTCAGGAGGAGAGAG-----GAGGCGCTTCTGCGAGATGAGGAGGCTCAGA 2069
Db 1163 CAGGCGCTCAGGAGGAGTCTCTCTCTCTCAAGCCCTGCTGGGAGTAAGGAGGAGGCTCAGG 1222

ACCESSION	VERSION	KEYWORDS	SOURCE	ORGANISM	REFERENCE	AUTHORS	TITLE	JOURNAL	FEATURES	BASE COUNT	ORIGIN	Query Match	Best Local Similarity	Matches	2419;	Conservative	0;	Mismatches	0;	Indels	1;	Gaps	1;	
AR007331	AR007331.1	GI:3966815	Unknown.	Unknown.	Unclassified.	1 (bases 1 to 2420)	Fikes,J.D., Livingston,B.D., Sette,A.D. and Sidney,J.C.	DNA encoding MAGE-1 C-terminal cytotoxic t lymphocyte immunogenic peptides	Patent: US 5750395-A 23 12-MAY-1998;	562 a	582 c	677 g	599 t	42.4%;	Score 2408;	DB 5;	Length 2420;							
QY	3256	GGATCCAGGCCCTGCCAGGAAATATATAGGGCCCTGGGTGAGAACAGAGGGGTCATCC	3315																					
Db	1	GGATCCAGGCCCTGCCAGGAAATATATAGGGCCCTGGGTGAGAACAGAGGGGTCATCC	60																					
QY	3316	ACTGCATCAGAGTGGGGATGTCACAGAGTCACAGCCACCCCTCCCTGGTACACTCAGAGC	3375																					
Db	61	ACTGCATCAGAGTGGGGATGTCACAGAGTCACAGATCCAGCCACCCCTCCCTGGTACACTCAGAGC	120																					
QY	3376	CAGGCGTGTGCTTGGGPTCTCAOCTCAGAGGCCGTGGATTCCTCTCTGGAGCTCCA	3435																					
Db	121	CAGGCGTGTGCTTGGGPTCTCAOCTCAGAGGCCGTGGATTCCTCTCTGGAGCTCCA	180																					
QY	3436	GGACCCAGCAGTGAAGCCCTGGTCTGAGACAGTATCCTCAGGTACACAGACAGAGGATG	3495																					
Db	181	GGACCCAGCAGTGAAGCCCTGGTCTGAGACAGTATCCTCAGGTACACAGACAGAGGATG	240																					
QY	3496	CACAGGGTGTGCCACAGTGAATGTTGCCCTGAATGCACACCAAGGCCCCCACTGGCCA	3555																					
Db	241	CACAGGGTGTGCCACAGTGAATGTTGCCCTGAATGCACACCAAGGCCCCCACTGGCCA	300																					
QY	3556	CAGGACATAGGACTCCACAGAGTCTGGCCCTACCTCCCTACTGTAGTCTGTAGAAAT	3615																					
Db	301	CAGGACATAGGACTCCACAGAGTCTGGCCCTACCTCCCTACTGTAGTCTGTAGAAAT	360																					
QY	3616	CGACCTCTGCTGGCGGCTGTACCTGTAGTACCTCTCACTCCCTCAGGTTCAGTTCAG	3675																					
Db	361	CGACCTCTGCTGGCGGCTGTACCTGTAGTACCTCTCACTCCCTCAGGTTCAGTTCAG	420																					
QY	3676	GGGACAGGCCAACCCAGAGGACAGGATTCCTGGAGGCCACAGAGGACGCCAAGGAGAA	3735																					
Db	421	GGGACAGGCCAACCCAGAGGACAGGATTCCTGGAGGCCACAGAGGACGCCAAGGAGAA	480																					
QY	3736	GATCTGTAAGTAGGCCTTTGTTAGAGTCTCAAGGTTACAGTCTCAGCTGAGGCTCTCA	3795																					
Db	481	GATCTGTAAGTAGGCCTTTGTTAGAGTCTCAAGGTTACAGTCTCAGTCTGAGGCTCTCA	540																					
QY	3796	CACACTCCCTCTCTCCAGGCGCTGTGGGTCTTCATTGCCAGCTCTCTGCCACACTCCT	3855																					
Db	541	CACACTCCCTCTCTCCAGGCGCTGTGGGTCTTCATTGCCAGCTCTCTGCCACACTCCT	600																					
QY	3856	GCCTGCTGCCCTGACGACAGTCATCTCTTTGAGCAGAGGAGTCTGCACGAGCC	3915																					
Db	601	GCCTGCTGCCCTGACGACAGTCATCTCTTTGAGCAGAGGAGTCTGCACGAGCC	660																					
QY	3916	TGAGGAAGCCCTTGAGGCCCAACAGAGGCCCTGGGCTGGTGTGTGTGCAGGCTGCCAC	3975																					
Db	661	TGAGGAAGCCCTTGAGGCCCAACAGAGGCCCTGGGCTGGTGTGTGTGCAGGCTGCCAC	720																					
QY	3976	CTCCTCCCTCTCTCTGTGGTCTGGGACCCCTGGAGGAGTGCCCCACTGTGGGTCAAC	4035																					

ORGANISM

Homo sapiens

Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

REFERENCE

1 (bases 1 to 178515)

AUTHORS

Birren, B., Linton, L., Nusbaum, C. and Lander, E.

TITLE

Homo sapiens chromosome 8, clone RP11-173J18

JOURNAL

Unpublished

REFERENCE

2 (bases 1 to 178515)

AUTHORS

Birren, B., Linton, L., Nusbaum, C., Lander, E., Allen, N., Anderson, M.,
Baker, J., Baldwin, J., Barna, N., Beckerly, R., Benn, J., Brown, A.,
Calle, A., Cerny, J., Collangelo, M., Collins, S., Collymore, A.,
Cooke, P., DeArelano, K., Depayre, E., Devon, K., Dewar, K.,
Donelan, L., Doyle, M., Ferreira, P., FitzHugh, W., Forrest, C.,
Futke, R., Gage, D., Galagan, J., Gardyna, S., Gilbert, D., Grant, G.,
Hagbo, B., Hearford, A., Horton, L., Howland, J. C., Jones, C., Kann, L.,
Kartas, A., Lehoczy, J., Lieu, C., Locke, K., Macdonald, P.,
Mardis, N., McEwan, P., McGurk, A., McKernan, K., McLaughlin, J.,
Meldrum, J., Molla, M., Morris, W., Morrow, J., Mychaleckyj, J.,
Naylor, J., Niloff, M., O'Connor, T., O'Donnell, P., Pavlin, B.,
Peterson, K., Pollara, V., Riley, R., Roberts, D., Roy, A., Severy, P.,
Stange-Thomann, N., Stojanovic, N., Stone, C., Subramanian, A.,
Thesler, J., Torruella-Miller, I., Vassiliev, H., Vo, A., Wagner, A.,
Wheeler, J., Wu, X., Wyman, D., Ye, W. J. and Zody, M.

TITLE

Submitted

JOURNAL

Whitehead Institute/MIT Center for Genome

COMMENT

Research, 320 Charles Street, Cambridge, MA 02141, USA
On Apr 8, 2000 this sequence version replaced gi:6751797.
All repeats were identified using RepeatMasker:
Smit, A.F.A. & Green, P. (1996-1997)
<http://ftp.genome.washington.edu/RX/RepeatMasker.html>

----- Genome Center

Center: Whitehead Institute/ MIT Center for Genome Research
Center code: WIBR

Web site: <http://www-seq.wi.mit.edu>Contact: sequence_submissions@genome.wi.mit.edu

----- Project Information

Center project name: L2077

Center clone name: 173-J-18

----- Summary Statistics

Sequencing vector: M13; M7815; 100% of reads

Chemistry: Dye-primer-amersham; 4% of reads

Chemistry: Dye-terminator Big Dye; 96% of reads

Assembly program: Phrap; version 0.960731

Consensus quality: 154528 bases at least Q40

Consensus quality: 164381 bases at least Q30

Consensus quality: 169670 bases at least Q20

Insert size: 180000; agarose-ef

Insert size: 175815; sum-of-contigs

Quality coverage: 3.9 in Q20 bases; agarose-ef

Quality coverage: 3.9 in Q20 bases.

NOTE: This is a 'working draft' sequence. It currently

* consists of 28 contigs. The true order of the pieces

* is not known and their order in this sequence record is

* arbitrary. Gaps between the contigs are represented as

* runs of N, but the exact sizes of the gaps are unknown.

* This record will be updated with the finished sequence,

* as soon as it is available and the accession number will

* be preserved.

* 1 1206: contig of 1206 bp in length

* 1207 1306: gap of 100 bp

* 1307 2316: contig of 1010 bp in length

* 2317 2416: gap of 100 bp

* 2417 3791: contig of 1375 bp in length

* 3792 3891: gap of 100 bp

* 3892 5035: contig of 1144 bp in length

* 5036 5135: gap of 100 bp

* 5136 6291: contig of 1156 bp in length

* 6292 6391: gap of 100 bp

* 6392 7820: contig of 1429 bp in length

* 7821 7920: gap of 100 bp

* 7921 9966: contig of 2046 bp in length

* 9967 10066: gap of 100 bp

* 10067 11414: contig of 1348 bp in length

* 11415 11514: gap of 100 bp

* 11515 13580: contig of 2066 bp in length

* 13581 13680: gap of 100 bp

* 13681 15919: contig of 2239 bp in length

* 15920 16019: gap of 100 bp

* 16020 18054: contig of 2035 bp in length

* 18055 18154: gap of 100 bp

* 18155 20599: contig of 2445 bp in length

* 20600 20699: gap of 100 bp

* 20700 25017: contig of 4318 bp in length

11415 11514: gap of 100 bp
11515 13580: contig of 2066 bp in length
13581 13680: gap of 100 bp
13681 15919: contig of 2239 bp in length
15920 16019: gap of 100 bp
16020 18054: contig of 2035 bp in length
18055 18154: gap of 100 bp
18155 20599: contig of 2445 bp in length
20600 20699: gap of 100 bp
20700 25017: contig of 4318 bp in length
25018 25117: gap of 100 bp
25118 29998: contig of 4881 bp in length
29999 30098: gap of 100 bp
30099 34538: contig of 4440 bp in length
34539 34638: gap of 100 bp
34639 39508: contig of 4870 bp in length
39509 39608: gap of 100 bp
39609 46103: contig of 6495 bp in length
46104 46203: gap of 100 bp
46204 52117: contig of 5914 bp in length
52118 52217: gap of 100 bp
52218 58555: contig of 6338 bp in length
58556 58655: gap of 100 bp
58656 65212: contig of 6557 bp in length
65213 65312: gap of 100 bp
65313 72795: contig of 7483 bp in length
72796 72895: gap of 100 bp
72896 78614: contig of 5719 bp in length
78615 78714: gap of 100 bp
78715 89051: contig of 10337 bp in length
89052 89151: gap of 100 bp
89152 100736: contig of 11585 bp in length
100737 100836: gap of 100 bp
100837 117851: contig of 17015 bp in length
117852 117951: gap of 100 bp
117952 135700: contig of 17749 bp in length
135701 135800: gap of 100 bp
135801 153915: contig of 18115 bp in length
153916 154015: gap of 100 bp
154016 178515: contig of 24500 bp in length.

FEATURES
Location/Qualifiers
1..178515
/organism="Homo sapiens"
/db_xref="taxon:9606"
/chromosome="8"
/map="8"
/clone="RP11-173J18"
/clone_lib="RP11-173J18"
1..1206
/note="assembly_fragment"
1307..2316
/note="assembly_fragment"
2417..3791
/note="assembly_fragment"
3892..5035
/note="assembly_fragment"
5136..6291
/note="assembly_fragment"
6392..7820
/note="assembly_fragment"
7921..9966
/note="assembly_fragment"
10067..11414
/note="assembly_fragment"
11515..13580
/note="assembly_fragment"
13681..15919
/note="assembly_fragment"
16020..18054
/note="assembly_fragment"
18155..20599
/note="assembly_fragment"
20700..25017
/note="assembly_fragment"

misc_feature
1..1206
/note="assembly_fragment"
misc_feature
1307..2316
/note="assembly_fragment"
misc_feature
2417..3791
/note="assembly_fragment"
misc_feature
3892..5035
/note="assembly_fragment"
misc_feature
5136..6291
/note="assembly_fragment"
misc_feature
6392..7820
/note="assembly_fragment"
misc_feature
7921..9966
/note="assembly_fragment"
misc_feature
10067..11414
/note="assembly_fragment"
misc_feature
11515..13580
/note="assembly_fragment"
misc_feature
13681..15919
/note="assembly_fragment"
misc_feature
16020..18054
/note="assembly_fragment"
misc_feature
18155..20599
/note="assembly_fragment"
misc_feature
20700..25017
/note="assembly_fragment"

Db	74089	CAAGGGACTCGGAGTCAGAGCTTCGTGTGTACCAAGGACGGCTGGTTAGGAGAGGGCAG	74188
Qy	460	CGTCAGGCTCTGCCAGACATCATGCTCAGGATTTCTCAAGGAGGGCTGAGGGTCCCTTAAG	519
Db	74149	TGGCCAGCTCTGCCAGGCTCAACATCAGGACCCTAAGTGAGGGCTGAGGGCCCCCAAC	74208
Qy	520	ACCC---CACTCCCGTGAGCCCAACCCCGACTCCAAATGCTCACTCCGTGAGCCCAACCCCC	576
Db	74209	CCCATTCCTCCATCCCAACCCCATTCGCATTCATCCCATCCCACTCCATCCGCCCA	74268
Qy	577	TCCTCATTTGTCATTCCTCAACCCCGCCACATCCCGACGCCATCCCTCAACCGCTGATGC	636
Db	74269	CCAGAACCCCTATCCCGCCACCCAGAAACCCATCTCTGCCACTCCCGACCGTTTCATCCC	74328
Qy	637	CCATCCCGCCAGCCGATTCACCTTCACCCC---CACCCCGCAACCCCGACGCCCACTCCCAACC	695
Db	74329	TACTCCCAACCATTCCTCATCTTCGCCACCCCTGAGCCCTCTCTCACCCTCCCAACCCGCC	74388
Qy	696	CCACCAGGCAAGGATCCGG-----TTCCCGCCAGGAACATCCGGGTGCCCG	742
Db	74389	ACACCTTGGCAGAAATTCGGTTCTGCTGCTTCTTCAACCCAGGAATCCCTTGGGTGACCA	74448
Qy	743	GATGTAGCCCACTGACTTGGCCATTTGSGGCAGAGAGACGAGGTTTCCATTTCTGAG	802
Db	74449	GATGTGGTGCCACTGTCTTGCACATTTGAGTCTGGAGAGCAAGGCGCTCGCTCTCAG	74508
Qy	803	GGACGGCTAGAGTTGCGCCCAAGGAACCTGACCCAGGCTCTGTGAGGAGCGAGGTGAG	862
Db	74509	GGGCAGC---TGGAGATCAGCTCAGGCGACCTGGCCCTTGCTCTGTGAGGATGCAAGGTGAG	74567
Qy	863	AGGCTGAGGGAGGACTGAGGACCCCGCCACTTCCAAATAGAGAGCCCCAAATATTTCCAGCC	922
Db	74568	ATGTGAGGGAGGACTAAGGAGTATCCACCCCTGGTAGTGGACCCCAATAATCCAGTG	74627
Qy	923	CCGCC---CTTGTGTGCCAGCCCTGGCCACCCCGGGGAGAGCTCTCAGCCCTGGGCTGCC	979
Db	74628	CCACCTCTCTGCTGCTAGCTCTGGAACATCCAGGCGAGGACTCCTTAGGCTGGGCCACC	74687
Qy	980	CCAGACCCCTGTCTCCAAAGCCTTGAGAGACACCAAGTTCCTTCTCCCCCAAGCTCTGGAA	1039
Db	74688	CCAGTCCCGCCACCGCTAAGCCGCGAGGGA-----CTCAGGAG	74726
Qy	1040	TCAGAGTTGTGTGACACAGGCGAGGACTGGTTAGGAGAGGGCGAGGACAGGCTCTGCC	1099
Db	74727	ACAGAGCTTGTATGACACAGGCGAGGACTGGTTAGGAGAGGACAGCTCCCAAGGCTCTGCC	74786
Qy	1100	AGGCATCAAGATCAGCACCCCAAGAGGGAGGCTGTGGGCCCCCAAGACTGCATCCCAATC	1159
Db	74787	AGGAACAACCTCAGGAACCTTAAGGGAAGCTGAGGCTACCCC-----	74829
Qy	1160	CCCACTCCCAACCCGATTCGCATTCGCATTCGCCACCCCAACCCCATCTCTCTCAGCTACAC	1219
Db	74830	-----CAC	74832
Qy	1220	CTCCAGCCCATCCCTACTCTCTACTCTGCTCAGCTGACCAACCACTCCAGGCCCGAGCAC	1279
Db	74833	GCCAAATCTATTCCTGTCCCTACTCTCGTCCCGCCAGCTACACCCCGCATTC	74887
Qy	1280	AGCCCCAACCCCTTCTGCCACCTCAACCCTCACTGCCCGCCCAACCCCAACCTCATCTCTCA	1339
Db	74888	CACCCCATCCCTACCGGCACTCTATCCACATCCCGCA-----	74926
Qy	1340	TGTGCCCACTCCCATCGCCTTCCCGCATTCGGCAGAAATCGGTT-TGCCCTGCTCTCA	1398
Db	74927	-----CCCTCATCTCTGGCAGAAATCGGATCTCGCCCTGATTCA	74965
Qy	1399	ACCCAGGAAGCCCTTGTGAGCCCGGATGTGAACCACTGACTTGAACCTCACAGATCTGA	1458
Db	74966	ACCCAGGAAGCCCTTAGGGGCGGATGTGATGCTGCTGACTTGTGATTCGGGTCAGA	75025
Qy	1459	GAGAAGCCAGGTTCAATTTAATGGTTCTGAGGGGCGGTTGAGATCCACTGAGGGGAGTGG	1518
Db	75026	GAGAAATCAAGG-----GCATGGTTCTTGAGAAGCCGCTAGATCAGCAGAGGGAATGG	75079


QY 1519 TTTTAGGCTCTGTGAGGAGCAAGGTGAGA-TGCTGAGGAGAGACTGAGAGGCACACAC 1577
Db 75080 GCCGGGCTCTGTGAGGAGCAAGGTGAGACCCCGGAGGAAGATGAGAAAGCCCTCAC 75139
QY 1578 CCAGGTAGATGCCCCAAATCATCCAGTACCACCCCTGCTGCCAGCCCTGGACACCC 1637
Db 75140 CC--AGATAGAGAACCCAAATTAATCCAGTACTACCTTTGCTGCCAGCCCTGGACAC-- 75195
QY 1638 GGCAGAGACAGATGTCTAGCTGGACACACCCCGCTCCCGTCCCATCTGCATTAACCCA 1697
Db 75196 --CCAGGCGAGACTTCTAGCTGGAGCTTCCC--CCCTCCCATCTGCATTAAGCCA 75250
QY 1698 CAGGCAATCTGTAGTCATAGCTT-ATGTGACCGGGGAGGTTGTCTAGGAGGACAG 1756
Db 75251 CAAGGACTCTGTAGTCTAGACCTTGTGTGACACGAGGAGGCGGTCTAGAGAGS-- 75306
QY 1757 GCCAGGACATCAAGTCCAGCATCCGCCCGGCAATGAGGTCTAGGACCCCTGGAGGGAAT 1816
Db 75307 -----GCAGGGCCAGGCTCTGTACGGCATCAAAATCAGGACCCCTGAGAGAAAT 75357
QY 1817 GAGGTTCCCAACCCACACCTGTCTCTCATCTCCACGCCACCCACATCACATTCCTAT 1876
Db 75358 GAGGGCCCAACCCCAACCCCTATACCCATCCCTAACCCCATACCCACATCTACTTGCAT 75417
QY 1877 ACCTACC--CCCTACCCCAACCTCATCTTGTCTAGAA-----TCCTGTCTGTC 1922
Db 75418 CCAGGCCCATCCCAACACCTTACCCTTCTGGCAGAACTGTCTTCTTCTCTGCTGCTG 75477
QY 1923 AACCCAGGAGACCGGGAATGGCGGCGCAGGCATCTGACNTCTGACGTCCCATCCAG 1982
Db 75478 AACCCAGAGGACCGGGAATGACAGAGGACACCCATCTGACGTCCCATCCAG 75537
QY 1983 GTCTGATGAGGAGAGG-----GCTTGAACAGGCGCTCAGGGGAGCAGAGG-----GA 2031
Db 75538 GCTGAGGAGGAGAGGCTTAGTATCATGACGAGGCGCTCAGGGGAGTCTCTGCTCC 75597
QY 2032 GGGCCCTACTGCGAGATGAGGAGGCTCAGAGGACCCAGCACCCTAGS-----C 2082
Db 75598 AGCCCTGTGGGAGTAAAGGAGGCTCAGGGAACCCAGGCTCCAGGATAGGGGCTC 75657
QY 2083 ACCGCAACCTGTCTGAGACTGAG--GCTGCCATTTCTGGCTCAAGAAATCAGAGCATG 2140
Db 75658 ACTCAACCTGTCTGAGACTGAGGCGCTCTCTTTTCTATCTCGGGAATCAGAGGATG 75717
QY 2141 GGAATCAGATTCAGTGGGGTGGGACCCAGGCTGCAAGGCTTACCGGAGGAGAGAGA 2200
Db 75718 GAGACTCAGTCAAGAGGAGGCTGGGCGCCAAACCTCCAGGATCAAGGAGGAGAGAGA 75777
QY 2201 GGGAGACTCAGGGGACCTTGGAAATCCAGATCAGTGTGACCTCGGCCCTGAGAGGTCCA 2260
Db 75778 GGGAGACTCAGGGTACCTTGTAGTCCAGAACAAATGGGACCTTTGCCCTGGAGGCTCA 75837
QY 2261 GGGCAGGTGGCCACATATGGCCCATATTTCTGTGCATCTTTGAGGTGAC-----AGACAG 2316
Db 75838 GTGCACAGTGGCCACCTGTAGCCCATCTTGTGTGACCTTCTGGGTGACAAAGAGAGAG 75897
QY 2317 AGCTGTGTGTGAGAGTGGGCTCAGGTCAACAGAGGAGGAGTTCAGGATCCATAT 2376
Db 75898 GGTGTGTGTGAGAGAGTGGTGTACTCAGTCCAGAGGAGGAGTCCAGCATCTGCAG 75957
QY 2377 GGCACAGATGTGCCCTTCATGAGGACTGGGATATCCCGGCTCAGAAAGAGGAC 2436
Db 75958 GCGCCCAATGTGCCCCAATCATGAAGATTGGGATA-CCTTGGCTCAGAAAGAGGAGAC 76016
QY 2437 TCCACACAGTCTGGCTGCTCCCTTTTGTAGCTTAGGGGGACCATGAGGATGGGG 2496
Db 76017 CCCACAGAGTCTGGCTGTCCCTTGTATTTGCTCAGAGGGGACCAATCAGATAGCC 76076
QY 2497 TATGTTCCATTTCTACTTGTACACAGGAGGAGTGGGGGCGCTCAGGAGATGGG 2556
Db 76077 TATGTGCCACCTCATTTGTGTCCACAGGAAAGAGTTGAAGAGCCCTCAGGCTGATGGG 76136

QY 2557 TCTTGGGTAAGGGGGATCTCTACTCATCTCAGGGAATTTGGGGTTGAGGAACACAG 2616
Db 76137 TCTTGCAGTAAGGGGAGCTATCTGCTCATCTCAGGGGTTTCAAGTTGAGGAATGCGAG 76196
QY 2617 GCGCTGGCAGGAATAAGATGAGTGAGACAGCAAGGCTATTGGAATCCACACCCAGAA 2676
Db 76197 GCGCATCACGATGAA---GAGTAACCCACAGGAGGCCATAGAAACACTCACCCAGAA 76252
QY 2677 CCAAGGGGTGAGCCCTGGACACCTCA-----CCAGGATGTGGCTTCTTTTTCAC 2727
Db 76253 CCAAGGGGTGATATCTGGACACCCCATGTGGGGTGCACAGGATGTAGC-TCCATCTCAT 76311
QY 2728 TCCCTTTTCCAGATCTGGGCGAGGTGAGGACCTCATCTCAGAGGCTGACTCAGTCAAC 2797
Db 76312 TCCCTTTTCCAGATCTCGGGAGGTGAGGAACTTGTCTCCGAGGATGACTCAGTCAAC 76371
QY 2788 GTAGGACCCCATCTGTCTTAAGACAGAGCGGTCCAGAGATCTGCCATCGGTTCCGGT 2847
Db 76372 ACAGGGGCCCCATCTGTGTGATAGACAGAGTGTCCAGGATCTGTCACTAGTTCCGGT 76431
QY 2848 GAGGAACATGAGGAGGACTGAGGTTACCCAGGACCAAGAACACTGAGGAGAGTGCACA 2907
Db 76432 GAGGAACATGAGGAGGACTGAGGACCCCTTGGCCACAGACAGATGAGGACCTCAG 76491
QY 2908 GAAATCAGCCCTGCCCCCTGTCTCACCCAGAGAGCATGGCTGGGCGTCTGCCGAGGT 2967
Db 76492 GAAATCTGCCCTGCCCCCTGTCTCACCTCAGAGAGCATGGCGGCTGTCTGTGCACT 76551
QY 2968 CTTTCG--TTATCTGCGATCATTTGATGTCAGGACGCGGAGGCTTGTGCTCAGAGAG 3025
Db 76552 CCCCCGACTTACCTTGGATCATTTGTTGTCAGGATGGGAGGCTCTTTGTC-AGGGGT 76610
QY 3026 CTGCTCAGTCTAGTAGAGGAGCGTCCAGGCGCTGCCAGGAGTCAAGTGTGAGAGCA 3085
Db 76611 CTGCACTCAGTCTAGTAGAGGAGCGCTTGTAGGCGCTGCCAGGAGCAAGTAAGACA 76670
QY 3086 AGCGGCACTCAGCCAGGACACATTTCCATGATTTTGTATCTCTTCTGTCCT 3145
Db 76671 AGCAGTTCCCTACCCAGGACACATGATTTCCATGATTTTGTATCTCTTCTGTCCT 76720
QY 3146 TCCCA-AGGACCTAGGACGCTGTGGCCAGATGTTTGTCCCTCTCTGTCTTCTTCTTCT 3208
Db 76731 TCCCAAGAGGACCTGGGACGCTGTGGCCAGATGTGAGTCTCTCATGTCTCT--GTTCC 76787
QY 3205 TATCATGATGTGACTCTTGTATTTGGATTTCTCAGACCAACAAAGGAGGAGTCCAGG 3268
Db 76788 TATCAGGATGTGACTCTTATCTGAGTTTCTCAGGCGCAAAAGGTTGGGATCCAGG 76847
QY 3265 CCCTGCCAGGAAATAATAAGGCGCTCGTGAGAACAGAGGGGCTCATCCACTGCTATGA 3324
Db 76848 CTTGCCAGGAGAAAGGTGAGGCGCTGTGTGACACAGAGGGGACCATTCACCCCAAGA 76907
QY 3325 GAGTGGGATGTACAGAGTCCAGCCACCTCTCTGTGAGTCTGAGAGGAGGAGGCTGT 3388
Db 76908 GGTGGAGACCTCAGATTCAGGCTTACCTCTGTGTAGACTGGGGGCTGAGGCTGT 76967
QY 3385 GCTTCCGCTGTGACCCCTGAGGCGCGGTGATCTCTCTTCTGAGGCTCCAGGAAACAGG 3444
Db 76968 GCTTCCAGTCTGACCCCTGAGGCGCATGATCTCTCTTCCAGGAGCTCCAGGAAACAGA 77027
QY 3445 CAGTGGGCTTGTCTGTGACAGATATCTCAGTCTCAGAGCAGAGAGGATGACAG --- 3500
Db 77028 CACTGAGCCCTTGTGTGAGGCGCTGCGCTCAGGTCAGAGCAGAGAGGATGACAGAGT 77087
QY 3501 GGTGTCCAGCAGTGAATGTTTGGCTGAATGCACACCAAGGCGCCACCTGCCACAGGA 3560
Db 77088 CTAGTGCCAGCAGTGAAGTTTGGCTTGAATGCACACTAATGGCCCATCGCCAGAA 77147
QY 3561 CACATAGGACTCCAGAGAGTCTGGCTCA-CCTCCCTACTGTCTAGTCTGTAGAAATGAC 3619
Db 77148 CATATGGAGTCCAGAGCAGCTGGCTCTCTACTGTCTAGTCTGTGAGATCAGC 77207
QY 3620 CTCGTGCGCGGCTGTACCTGTGAGTACCTCTCCTCTCTCTCTCTCTCTCTCTCTCTCT 3679

[illegible]

Search completed: September 13, 2000, 05:33:47
Job time: 13929 sec

Db	78285	GATATGATTAGTGTGGGGTCCAAAGGCATCGCTG-----CUTGAAGTACTGG	78339
Qy	4721	AGTATGTGATCAAGGTCAAGAGTTCGCTTTTCTCCCATCCCTCGGTGAAGCAG	478D
Db	78335	AGCAGTGGTCAAGGTCAATCAAGAGTTCTATTTCCTACCCATCCGTGCATGAAGCAG	78394
Qy	4781	CTTTGAGAGAGGAGAGAGGAGTCTGAGCATGAGTTGCAGCCCAAGGCCAGTGGGAGGG	484D
Db	78395	CTTTGAGAGAGGAGAGAGGAGTCTGAGCATGAGCTGCAGCCAGGGCCCTCGCAGGG	78454
Qy	4841	GGACTGGGCCAGTGCACCTTCCAGGGCGCGTCCAGCAGCTCCCGCTGCC--TCGTGTGTAC	4899
Db	78455	GGGTGGGCCAGTGCACCTTCCAGGGTCCCGTCCACTAGTTTCCCTGCCCTTAATGTAC	78514
Qy	4900	ATGAGGCCCATCTTCACTC--TGAAGAGAGCGGTCACTGTCTCAGTAGAGTTTCTG	4957
Db	78515	ATGAGGCCCATCTTCTCTCTTTGAAGAGAGCAGTCAACATTATTAGTAGTGGGTTTCTG	78574
Qy	4958	TTCTATTGGGTGACTTGGAGATTATCTTTGTCTCTTTTGGAAATGTCAAATGTTTT	5017
Db	78575	TTCTATTGGATGACTATGAGAGTTGTGCTGTCTCTTTNNNNNNNNNNNNNNNNNN	78634
Qy	5018	TTTTAAGGGATGGTTGAATGACTCAGCATCCCAAGTTTATGAATGACAGCAGTCACACA	5077
Db	78635	NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN	78694
Qy	5078	GTCTCTGTATATAGTTTAAAGGGTAAGAGTCTGTGCTTTATTATTCAGAT	5125
Db	78695	NNNNNNNNNNNNNNNNNNNNCTGTCAAGTTTGGGAATCCCATTCAGAGGT	78742



Release 3.1A John F. Collins, Biocomputing Research Unit.
Copyright (c) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

MPSrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Tue Sep 12 13:19:06 2000; MasPar time 5.54 Seconds
76.608 Million cell updates/sec

Tabular output not generated.

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pap
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
Gap 15

Searched: 142080 seqs, 47172406 residues

Post-processing: Minimum Match 0%
Listing first 45 summaries

Database: pir64
1:pir1 2:pir2 3:pir3 4:pir4

Statistics: Mean 20.662; Variance 21.178; scale 0.976

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description	Pred. No.
1	61	100.0	280	2	JC2358 tumor-associated anti	1.51e-04
2	54	88.5	234	2	MAGE-8 antigen - huma	1.43e-02
3	54	88.5	315	2	MAGE-9 antigen - huma	1.43e-02
4	52	85.2	369	2	MAGE-10 antigen - hum	5.00e-02
5	51	83.6	319	2	MAGE-11 antigen - hum	9.24e-02
6	48	78.7	129	2	E72685 hypothetical protein	5.60e-01
7	48	78.7	269	2	Ras homolog rad - hum	5.60e-01
8	48	78.7	525	1	A39216 plasma cell membrane	5.01e-01
9	47	77.0	497	1	S33938 penton protein (III)	1.01e+00
10	46	75.4	9	2	PH1299 MAGE 5 protein - huma	1.79e+00
11	46	75.4	314	2	JC2360 tumor-associated anti	1.79e+00
12	45	73.8	1033	2	S02168 type I site-specific	3.17e+00
13	44	72.1	98	2	F70769 hypothetical protein	5.55e+00
14	44	72.1	128	2	B72600 hypothetical protein	5.55e+00
15	44	72.1	461	2	T09933 nucleotide pyrophosph	5.55e+00
16	44	72.1	488	1	S55874 sulfite oxidase (EC 1	5.55e+00
17	44	72.1	488	1	A53107 sulfite oxidase (EC 1	5.55e+00
18	44	72.1	725	2	A45033 myelin transcription	9.63e+00
19	43	70.5	197	2	A70832 hypothetical protein	9.63e+00
20	43	70.5	290	2	S64312 hypothetical protein	9.63e+00
21	43	70.5	314	2	JC2361 tumor-associated anti	9.63e+00
22	43	70.5	347	2	I38008 MAGE-Xp protein - hum	9.63e+00
23	43	70.5	669	2	I38029 matrix metalloprotein	9.63e+00

ALIGNMENTS

RESULT 1	JC2358	#type complete	745	2	tl0924	3C3.15c protein - Str	9.63e+00
ENTRY	tumor-associated antigen MAGE-1 - human		875	2	tl2794	hypothetical yomg pro	9.63e+00
TITLE	#formal_name Homo sapiens #common_name man		878	2	S44543	hypothetical protein	9.63e+00
ORGANISM	20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change		26	43	tl0924	conserved hypothetical	1.66e+01
DATE	04-Sep-1998		27	42	B36905	methylenetetrahydrofo	1.66e+01
ACCESSIONS	JC2358		28	42	B69626	carbon-monoxide dehyd	1.66e+01
REFERENCE	JC2358		29	42	A56279	hypothetical protein	1.66e+01
authors	Ding, M.; Beck, R.J.; Keller, C.J.; Fenton, R.G.		30	42	C71194	tumor-associated anti	1.66e+01
#journal	Biochem. Biophys. Res. Commun. (1994) 202:549-555		31	42	JC2359	dihydroorotase (EC 3.	1.66e+01
#title	Cloning and analysis of MAGE-1-related genes.		32	42	S44753	probable oxidoreducta	1.66e+01
#cross-references	MUID:94311935		33	42	DEEBOT	hypothetical protein	1.66e+01
#accession	JC2358		34	42	A70687	hypothetical protein	1.66e+01
	#molecule_type mRNA		35	42	H70509	hypothetical protein	1.66e+01
	#residues 1-280 #label DIN		36	42	G70506	protein disulfide-iso	1.66e+01
GENETICS	#experimental_source melanoma cell line DM150		37	42	ISRTSS	regulatory protein we	1.66e+01
#gene	MAGE		38	42	RGASWA	translation elongatio	1.66e+01
CLASSIFICATION	#superfamily tumor associated protein MAGE		39	42	S38928	cellulase (EC 3.2.1.4	1.66e+01
FEATURE	161-169		40	42	B47093	zinc finger RNA bindi	1.66e+01
SUMMARY	#length 280 #molecular-weight 30932 #checksum 467		41	42	A42551	genome polyprotein -	1.66e+01
	Query Match 100.0%; Score 61; DB 2; Length 280;		42	42	A53286	cell-surface glycopro	2.82e+01
	Best Local Similarity 100.0%; Pred. No. 1.51e-04;		43	41	A53286	fission yeast Skbl pr	2.82e+01
	Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;		44	41	T03842	genome polyprotein -	2.82e+01
			45	41	A44217		
Db	161 EADPTGHSY 169						
Qy	1 EADPTGHSY 9						
RESULT 2	I38667	#type complete					
ENTRY	MAGE-8 antigen - human						
TITLE	#formal_name Homo sapiens #common_name man						
ORGANISM	07-Jun-1996 #sequence_revision 07-Jun-1996 #text_change						
DATE	24-Sep-1999						
ACCESSIONS	I38667						
REFERENCE	I38659						
authors	De Plaen, E.; Arden, K.; Traversari, C.; Gaforio, J.J.; Szikora, J.P.; De Smet, C.; Brasseur, F.; van der Bruggen, P.; Lethe, B.; Lurquin, C.; Brasser, R.; Chomez, P.; De Backer, O.; Cavenee, W.; Boon, T.						
#journal	Immunogenetics (1994) 40:360-369						
#title	Structure, chromosomal localization, and expression of 12 genes of the MAGE family.						

##cross-references MUID:95012457
 #accession I38667 Preliminary; translated from GB/EMBL/DBDJ
 ##status
 ##molecule_type DNA
 ##residues 1-234 ##label RES
 ##cross-references EMBL:U10693; NID:g533525; PIDN:AAA68876.1;
 PID:g533526

GENETICS
 #gene GDB:MAGEA8; MAGE8
 ##cross-references GDB:331123

#map_position Xq28-Xq28
 #introns #status absent

CLASSIFICATION #superfamily tumor associated protein MAGE
 SUMMARY #length 234 #molecular-weight 25197 #checksum 311

Query Match 88.5%; Score 54; DB 2; Length 234;
 Best Local Similarity 77.8%; Pred. No. 1.43e-02;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 171 EVDPTGHSY 179
 QY 1 EADPTGHSY 9

RESULT 3
 ENTRY I38668 #type complete
 TITLE MAGE-9 antigen - human
 ORGANISM #formal_name Homo sapiens #common_name man
 DATE 07-Jun-1996 #sequence_revision 07-Jun-1996 #text_change
 24-Sep-1999

ACCESSIONS I38668
 REFERENCE I38659
 #authors De Plaen, E.; Arden, K.; Traversari, C.; Gaforio, J.J.; Szikora, J.P.; De Smet, C.; Brasseur, F.; van der Bruggen, P.; Lethe, B.; Lurquin, C.; Brasser, R.; Chomez, P.; De Backer, O.; Cavenee, W.; Boon, T.

#journal Immunogenetics (1994) 40:360-369
 #title Structure, chromosomal localization, and expression of 12 genes of the MAGE family.

#cross-references MUID:95012457
 #accession I38668 Preliminary; translated from GB/EMBL/DBDJ
 ##status
 ##molecule_type DNA
 ##residues 1-315 ##label RES
 ##cross-references EMBL:U10694; NID:g533527; PIDN:AAA68877.1;
 PID:g533528

GENETICS
 #gene GDB:MAGEA9; MAGE9
 ##cross-references GDB:331125

#map_position Xp21.3-Xp21.3

#introns #status absent

CLASSIFICATION #superfamily tumor associated protein MAGE
 SUMMARY #length 315 #molecular-weight 35088 #checksum 2468

Query Match 88.5%; Score 54; DB 2; Length 315;
 Best Local Similarity 77.8%; Pred. No. 1.43e-02;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 167 EVDPTGHSY 175
 QY 1 EADPTGHSY 9

RESULT 4
 ENTRY I38659 #type complete
 TITLE MAGE-10 antigen - human
 ORGANISM #formal_name Homo sapiens #common_name man
 DATE 07-Jun-1996 #sequence_revision 07-Jun-1996 #text_change
 24-Sep-1999

ACCESSIONS I38659
 REFERENCE I38659
 #authors De Plaen, E.; Arden, K.; Traversari, C.; Gaforio, J.J.; Szikora, J.P.; De Smet, C.; Brasseur, F.; van der Bruggen,

P.; Lethe, B.; Lurquin, C.; Brasser, R.; Chomez, P.; De Backer, O.; Cavenee, W.; Boon, T.
 Immunogenetics (1994) 40:360-369
 #title Structure, chromosomal localization, and expression of 12 genes of the MAGE family.

#cross-references MUID:95012457
 #accession I38659

GENETICS
 #status Preliminary; translated from GB/EMBL/DBDJ
 ##molecule_type DNA
 ##residues 1-369 ##label RES

##cross-references EMBL:U10685; NID:g533510; PIDN:AAA68869.1;
 PID:g533511

GENETICS
 #gene GDB:MAGEA10; MAGE10
 ##cross-references GDB:331126

#map_position Xq28-Xq28
 #introns #status absent

CLASSIFICATION #superfamily tumor associated protein MAGE
 SUMMARY #length 369 #molecular-weight 40766 #checksum 586

Query Match 85.2%; Score 52; DB 2; Length 369;
 Best Local Similarity 77.8%; Pred. No. 5.00e-02;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 193 EVDPTGHSY 201
 QY 1 EADPTGHSY 9

RESULT 5
 ENTRY I38660 #type complete
 TITLE MAGE-11 antigen - human
 ORGANISM #formal_name Homo sapiens #common_name man
 DATE 07-Jun-1996 #sequence_revision 07-Jun-1996 #text_change
 24-Sep-1999

ACCESSIONS I38660
 REFERENCE I38659

#authors De Plaen, E.; Arden, K.; Traversari, C.; Gaforio, J.J.; Szikora, J.P.; De Smet, C.; Brasseur, F.; van der Bruggen, P.; Lethe, B.; Lurquin, C.; Brasser, R.; Chomez, P.; De Backer, O.; Cavenee, W.; Boon, T.

#journal Immunogenetics (1994) 40:360-369
 #title Structure, chromosomal localization, and expression of 12 genes of the MAGE family.

#cross-references MUID:95012457
 #accession I38660 Preliminary; translated from GB/EMBL/DBDJ
 ##status
 ##molecule_type DNA
 ##residues 1-319 ##label RES

##cross-references EMBL:U10886; NID:g533512; PIDN:AAA68870.1;
 PID:g533513

GENETICS
 #gene GDB:MAGEA11; MAGE11
 ##cross-references GDB:331128

#map_position Xq28-Xq28
 #introns #status absent

CLASSIFICATION #superfamily tumor associated protein MAGE
 SUMMARY #length 319 #molecular-weight 35536 #checksum 9402

Query Match 83.6%; Score 51; DB 2; Length 319;
 Best Local Similarity 77.8%; Pred. No. 9.24e-02;
 Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 171 EVDPTGHSY 179
 QY 1 EADPTGHSY 9

RESULT 6
 ENTRY E72685 #type complete
 TITLE hypothetical protein APE0901 - Aeropyrum pernix (strain K1)

ORGANISM #formal_name Aeropyrum pernix
 DATE 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change

```

20-Aug-1999
E72855
A72450
Kawarabayashi, Y.; Hino, Y.; Horikawa, H.; Yamazaki, S.;
Haikawa, Y.; Jin-no, K.; Takahashi, M.; Sekine, M.; Baba,
S.; Anka, A.; Kosugi, H.; Hosoyama, A.; Fukui, S.; Nagai,
Y.; Nishijima, K.; Nakazawa, H.; Takamiya, M.; Masuda, S.;
Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.;
Kushida, N.; Oguchi, A.; Aoki, K.; Kubota, K.; Nakamura,
Y.; Nomura, N.; Sako, Y.; Kikuchi, H.
DNA Res. (1999) 6:83-101
Complete genome sequence of an aerobic hyper-thermophilic
Crenarchaeon, Aeropyrum pernix K1.
#cross-references MUID:99310339
#accession E72685
#status preliminary
#molecule_type DNA
#residues 1-129 #label KAW
#cross-references DDBJ:AP00060; NID:95104188; PIDN:BAA79885.1;
PID:G1043671; PID:95104570
#experimental_source strain K1
GENETICS
#gene APE0901
#length 129 #molecular-weight 14303 #checksum 2150
SUMMARY
Query Match 78.7%; Score 48; DB 2; Length 129;
Best Local Similarity 85.7%; Pred. No. 5.60e-01;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;
Db 115 DPAGHSY 121
||:||||
QY 3 DPTGHSY 9

RESULT 7
ENTRY A49334 #type complete
TITLE Ras homolog Rad - human
AUTHOR Ras associated with diabetes (Rad)
ALTERNATE_NAMES
ORGANISM #formal_name Homo sapiens #common_name man
DATE 07-Oct-1994 #sequence_revision 07-Oct-1994 #text_change
28-Aug-1998
A49334
#cross-references MUID:94069319
#accession A49334
#status preliminary
#molecule_type mRNA
#residues 1-269 #label REY
#cross-references GB:I24564
alternative initiators; GTP binding; P-loop
KEYWORDS
FEATURE
59-66 #region nucleotide-binding motif A (P-loop)\
164-167 #region GTP-binding NKXD motif
#length 269 #molecular-weight 29262 #checksum 9237
SUMMARY
Query Match 78.7%; Score 48; DB 2; Length 269;
Best Local Similarity 55.6%; Pred. No. 5.60e-01;
Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;
Db 80 EAEAGHTY 88
||:|||||
QY 1 EADPTGHSY 9

RESULT 8
ENTRY A39216 #type complete
TITLE Plasma cell membrane glycoprotein PC-1 - human
CONTAINS nucleotide pyrophosphatase (EC 3.6.1.9); phosphodiesterase I
(EC 3.1.4.1)
#formal_name Homo sapiens #common_name man
10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change
ACCESSIONS A39216; S21706; S23587; S51030
REFERENCE #authors Buckley, M.F.; Loveland, K.A.; McKinstry, W.J.; Garson, O.M.;
Goding, J.W.
#journal J. Biol. Chem. (1990) 265:17506-17511
#title Plasma cell membrane glycoprotein PC-1. cDNA cloning of the
human cell membrane, amino acid sequence, and chromosomal
location.
#cross-references MUID:91009202
#accession A39216
#status preliminary
#molecule_type mRNA
#residues 1-925 #label BUC
#cross-references GB:J05654
REFERENCE S21706
#authors Funakoshi, I.; Kato, H.; Horie, K.; Yano, T.; Horii, Y.;
Kobayashi, H.; Inoue, T.; Suzuki, H.; Fukui, S.; Tsukahara,
M.; Kajii, T.; Yamashina, I.
#journal Arch. Biochem. Biophys. (1992) 295:180-187
#title Molecular cloning of cDNAs for human fibroblast nucleotide
pyrophosphatase.
#cross-references MUID:92246539
#accession S21706
#status not compared with conceptual translation
#molecule_type mRNA
#residues 1-925 #label FUN1
#accession S23587
#molecule_type protein
#residues 116-121;247-271,'X',273-275;279-280,'X',282-283;303-316;
362-364;449-465;482-525;529-534,'X',536-551,'X',553,
'X',555-556;597-606,'X',727-730;775-782;840-846,'X',
849-852,'X',854-859 #label FUN2
#note it is uncertain whether Met-1 or Met-53 is the initiator
REFERENCE S51030
#authors Belli, S.I.; Goding, J.W.
#journal Eur. J. Biochem. (1994) 226:433-443
#title Biochemical characterization of human PC-1, an enzyme
possessing alkaline phosphodiesterase I and nucleotide
pyrophosphatase activities.
#cross-references MUID:95094801
#accession S51030
#status preliminary
#molecule_type mRNA
#residues 1-80 #label BEL
GENETICS
#gene GDB:PDNPF1; M6S1; NPFS
#cross-references GDB:I32615; OMIM:173335
#map_position 6q22-6q23
CLASSIFICATION #superfamily nucleotide pyrophosphatase; somatomedin B
homology
KEYWORDS glycoprotein; phosphoprotein; phosphoric diester hydrolase;
transmembrane protein
FEATURE
77-97 #domain transmembrane #status predicted #label TMM\
104-144 #domain somatomedin B homology #label SBH\
145-188 #domain somatomedin B homology #label SBH\
179-285,341,477,
578,585,643,700,
731,748
#binding_site carbohydrate (Asn) (covalent) #status
predicted\
#binding_site AMP (Thr) (covalent) #status predicted
#length 925 #molecular-weight 104924 #checksum 7446
SUMMARY
Query Match 78.7%; Score 48; DB 1; Length 925;
Best Local Similarity 66.7%; Pred. No. 5.60e-01;
Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;
Db 374 EPDSSGHSY 382
||:|||||
QY 1 EADPTGHSY 9

```

```

9
RESULT      9
ENTRY       S33938      #type complete
TITLE       penton protein (III) - human adenovirus 12
ORGANISM    #formal_name Mastadenovirus h12 #common_name human adenovirus
12
DATE        10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change
10-Sep-1999
ACCESSIONS  S33938
REFERENCE    S33928      #authors
              Sprenkel, J.
              #submission submitted to the EMBL Data Library, June 1993
              #accession S33938
              #status preliminary
              #molecule_type DNA
              #residues 1-497 #label SPR
              ##cross-references EMBL:X73487; NID:g313361; PIDN:CAAS1887.1;
              PID:g313372
CLASSIFICATION #superfamily adenovirus penton protein
SUMMARY      #length 497 #molecular_weight 56393 #checksum 2182
              77.0%; Score 47; DB 1; Length 497;
              Query Match
              Best Local Similarity 66.7%; Pred. No. 1.01e+00;
              Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Db 310 ETPDKGRSY 318
|:|:|:|
QY 1 EADPTGHSY 9

RESULT      10
ENTRY       PH1299      #type fragment
TITLE       MAGE 5 protein - human (fragment)
ALTERNATE_NAMES MAGE 51 protein
ORGANISM    #formal_name Homo sapiens #common_name man
DATE        30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change
              03-Aug-1998
ACCESSIONS  PH1299; PH1300
REFERENCE    PH1294
              #authors
              Traversari, C.; van der Bruggen, P.; Luescher, I.F.; Lurquin,
              C.; Chomez, P.; Van Pel, A.; De Plaen, E.; Amar-Costesec,
              J.; Boon, I.
              #journal J. Exp. Med. (1992) 176:1453-1457
              #title A nonapeptide encoded by human gene MAGE-1 is recognized on
              HLA-A1 by cytolytic T lymphocytes directed against tumor
              antigen M22-E.
              #cross-references MUID:93018875
              #accession PH1299
              #molecule_type DNA
              #residues 1-9 #label TRA
              #accession PH1300
              #molecule_type DNA
              #residues 1-9 #label TR2
SUMMARY      #length 9 #checksum 3660
              75.4%; Score 46; DB 2; Length 9;
              Query Match
              Best Local Similarity 66.7%; Pred. No. 1.79e+00;
              Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTNTY 9
|:|:|:|
QY 1 EADPTGHSY 9

RESULT      11
ENTRY       JC2360      #type complete
TITLE       tumor-associated antigen, MAGE 6 - human
ALTERNATE_NAMES melanoma antigen 6; tumor-associated antigen, MAGE-3b
ORGANISM    #formal_name Homo sapiens #common_name man
DATE        20-Feb-1995 #sequence_revision 20-Feb-1995 #text_change
              24-Sep-1999
ACCESSIONS  JC2360; PH1301; I38665; G01445

```

```

REFERENCE S02166
#authors Price, C.; Lingner, J.; Bickle, T.A.
#journal J. Mol. Biol. (1989) 205:115-125
#title Basis for changes in DNA recognition by the EcoRI24 and
#cross-references EMBL:89178628
#accession S02168
#molecule_type DNA
##residues 1-1033 #label PRI
##cross-references EMBL:X13145; NID:g388978; PID:g41750
GENETICS
#gene hsdR
#genome plasmid
#keywords DNA binding; hydrolase
SUMMARY
#length 1033 #molecular-weight 119656 #checksum 4436
Query Match 73.8%; Score 45; DB 2; Length 1033;
Best Local Similarity 75.0%; Pred. No. 3.17e+00;
Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
Db 23 ABPTGDSY 30
|:|:| |
QY 2 ADPTGHSY 9

RESULT 13
ENTRY F70769 #type complete
TITLE hypothetical protein Rv1322 - Mycobacterium tuberculosis
#formal_name Mycobacterium tuberculosis
#strain H37Rv
#formal_name Mycobacterium tuberculosis
#cross-references EMBL:89178628; NID:g388978; PID:g41750
#experimental_source strain H37Rv
DATE 17-Jul-1998
ACCESSIONS F70769
REFERENCE A70500
#authors Cole, S.T.; Brosch, R.; Parkhill, J.; Garnier, T.; Churcher,
C.; Harris, D.; Gordon, S.V.; Eigmeier, K.; Gas, S.; Barry
III, C.E.; Tekala, F.; Badcock, K.; Basham, D.; Brown, D.;
Chillingworth, T.; Connor, R.; Davies, R.; Devlin, K.;
Feltwell, T.; Gentles, S.; Hamlin, N.; Holroyd, S.;
Hornsby, T.; Jagels, K.; Krogh, A.; McLean, J.; Moule, S.;
Murphy, L.; Oliver, S.; Osborne, J.; Quail, M.A.;
Rajandream, M.A.; Rogers, J.; Rutter, S.; Seeger, K.;
Skilton, S.; Squares, S.; Squires, R.; Sulston, J.E.;
Taylor, K.; Whitehead, S.; Barrrell, B.G.
#journal Nature (1998) 393:537-544
#title Deciphering the biology of Mycobacterium tuberculosis from
the complete genome sequence.
#cross-references MUID:98295987
#accession F70769
#status preliminary; nucleic acid sequence not shown;
translation not shown
#molecule_type DNA
##residues 1-98 #label COL
##cross-references GB:773902; GB:AL123456; NID:g3261576; PID:g245016;
PID:g1340088
##experimental_source strain H37Rv
GENETICS
#gene Rv1322
SUMMARY
#length 98 #molecular-weight 11334 #checksum 2740
Query Match 72.1%; Score 44; DB 2; Length 98;
Best Local Similarity 66.7%; Pred. No. 5.55e+00;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;
Db 24 EAGPDGHEY 32
|:|:| |
QY 1 EADPTGHSY 9

RESULT 14
ENTRY B72600 #type complete
TITLE hypothetical protein APEI266 - Aeropyrum pernix (strain K1)
#formal_name Aeropyrum pernix

```

```

DATE 20-Aug-1999 #sequence_revision 20-Aug-1999 #text_change
20-Aug-1999
ACCESSIONS B72600
REFERENCE A72450
#authors Kawarabayasi, Y.; Hino, Y.; Horikawa, H.; Yamazaki, S.;
Haikawa, Y.; Jin-no, K.; Takahashi, M.; Sekine, M.; Baba,
S.; Ankal, A.; Kosugi, H.; Hosoyama, A.; Fukui, S.; Nagai,
Y.; Nishijima, K.; Nakazawa, H.; Takamiya, M.; Masuda, S.;
Funahashi, T.; Tanaka, T.; Kudoh, Y.; Yamazaki, J.;
Kushida, N.; Oguchi, A.; Aoki, K.; Kubota, K.; Nakamura,
Y.; Nomura, N.; Sako, Y.; Kikuchi, H.
#journal DNA Res. (1999) 6:83-101
#title Complete genome sequence of an aerobic hyper-thermophilic
Crenarchaeon, Aeropyrum pernix K1.
#cross-references MUID:99310339
#accession B72600
#status preliminary
#molecule_type DNA
##residues 1-128 #label KAW
##cross-references DDBJ:AP000061; NID:g5104821; PID:BAA80256.1;
#experimental_source strain K1
GENETICS
#gene APEI266
SUMMARY
#length 128 #molecular-weight 13655 #checksum 5871
Query Match 72.1%; Score 44; DB 2; Length 128;
Best Local Similarity 57.1%; Pred. No. 5.55e+00;
Matches 4; Conservative 3; Mismatches 0; Indels 0; Gaps 0;
Db 86 EPAGHG Y 92
|:|:| |
QY 3 DPTGHSY 9

RESULT 15
ENTRY T09933 #type complete
TITLE nucleotide pyrophosphatase-like protein - Arabidopsis
thaliana
ALTERNATE_NAMES protein T16L4.210
ORGANISM #formal_name Arabidopsis thaliana #common_name mouse-ear
cress
DATE 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change
20-Sep-1999
ACCESSIONS T09933
REFERENCE Z16897
#authors Bevan, M.; Rose, M.; Hempel, S.; Entian, K.D.; Bandcroft, J.;
Mewes, H.W.; Mayer, K.F.X.; Lemcke, K.; Schueller, C.
#submission submitted to the Protein Sequence Database, June 1999
#accession T09933
#status preliminary
#molecule_type DNA
##residues 1-461 #label BEV
##cross-references EMBL:AL079344; GSPDB:GN00062; ATSP:T16L4.210
##experimental_source cultivar Columbia; BAC clone T16L4
GENETICS
#gene ATSP:T16L4.210
#map_position 4
SUMMARY
#length 461 #molecular-weight 51587 #checksum 161
Query Match 72.1%; Score 44; DB 2; Length 461;
Best Local Similarity 55.6%; Pred. No. 5.55e+00;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;
Db 219 EPDOSHNY 227
|:|:| |
QY 1 EADPTGHSY 9

Search completed: Tue Sep 12 13:19:15 2000
Job time : 9 secs.

```

WQELH

(TM)

Release 3.1A John F. Collins, Biocomputing Research Unit.
Copyright (c) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

MPorch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Tue Sep 12 13:18:14 2000; MasPar time 3.68 seconds
75.785 Million cell updates/sec

Tabular output not generated.

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pep
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
Gap 15

Searched: 85661 seqs, 30989116 residues

Post-processing: Minimum Match 0%
Listing first 45 summaries

Database: swiss-prot38
1:swissprot

Statistics: Mean 21.172; Variance 19.906; scale 1.064

pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description	Pred. No.
1	61	100.0	309	1	MAG1_HUMAN	MELANOMA-ASSOCIATED AN 3.30e-05
2	54	88.5	234	1	MAG8_HUMAN	MELANOMA-ASSOCIATED AN 4.36e-03
3	54	88.5	315	1	MAG9_HUMAN	MELANOMA-ASSOCIATED AN 4.36e-03
4	52	85.2	369	1	MAGA_HUMAN	MELANOMA-ASSOCIATED AN 1.66e-02
5	51	83.6	319	1	MAGE_HUMAN	MELANOMA-ASSOCIATED AN 3.20e-02
6	48	78.7	268	1	RAD_RAT	GTP-BINDING PROTEIN RA 2.19e-01
7	48	78.7	269	1	RAD_HUMAN	GTP-BINDING PROTEIN RA 2.19e-01
8	48	78.7	873	1	PC1_HUMAN	PLASMA-CELL MEMBRANE G 2.19e-01
9	47	77.0	497	1	PEN3_ADEL2	PENTON PROTEIN (VIRION 4.10e-01
10	46	75.4	314	1	MAG6_HUMAN	MELANOMA-ASSOCIATED AN 7.58e-01
11	46	75.4	346	1	MGB4_HUMAN	MELANOMA-ASSOCIATED AN 7.58e-01
12	45	73.8	503	1	VP57_BDV	57 KDA RESTRICTION (P57) 1.39e+00
13	45	73.8	1033	1	TIR1_ECOLI	TYPE I RESTRICTION ENZ 1.39e+00
14	44	72.1	98	1	YD22_MYCTU	HYPOTHETICAL 11.3 KDA 2.53e+00
15	44	72.1	488	1	SUOX_HUMAN	SULFITE OXIDASE PRECUR 2.53e+00
16	44	72.1	488	1	SUOX_RAT	SULFITE OXIDASE PRECUR 2.53e+00
17	44	72.1	488	1	MYTL_HUMAN	MYELIN TRANSCRIPTION F 2.53e+00
18	43	70.5	290	1	YGID_YEAST	HYPOTHETICAL 31.7 KDA 4.54e+00
19	43	70.5	314	1	MAG3_HUMAN	MELANOMA-ASSOCIATED AN 4.54e+00
20	43	70.5	347	1	MGB1_HUMAN	MELANOMA-ASSOCIATED AN 4.54e+00
21	43	70.5	506	1	Z157_HUMAN	ZINC FINGER PROTEIN 15 4.54e+00
22	43	70.5	669	1	COGU_HUMAN	MATRIX METALLOPROTEIN 4.54e+00
23	43	70.5	878	1	YB9X_YEAST	HYPOTHETICAL 98.1 KDA 4.54e+00

RESULT ID	MAG1_HUMAN	STANDARD;	PRT;	309 AA.
AC	P43355; 000346;			
DT	01-NOV-1995 (Rel. 32, Created)			
DT	01-NOV-1995 (Rel. 32, Last sequence update)			
DT	15-FEB-2000 (Rel. 39, Last annotation update)			
DE	MELANOMA-ASSOCIATED ANTIGEN 1 (MAGE-1 ANTIGEN) (ANTIGEN M22-E).			
GN	MAGE1 OR MAGE1 OR MAGE1A.			
OS	Homo sapiens (Human).			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RX	MEDLINE; 92086861.			
RA	van der Bruggen P., Traversari C., Chomez P., Lurquin C., de Plaen E.,			
RA	van den Eynde B., Knuth A., Boon T.;			
RT	"A gene encoding an antigen recognized by cytolytic T lymphocytes on			
RT	a human melanoma."			
RL	Science 254:1643-1647(1991).			
RN	[2]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=SKIN;			
RX	MEDLINE; 94311935.			
RA	Ding M., Beck R.J., Keller C.J., Fenton R.G.;			
RT	"Cloning and analysis of MAGE-1-related genes."			
RL	Biochem. Biophys. Res. Commun. 202:549-555(1994).			
RN	[3]			
RP	SEQUENCE FROM N.A.			
RA	Gloekner G., Rump A., Nordsiek G., Hinzmann B., Kioschis P.,			
RA	Heiss N., Poustka A., Bauer D., Drescher B., Knob A., Rosenthal A.;			
RT	Submitted (May-1997) to the EMBL/GenBank/DBJ databases.			
RN	[4]			
RP	MUTAGENESIS.			
RC	TISSUE=BLLOOD.			
RX	MEDLINE; 94157413.			
RA	Gaugler B., van den Eynde B., van der Bruggen P., Romero P.,			
RA	Garcia J.J., de Plaen E., Lethe B., Brasseur F., Boon T.;			
RT	"Human gene MAGE-3 codes for an antigen recognized on a melanoma by			
RT	autologous cytolytic T lymphocytes."			
RL	J. Exp. Med. 179:921-930(1994).			
RN	[5]			
RP	SUBCELLULAR LOCATION.			
RX	MEDLINE; 95012905.			
RA	Schultz-Thater E., Juretic A., Dellabona P., Luscher U., Siegrist W.,			
RA	Harder F., Heberer M., Zuber M., Spagnoli G.C.;			
RT	"MAGE-1 gene product is a cytoplasmic protein."			
RL	Int. J. Cancer 59:435-439(1994).			

ALIGNMENTS

CC -!- FUNCTION: NOT KNOWN, THOUGH MAY PLAY A ROLE IN EMBRYONAL
 CC DEVELOPMENT AND TUMOR TRANSFORMATION OR ASPECTS OF TUMOR
 CC PROGRESSION. ANTIGEN RECOGNIZED ON A MELANOMA BY AUTOLOGOUS
 CC CYTOLYTIC T LYMPHOCYTES.
 CC -!- SUBCELLULAR LOCATION: CYTOPLASMIC.
 CC -!- TISSUE SPECIFICITY: EXPRESSED IN MANY TUMORS OF SEVERAL TYPES,
 CC SUCH AS MELANOMA, HEAD AND NECK SQUAMOUS CELL CARCINOMA, LUNG,
 CC CARCINOMA AND BREAST CARCINOMA, BUT NOT IN NORMAL TISSUES EXCEPT
 CC FOR TESTES. NEVER EXPRESSED IN KIDNEY TUMORS, LEUKEMIAS AND
 CC LYMPHOMAS.
 CC -!- POLYMORPHISM: THE VARIANT AT POSITION 32 LIKELY REPRESENTS A
 CC POLYMORPHISM OF THE MAG-1 GENE.
 CC -!- SIMILARITY: BELONGS TO THE MAGE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: M77481; AAA03229.1; -;
 CC EMBL: U82672; AAB54061.1; -;
 CC MIM: 300016; -;
 CC DR PFAM: PF01454; MAGE; 1.
 CC KW Antigen; Multigene family; Polymorphism; Tumor antigen.
 CC FT VARIANT 32
 CC T -> A.
 CC FT DOMAIN 33 36
 CC POLY-SER
 CC D->A: ABOLISHES HLA-A1 BINDING.
 CC FT MUTAGEN 163 163
 CC Y->A: ABOLISHES HLA-A1 BINDING.
 CC FT CONFLICT 72 72
 CC R -> Q (IN REF. 3).
 CC SQ SEQUENCE 309 AA; 34342 MW; 544EBB1F9F4E9D33 CRC64;
 CC
 CC Query Match 100.0%; Score 61; DB 1; Length 309;
 CC Best Local Similarity 100.0%; Pred No. 3.30e-05;
 CC Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 CC
 CC Db 161 EADPTGHSY 169
 CC |||||
 CC QY 1 EADPTGHSY 9
 CC
 CC RESULT 2
 CC ID MAG8_HUMAN STANDARD; PRT; 234 AA.
 CC AC P43361;
 CC DT 01-NOV-1995 (Rel. 32, Created)
 CC DT 01-NOV-1995 (Rel. 32, Last sequence update)
 CC DT 01-NOV-1997 (Rel. 35, Last annotation update)
 CC DE MELANOMA-ASSOCIATED ANTIGEN 8 (MAGE-8 ANTIGEN).
 CC GN MAGE8 OR MAGE8.
 CC OS Homo sapiens (Human).
 CC OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 CC OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
 CC [1]
 CC RP SEQUENCE FROM N.A.
 CC RX MEDLINE; 95012457.
 CC RA de Plaen E., Arden K., Traversari C., Gaforio J.J., Szikora J.-P.,
 CC de Smet C., Brasseur F., van der Bruggen P., Lethe B., Lurquin C.,
 CC Brasseur R., Chomez P., de Backer O., Cavenee W., Boon T.;
 CC "Structure, chromosomal localization, and expression of 12 genes of
 CC the MAGE family.";
 CC RL Immunogenetics 40:360-369(1994).
 CC [2]
 CC RP SEQUENCE FROM N.A.
 CC RA Timms K.M., Bondeson M.L., Ansari-Lari M.A., Lagerstedt K.,
 CC Nelson D.L., Pettersson U., Gibbs R.A.;
 CC Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: NOT KNOWN, THOUGH MAY PLAY A ROLE IN EMBRYONAL
 CC DEVELOPMENT AND TUMOR TRANSFORMATION OR ASPECTS OF TUMOR
 CC PROGRESSION.
 CC -!- TISSUE SPECIFICITY: EXPRESSED IN MANY TUMORS OF SEVERAL TYPES,
 CC SUCH AS MELANOMA, HEAD AND NECK SQUAMOUS CELL CARCINOMA, LUNG,
 CC CARCINOMA AND BREAST CARCINOMA, BUT NOT IN NORMAL TISSUES EXCEPT
 CC FOR TESTES AND PLACENTA.
 CC -!- SIMILARITY: BELONGS TO THE MAGE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: U10694; AAA68877.1; -;
 CC EMBL: U66083; AAB67888.1; -;
 CC DR PFAM: PF01454; MAGE; 1.
 CC KW Antigen; Multigene family; Tumor antigen.
 CC FT DOMAIN 34 37
 CC POLY-GLU.
 CC FT DOMAIN 87 90
 CC POLY-GLU.
 CC SQ SEQUENCE 315 AA; 35088 MW; 7FD2ED10D680D928 CRC64;
 CC

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: U10693; AAA68876.1; -;
 CC DR PFAM: PF01454; MAGE; 1.
 CC KW Antigen; Multigene family; Tumor antigen.
 CC FT DOMAIN 40 43
 CC POLY-SER.
 CC SQ SEQUENCE 234 AA; 25197 MW; 058A92EE6003A982 CRC64;
 CC
 CC Query Match 88.5%; Score 54; DB 1; Length 234;
 CC Best Local Similarity 77.8%; Pred. No. 4.36e-03;
 CC Matches 7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;
 CC
 CC Db 171 EVDPAHGSY 179
 CC |||||
 CC QY 1 EADPTGHSY 9
 CC
 CC RESULT 3
 CC ID MAG9_HUMAN STANDARD; PRT; 315 AA.
 CC AC P43362; Q92910;
 CC DT 01-NOV-1995 (Rel. 32, Created)
 CC DT 01-NOV-1995 (Rel. 32, Last sequence update)
 CC DT 01-NOV-1997 (Rel. 35, Last annotation update)
 CC DE MELANOMA-ASSOCIATED ANTIGEN 9 (MAGE-9 ANTIGEN).
 CC GN MAGE9 OR MAGE9.
 CC OS Homo sapiens (Human).
 CC OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 CC OC Mammalia; Euthera; Primates; Catarrhini; Hominidae; Homo.
 CC [1]
 CC RP SEQUENCE FROM N.A.
 CC RX MEDLINE; 95012457.
 CC RA de Plaen E., Arden K., Traversari C., Gaforio J.J., Szikora J.-P.,
 CC de Smet C., Brasseur F., van der Bruggen P., Lethe B., Lurquin C.,
 CC Brasseur R., Chomez P., de Backer O., Cavenee W., Boon T.;
 CC "Structure, chromosomal localization, and expression of 12 genes of
 CC the MAGE family.";
 CC RL Immunogenetics 40:360-369(1994).
 CC [2]
 CC RP SEQUENCE FROM N.A.
 CC RA Timms K.M., Bondeson M.L., Ansari-Lari M.A., Lagerstedt K.,
 CC Nelson D.L., Pettersson U., Gibbs R.A.;
 CC Submitted (SEP-1996) to the EMBL/GenBank/DBJ databases.
 CC -!- FUNCTION: NOT KNOWN, THOUGH MAY PLAY A ROLE IN EMBRYONAL
 CC DEVELOPMENT AND TUMOR TRANSFORMATION OR ASPECTS OF TUMOR
 CC PROGRESSION.
 CC -!- TISSUE SPECIFICITY: EXPRESSED IN MANY TUMORS OF SEVERAL TYPES,
 CC SUCH AS MELANOMA, HEAD AND NECK SQUAMOUS CELL CARCINOMA, LUNG,
 CC CARCINOMA AND BREAST CARCINOMA, BUT NOT IN NORMAL TISSUES EXCEPT
 CC FOR TESTES AND PLACENTA.
 CC -!- SIMILARITY: BELONGS TO THE MAGE FAMILY.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: U10694; AAA68877.1; -;
 CC EMBL: U66083; AAB67888.1; -;
 CC DR PFAM: PF01454; MAGE; 1.
 CC KW Antigen; Multigene family; Tumor antigen.
 CC FT DOMAIN 34 37
 CC POLY-GLU.
 CC FT DOMAIN 87 90
 CC POLY-GLU.
 CC SQ SEQUENCE 315 AA; 35088 MW; 7FD2ED10D680D928 CRC64;
 CC

```

Query Match      88.5%; Score 54; DB 1; Length 315;
Best Local Similarity 77.8%; Pred. No. 4.36e-03;
Matches          7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 167 EVDPTGHSY 175
QY 1 EADPTGHSY 9

RESULT 4
ID MAGA_HUMAN STANDARD; PRT; 369 AA.
AC P43363;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DE 01-NOV-1997 (Rel. 35, Last annotation update)
DE MELANOMA-ASSOCIATED ANTIGEN 10 (MAGE-10 ANTIGEN).
GN MAGE10 OR MAGE10.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 95012457.
RA de Plaen E., Arden K., Traversari C., Gaforio J.J., Szikora J.-P.,
RA de Smet C., Brasseur P., van der Bruggen P., Lethe B., Lurquin C.,
RA Brasseur R., Chomez P., de Backer O., Cavenee W., Boon T.;
RT "Structure, chromosomal localization, and expression of 12 genes of
RT the MAGE family";
RL Immunogenetics 40:360-369(1994).
CC -1- FUNCTION: NOT KNOWN, THOUGH MAY PLAY A ROLE IN EMBRYONAL
CC DEVELOPMENT AND TUMOR TRANSFORMATION OR ASPECTS OF TUMOR
CC PROGRESSION.
CC -1- TISSUE SPECIFICITY: EXPRESSED IN MANY TUMORS OF SEVERAL TYPES,
CC SUCH AS MELANOMA, HEAD AND NECK SQUAMOUS CELL CARCINOMA, LUNG
CC CARCINOMA AND BREAST CARCINOMA, BUT NOT IN NORMAL TISSUES EXCEPT
CC FOR TESTES AND PLACENTA.
CC -1- SIMILARITY: BELONGS TO THE MAGE FAMILY.
CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC EMBL; U10685; AAA68869.1; -
CC PFAM; PF01454; MAGE; 1.
CC Antigen: Multigene family; Tumor antigen.
KW Antigen: Multigene family; Tumor antigen.
FT DOMAIN 54 62 POLY-SER
SQ SEQUENCE 369 AA; 40766 MW; 16FA3301CAB716A6 CRC64;

Query Match      85.2%; Score 52; DB 1; Length 369;
Best Local Similarity 77.8%; Pred. No. 1.66e-02;
Matches          7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 193 EVDPTGHSF 201
QY 1 EADPTGHSY 9

RESULT 5
ID MAGB_HUMAN STANDARD; PRT; 319 AA.
AC P43364;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DE 01-NOV-1997 (Rel. 35, Last annotation update)
DE MELANOMA-ASSOCIATED ANTIGEN 11 (MAGE-11 ANTIGEN).
GN MAGE11 OR MAGE11.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.

```

```

RX MEDLINE; 95012457.
RA de Plaen E., Arden K., Traversari C., Gaforio J.J., Szikora J.-P.,
RA de Smet C., Brasseur P., van der Bruggen P., Lethe B., Lurquin C.,
RA Brasseur R., Chomez P., de Backer O., Cavenee W., Boon T.;
RT "Structure, chromosomal localization, and expression of 12 genes of
RT the MAGE family";
RL Immunogenetics 40:360-369(1994).
CC -1- FUNCTION: NOT KNOWN, THOUGH MAY PLAY A ROLE IN EMBRYONAL
CC DEVELOPMENT AND TUMOR TRANSFORMATION OR ASPECTS OF TUMOR
CC PROGRESSION.
CC -1- TISSUE SPECIFICITY: EXPRESSED IN MANY TUMORS OF SEVERAL TYPES,
CC SUCH AS MELANOMA, HEAD AND NECK SQUAMOUS CELL CARCINOMA, LUNG
CC CARCINOMA AND BREAST CARCINOMA, BUT NOT IN NORMAL TISSUES EXCEPT
CC FOR TESTES AND PLACENTA.
CC -1- SIMILARITY: BELONGS TO THE MAGE FAMILY.
CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC EMBL; U10686; AAA68870.1; -
CC PFAM; PF01454; MAGE; 1.
CC Antigen: Multigene family; Tumor antigen.
KW Antigen: Multigene family; Tumor antigen.
SQ SEQUENCE 319 AA; 35536 MW; F51A0B4140277BE3 CRC64;

Query Match      83.6%; Score 51; DB 1; Length 319;
Best Local Similarity 77.8%; Pred. No. 3.20e-02;
Matches          7; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 171 EVDPTSHSY 179
QY 1 EADPTGHSY 9

RESULT 6
ID RAD_RAT STANDARD; PRT; 268 AA.
AC P55043;
DT 01-OCT-1996 (Rel. 34, Created)
DT 01-OCT-1996 (Rel. 34, Last sequence update)
DT 01-OCT-1996 (Rel. 34, Last annotation update)
DE GTP-BINDING PROTEIN RAD (RAS ASSOCIATED WITH DIABETES) (RAD1).
GN RAD OR RAD.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Rattus.
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=LUNG;
RA Rishi A.K., Gulamhussein A., Steele M.P.;
RL Submitted (DEC 1994) to the EMBL/GenBank/DBJ databases.
CC -1- SIMILARITY: BELONGS TO THE RAD/GEM FAMILY OF GTP-BINDING
CC PROTEINS.
CC THIS SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC EMBL; U12187; AAA56719.1; -
CC HSSP; P10114; 2RAP.
DR PFAM; PF00071; ras; 1.
KW GTP-binding. 59 66 GTP (BY SIMILARITY).
FT NP_BIND 108 112 GTP (BY SIMILARITY).
FT NP_BIND 163 166 GTP (BY SIMILARITY).
SQ SEQUENCE 268 AA; 29053 MW; BF102CA24D8090F CRC64;

```

Query Match 78.7%; Score 48; DB 1; Length 269;
 Best Local Similarity 55.6%; Pred. No. 2.19e-01;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Db 80 EAEAGHTY 88
 QY 1 EADPTGHSY 9

RESULT 7
 ID RAD_HUMAN STANDARD; PRT; 269 AA.
 AC P55042;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-DEC-1996 (Rel. 34, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE GTP-BINDING PROTEIN RAD (RAS ASSOCIATED WITH DIABETES) (RAD1).
 GN RRAD OR RAD.

OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

RA Yamashina I.;
 RA Inoue T., Suzuki H., Tsukahara M., Kajii T.,
 RA Funakoshi I., Kato H., Horie K., Yano T., Hori Y., Kobayashi H.,
 RA MEDLINE; 9408319.
 RT "Rad: a member of the Ras family overexpressed in muscle of type II diabetic humans."
 RT diabetics humans."
 RL Science 262:1441-1444(1993).
 CC -!- TISSUE SPECIFICITY: SKELETAL AND CARDIAC MUSCLE, LUNG, LESSER AMOUNTS IN PLACENTA AND KIDNEY. DETECTED IN ADIPOSE TISSUE.
 CC OVEREXPRESSED IN MUSCLE OF TYPE II DIABETIC HUMANS.
 CC -!- SIMILARITY: BELONGS TO THE RAD/GEM FAMILY OF GTP-BINDING PROTEINS.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL Outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

DR EMBL; L24564; AAA36540.1; -;
 DR HSSP; P10114; 2RAP.
 DR MIM; 179503; -;
 DR PFAM; PF00071; ras; 1.
 KW GTP-binding.
 FT NP_BIND 59 66 GTP (BY SIMILARITY).
 FT NP_BIND 108 112 GTP (BY SIMILARITY).
 FT NP_BIND 164 167 GTP (BY SIMILARITY).
 SQ SEQUENCE 269 AA; 29262 MW; 1802AEBE738A98BE CRC64;

Query Match 78.7%; Score 48; DB 1; Length 269;
 Best Local Similarity 55.6%; Pred. No. 2.19e-01;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Db 80 EAEAGHTY 88
 QY 1 EADPTGHSY 9

RESULT 8
 ID PCL_HUMAN STANDARD; PRT; 873 AA.
 AC P22413;
 DT 01-AUG-1991 (Rel. 19, Created)
 DT 01-AUG-1991 (Rel. 19, Last sequence update)
 DT 15-FEB-2000 (Rel. 39, Last annotation update)
 DE PLASMA-CELL MEMBRANE GLYCOPROTEIN PC-1 [INCLUDES: ALKALINE PHOSPHODIESTERASE I (EC 3.1.1.1); NUCLEOTIDE PYROPHOSPHATASE DE (EC 3.6.1.9) (NPPASE)].
 GN PDNPI OR PC1 OR NPPS.
 OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RA Buckley M.F., Loveland K.A., McKinstry W.J., Garson O.M., Goding J.W.;
 RA "Plasma cell membrane glycoprotein PC-1. cDNA cloning of the human molecule, amino acid sequence, and chromosomal location."
 RT J. Biol. Chem. 265:17506-17511(1990).
 RL MEDLINE; 91009202.
 CC SEQUENCE FROM N.A.
 CC -!- FUNCTION: MAY HAVE A ROLE IN THE REGULATION OF N-GLYCOSYLATION.
 CC -!- CATALYTIC ACTIVITY: HYDROLYTICALLY REMOVES 5'-NUCLEOTIDES SUCCESSIVELY FROM THE 3'-HYDROXY TERMINI OF 3'-HYDROXY-TERMINATED OLIGO-NUCLEOTIDES.
 CC -!- CATALYTIC ACTIVITY: A DINUCLEOTIDE + H(2)O = 2 MONONUCLEOTIDE.
 CC -!- SUBUNIT: HOMODIMER, DISULFIDE-LINKED.
 CC -!- SUBCELLULAR LOCATION: TYPE II MEMBRANE PROTEIN.
 CC -!- TISSUE SPECIFICITY: EXPRESSED IN PLASMA CELLS AND ALSO IN A NUMBER OF NON-LYMPHOID TISSUES, INCLUDING THE DISTAL CONVOLUTED TUBULE OF THE KIDNEY, CHONDROCYTES, AND EPIDIDYMIS.
 CC -!- SIMILARITY: CONTAINS 2 SOMATOMEDIN-B TYPE DOMAINS.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL Outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announcement/> or send an email to license@isb-sib.ch).

DR EMBL; M57736; AAA63237.1; -;
 DR EMBL; D12485; BAA02054.1; -;
 DR EMBL; D12485; BAA02053.1; ALT_INIT.
 DR PIR; A39216; A39216.
 DR MIM; 173335; -;
 DR PFAM; PF01663; Phosphodiesterase; 1.
 DR PFAM; PF01033; Somatomedin_B; 2.
 DR PRINTS; PR00022; SOMATOMEDIN.
 DR PROSITE; PS00524; SOMATOMEDIN_B; 2.
 KW Glycoprotein; Transmembrane; Duplication; Signal-anchor; Hydrolase.
 FT DOMAIN 1 24 CYTOPLASMIC (POTENTIAL).
 FT TRANSMEM 25 45 SIGNAL-ANCHOR (TYPE-II MEMBRANE PROTEIN).
 FT DOMAIN 46 873 EXTRACELLULAR (POTENTIAL).
 FT DOMAIN 52 92 SOMATOMEDIN-B LIKE.
 FT DOMAIN 93 136 SOMATOMEDIN-B LIKE.
 FT CARBOHYD 127 127 POTENTIAL.
 FT CARBOHYD 233 233 POTENTIAL.
 FT CARBOHYD 289 289 POTENTIAL.
 FT CARBOHYD 425 425 POTENTIAL.
 FT CARBOHYD 533 533 POTENTIAL.
 FT CARBOHYD 591 591 POTENTIAL.
 FT CARBOHYD 648 648 POTENTIAL.
 FT CARBOHYD 679 679 POTENTIAL.
 FT CARBOHYD 696 696 POTENTIAL.
 SQ SEQUENCE 873 AA; 99929 MW; 872608C20B048070 CRC64;

Query Match 78.7%; Score 48; DB 1; Length 873;
 Best Local Similarity 66.7%; Pred. No. 2.19e-01;
 Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Db 322 EPDSSGHSY 330
 QY 1 EADPTGHSY 9

RESULT 9
ID PEN3_ADE12 STANDARD; PRT; 497 AA.
AC P36716;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE PENTON PROTEIN (VIRION COMPONENT III) (PENTON BASE PROTEIN).
GN PIII.
OS Human adenovirus type 12.
OC Viruses; dsDNA viruses, no RNA stage; Adenoviridae; Mastadenovirus.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 94076430.
RA Sprengel J., Schmitz B., Heuss-Neitzel D., Zock C., Doerfler W.;
RT "Nucleotide sequence of human adenovirus type 12 DNA: comparative
RT functional analysis.";
RL J. Virol. 68:379-389(1994).
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X73487; CAA51887.1; -;
DR PIR; S33938; S33938.
DR PFAM; PF01686; Adeno_Penton_B; 1.
KW Late protein.
SQ SEQUENCE 497 AA; 56393 MW; 0524D989F5A9ED13 CRC64;
Query Match 77.0%; Score 47; DB 1; Length 497;
Best Local Similarity 66.7%; Pred. No. 4.10e-01;
Matches 6; Conservative 2; Mismatches 1; Indels 0; Gaps 0;

Db 310 ETDPKGRSY 318
|:|:|:|:
QY 1 EADPTGHSY 9

RESULT 10
ID MAG6_HUMAN STANDARD; PRT; 314 AA.
AC P43360;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 15-JUL-1999 (Rel. 38, Last annotation update)
DE MELANOMA-ASSOCIATED ANTIGEN 6 (MAGE-6 ANTIGEN) (MAGE3B).
GN MAGEA6 OR MAGE6.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 95012457.
RA de Plaen E., Arden K., Traversari C., Gaforio J.J., Szikora J.-P.,
RA Brasseur R., Chomez P., van der Bruggen P., Lethé B., Lurquin C.,
RT "Structure, chromosomal localization, and expression of 12 genes of
RT the MAGE family.";
RL Immunogenetics 40:360-369(1994).
RN [2]
RP SEQUENCE FROM N.A.
RX TISSUE-SKIN.
RX MEDLINE; 94311935.
RA Ding M., Beck R.J., Keller C.J., Penton R.G.;
RT "Cloning and analysis of MAGE-1-related genes.";
RL Biochem. Biophys. Res. Commun. 202:549-555(1994).
RN [3]
RP SEQUENCE FROM N.A.
RX MEDLINE; 95369706.
RA Imai Y., Shichijo S., Yamada A., Katayama T., Yano H., Itoh K.;
RT "Sequence analysis of the MAGE gene family encoding human tumor-

rejection antigens.";
RL Gene 160:287-290(1995).
CC -!- FUNCTION: NOT KNOWN, THOUGH MAY PLAY A ROLE IN TUMOR
CC OR ASPECTS OF TUMOR PROGRESSION.
CC -!- TISSUE SPECIFICITY: EXPRESSED IN MANY TUMORS OF SEVERAL TYPES,
CC SUCH AS MELANOMA, HEAD AND NECK SQUAMOUS CELL CARCINOMA, LUNG
CC CARCINOMA AND BREAST CARCINOMA, BUT NOT IN NORMAL TISSUES EXCEPT
CC FOR TESTES.
CC -!- SIMILARITY: BELONGS TO THE MAGE FAMILY. STRONG SIMILARITY TO
CC MAGE-3.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; U10691; AAA68875.1; -;
DR EMBL; U10339; AAA19006.1; -;
DR EMBL; D32076; BAA06842.1; -;
DR MIN; 300176; -;
DR PFAM; PF01454; MAGE; 1.
KW Antigen; Multigene family; Tumor antigen.
FT DOMAIN 40 43 POLY-SER
SQ SEQUENCE 314 AA; 34891 MW; 29B83C7FA6E50263 CRC64;
Query Match 75.4%; Score 46; DB 1; Length 314;
Best Local Similarity 66.7%; Pred. No. 7.58e-01;
Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Db 168 EVDPIGHVY 176
|:|:|:|:
QY 1 EADPTGHSY 9

RESULT 11
ID MGB4_HUMAN STANDARD; PRT; 346 AA.
AC O15481;
DT 15-DEC-1998 (Rel. 37, Created)
DT 15-DEC-1998 (Rel. 37, Last sequence update)
DT 15-DEC-1998 (Rel. 37, Last annotation update)
DE MELANOMA-ASSOCIATED ANTIGEN B4 (MAGE-B4 ANTIGEN).
GN MAGE-B4.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 98110575.
RA Lurquin C., de Smet C., Brasseur F., Muscatelli F., Martelange V.,
RA de Plaen E., Brasseur R., Monaco A.F., Boon T.;
RT "Two members of the human MAGEB gene family located in Xp21.3 are
RT expressed in tumors of various histological origins.";
RL Genomics 46:397-408(1997).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE; 98110575.
RA Chacko J., Chen J., Di W., Ding Y., Dugan S., Durbin J., Forcum J.,
RA Ganesh R., Garcia C., Goodman M., Gorrell J.H., Haywood M.,
RA Hernandez J., Jackson L., Jin S., Kampal R., Karpathy S., Kovar C.,
RA Leal B., Li Y., Lichtarge O., Liu W., Logan O., Lu J., Ly T.,
RA Martinez C., Oswal G., Perez L., Rashid N.D., Rowland K., Savage L.,
RA Scherer S.E., Shen H., Simon M., Stovall K., Timms K.M., Todd J.,
RA Vo Q., Williamson A., Worley K.C., Yu W., Chinault C., Nelson D.,
RA Gibbs R.A.;
RL Submitted (OCT-1998) to the EMBL/GenBank/DBJ databases.
CC -!- TISSUE SPECIFICITY: EXPRESSED IN TESTIS.
CC -!- SIMILARITY: BELONGS TO THE MAGE FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).

DR EMBL; U93163; AAC23619.1; -
 DR EMBL; AC005185; AAD10637.1; -
 DR MIM; 300153; -
 DR PFM; PF01454; MAGE; 1;
 KW Antigen; Multigene family.

SQ SEQUENCE 346 AA; 38923 MW; 804F260BD50F036A CRC64;

Query Match 75.4%; Score 46; DB 1; Length 346;
 Best Local Similarity 66.7%; Pred. No. 7.59e-01;
 Matches 5; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Db 168 EVNPTTHSY 176
 | :|||
 QY 1 EADPTGHSY 9

RESULT 12
 ID VP57_BDV STANDARD; PRT; 503 AA.

AC P52638;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 01-NOV-1997 (Rel. 35, Last annotation update)
 DE 57 KDA PROTEIN (P57).

OS Borna disease virus (BDV).
 OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]
 RP SEQUENCE FROM N.A.

RX MEDLINE; 94240137.
 RA Briese T., Schneemann A., Lewis A.J., Park Y.-S., Kim S.,
 RA Ludwig H., Lipkin W.I.

RT "Genomic organization of Borna disease virus";
 RL Proc. Natl. Acad. Sci. U.S.A. 91:4362-4366(1994).

CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN (POTENTIAL).

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).

DR EMBL; U04608; AAA20227.1; -
 KW Glycoprotein; Transmembrane.
 FT TRANSMEM 5 25 POTENTIAL.
 FT TRANSMEM 274 294 POTENTIAL.
 FT TRANSMEM 468 488 POTENTIAL.
 FT CARBOHYD 63 63 POTENTIAL.
 FT CARBOHYD 109 109 POTENTIAL.
 FT CARBOHYD 139 139 POTENTIAL.
 FT CARBOHYD 192 192 POTENTIAL.
 FT CARBOHYD 196 196 POTENTIAL.
 FT CARBOHYD 202 202 POTENTIAL.
 FT CARBOHYD 221 221 POTENTIAL.
 FT CARBOHYD 230 230 POTENTIAL.
 FT CARBOHYD 235 235 POTENTIAL.
 FT CARBOHYD 321 321 POTENTIAL.
 FT CARBOHYD 328 328 POTENTIAL.
 FT CARBOHYD 388 388 POTENTIAL.
 FT CARBOHYD 438 438 POTENTIAL.
 SQ SEQUENCE 503 AA; 56652 MW; 081B55347DF01A08 CRC64;

Query Match 73.8%; Score 45; DB 1; Length 503;
 Best Local Similarity 55.6%; Pred. No. 1.39e+00;
 Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Db 416 ETDPINHAY 424
 | :|||
 QY 1 EADPTGHSY 9

RESULT 13

ID TIR1_ECOLI STANDARD; PRT; 1033 AA.
 AC P10486;
 DT 01-JUL-1989 (Rel. 11, Created)
 DT 01-JUL-1989 (Rel. 11, Last sequence update)
 DT 15-DEC-1998 (Rel. 37, Last annotation update)
 DE TYPE I RESTRICTION ENZYME ECOR124II R PROTEIN (EC 3.1.21.3).
 GN HSDR OR HSR.

OS Escherichia coli.
 OG Plasmid IncFIV R124/3.
 OC Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 OC Escherichia.

RN [1]
 RP SEQUENCE FROM N.A.

RX MEDLINE; 89178628.

RA Price C., Lingner J., Bickle J., Firman T.A., Glover S.W.;

RT "Basis for changes in DNA recognition by the Ecor124 and Ecor124/3
 RT type I DNA restriction and modification enzymes.";

RL J. Mol. Biol. 205:115-125(1989).

CC -!- FUNCTION: THE Ecor124/3 I ENZYME RECOGNIZES 5'(GAA(N7)R)TCG.

CC -!- ACTIVITY: SUBUNIT R IS REQUIRED FOR BOTH NUCLEASE AND ATPASE

CC -!- SUBUNIT: THE TYPE I RESTRICTION & MODIFICATION SYSTEM IS COMPOSED

CC OF THREE POLYPEPTIDES R,M AND S.

CC -!- MISCELLANEOUS: TYPE I RESTRICTION AND MODIFICATION ENZYMES ARE

CC COMPLEX, MULTIFUNCTIONAL SYSTEMS WHICH REQUIRE ATP, S-ADENOSYL

CC METHIONINE AND MG(2+) AS CO-FACTORS AND, IN ADDITION TO THEIR

CC ENDONUCLEOTIC AND METHYLASE ACTIVITIES, ARE POTENT DNA-DEPENDENT

CC ATPASES.

CC -!- SIMILARITY: WITH ATPASES.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (see <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).

DR EMBL; X13145; CAA31543.1; -

DR PIR; S02168; S02168

DR REBASE; RB00989; Ecor124II.

RW Plasmid; Restriction system; Hydrolase; DNA-binding; ATP-binding.

SQ SEQUENCE 1033 AA; 119656 MW; B55F3991356C1506 CRC64;

Query Match 73.8%; Score 45; DB 1; Length 1033;
 Best Local Similarity 75.0%; Pred. No. 1.39e+00;
 Matches 6; Conservative 1; Mismatches 1; Indels 0; Gaps 0;

Db 23 AEPTGDSY 30
 | :|||
 QY 2 ADPTGHSY 9

RESULT 14

ID YD22_MYCTU STANDARD; PRT; 98 AA.
 AC Q10635;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-FEB-2000 (Rel. 39, Last annotation update)
 DE HYPOTHETICAL 11.3 KDA PROTEIN RV1322.

GN RV1322 OR MYCY130.07.

OS Mycobacterium tuberculosis.

OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;

OC Actinomycetales; Corynebacterineae; Mycobacteriaceae; Mycobacter

RN [1]
 RP SEQUENCE FROM N.A.

RC STRAIN=H37RV;

RA MEDLINE: 98295987.
 RA Cole S.T., Brosch R., Parkhill J., Garnier T., Churcher C., Harris D.,
 RA Gordon S.V., Eiglmeier K., Gas S., Barry C.E. III, Tekala F.,
 RA Badcock K., Basham D., Brown D., Chillingworth T., Connor R.,
 RA Davies R., Devlin K., Feltwell T., Gentles S., Hamlin N., Holroyd S.,
 RA Hornsby T., Jagels K., Krogh A., McLean J., Moule S., Murphy L.,
 RA Oliver S., Osborne J., Quail M.A., Rajandream M.A., Rogers J.,
 RA Rutter S., Seeger K., Skelton S., Squares S., Squires R., Sulston J.E.,
 RA Taylor K., Whitehead S., Barrell B.G.;
 RA "Deciphering the biology of Mycobacterium tuberculosis from the
 RT complete genome sequence."
 RL Nature 393:537-544(1998).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: Z73902; CAA98085.1; -
 DR TUBERCULIST; Rv1322; -
 DR Hypothetical protein.
 KW -----
 SQ SEQUENCE 98 AA; 11334 MW; 72DF33A68405AE4B CRC64;

Query Match 72.1%; Score 44; DB 1; Length 98;
 Best Local Similarity 66.7%; Pred. No. 2.53e+00;
 Matches 6; Conservative 0; Mismatches 3; Indels 0; Gaps 0;

Db 24 EAGPDGHEY 32
 ||| |||
 QY 1 EADPTGHSY 9

RESULT 15
 ID SUOX_HUMAN STANDARD; PRT; 488 AA.
 AC P31687;
 DT 01-OCT-1996 (Rel. 34, Created)
 DT 01-OCT-1996 (Rel. 34, Last sequence update)
 DT 15-JUL-1998 (Rel. 36, Last annotation update)
 DE SULFITE OXIDASE PRECURSOR (EC 1.8.3.1).
 GN SUOX.
 OS Homo sapiens (Human).
 CC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 CC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=LIVER;
 RX MEDLINE: 95322455.
 RA Garrett R.M., Bellissimo D.B., Rajagopalan K.V.;
 RT "Molecular cloning of human liver sulfite oxidase."
 RL Biochim. Biophys. Acta 1262:147-149(1995).
 RN [2]
 RP VARIANTS GLN-150; ASP-208; TYR-370 AND ASP-473.
 RX MEDLINE: 98088796.
 RA Kisker C., Schindelin H., Pacheco A., Webb W.A., Garrett R.M.,
 RA Rajagopalan K.V., Enemark J.H., Rees D.C.;
 RT "Molecular basis of sulfite oxidase deficiency from the structure of
 RT sulfite oxidase."
 RL Cell 91:973-983(1997).
 RN [3]
 RP VARIANT GLN-150.
 RX MEDLINE: 98263367.
 RA Garrett R.M., Johnson J.L., Graf T.N., Feigenbaum A.,
 RA Rajagopalan K.V.;
 RT "Human sulfite oxidase R1600: identification of the mutation in a
 RT sulfite oxidase-deficient patient and expression and characterization
 RT of the mutant enzyme."
 RL Proc. Natl. Acad. Sci. U.S.A. 95:6394-6398(1998).
 CC -1- CATALYTIC ACTIVITY: SULFITE + O(2) + H(2)O = SULFATE + H(2)O(2).
 CC -1- COFACTOR: MOLYBDENUM (MOLYBDOPTERIN) AND ONE PROTOHEME GROUP.
 CC -1- PATHWAY: TERMINAL REACTION IN THE OXIDATIVE DEGRADATION OF SULFUR-

CC CONTAINING AMINO ACIDS. IT USES CYTOCHROME C AS AN ELECTRON
 CC ACCEPTOR.
 CC -1- SUBUNIT: HOMODIMER (BY SIMILARITY).
 CC -1- SUBCELLULAR LOCATION: MITOCHONDRIAL INTER MEMBRANE SPACE.
 CC -1- DISEASE: DEFECTS IN SUOX ARE A CAUSE OF SULFITE OXIDASE
 CC DEFICIENCY; CHARACTERIZED BY NEUROLOGICAL ABNORMALITIES. OFTEN
 CC LEADS TO DEATH AT AN EARLY AGE.
 CC -1- SIMILARITY: WITH CYTOCHROME B5 AND NITRATE REDUCTASE.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announcement/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 CC EMBL: L31573; AAA74886.1; -
 DR HSP; P07850; 1SOX.
 DR MIM: 272300; -
 DR PFAM: PF00173; heme_1; 1.
 DR PFAM: PF00174; oxidored_molyb; 1.
 DR PRINTS: PR00407; EUOPTERIN.
 DR PROSITE: PS00191; CYTOCHROME_B5_1; 1.
 DR PROSITE: PS00559; MOLYBDOPTERIN_EUK; 1.
 KW Oxidoreductase; Mitochondrion; Heme; Molybdenum; Transit peptide;
 KW Disease mutation.
 FT TRANSIT 1 22 MITOCHONDRION (BY SIMILARITY).
 FT CHAIN 23 488 SULFITE OXIDASE.
 FT DOMAIN 108 124 CYTOCHROME DOMAIN (BY SIMILARITY).
 FT DOMAIN 125 488 HINGE (BY SIMILARITY).
 FT BINDING 61 61 MOLYBDENUM-PTERIN DOMAIN (BY SIMILARITY).
 FT BINDING 86 86 HEME LIGAND (BY SIMILARITY).
 FT BINDING 86 86 HEME LIGAND (BY SIMILARITY).
 FT METAL 207 207 MOLYBDENUM-PTERIN (BY SIMILARITY).
 FT METAL 260 260 MOLYBDENUM-PTERIN (BY SIMILARITY).
 FT VARIANT 160 160 R -> Q (IN SUOX DEFICIENCY; 2% OF
 FT ACTIVITY).
 FT /FTID=VAR_002200.
 FT A -> D (IN SUOX DEFICIENCY).
 FT /FTIG=VAR_002201.
 FT S -> Y (IN SUOX DEFICIENCY).
 FT /FTID=VAR_002202.
 FT G -> D (IN SUOX DEFICIENCY).
 FT /FTID=VAR_002203.
 SQ SEQUENCE 488 AA; 53884 MW; 41EFA367FAB766DA CRC64;

Query Match 72.1%; Score 44; DB 1; Length 488;
 Best Local Similarity 55.6%; Pred. No. 2.53e+00;
 Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Db 265 DSDPTGTAY 273
 :|||:
 QY 1 EADPTGHSY 9

Search completed: Tue Sep 12 13:18:21 2000
 Job time : 7 secs.

WQRELH (TM)

Release 3.1A John F. Collins, Biocomputing Research Unit.
Copyright (c) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

MPSrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Tue Sep 12 13:18:37 2000; MasPar time 8.87 Seconds
Tabular output not generated. 70.368 Million cell updates/sec

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pep
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
Gap 15

Searched: 225878 seqs, 59334122 residues

Post-processing: Minimum Match 0%
Listing first 45 summaries

Database: sptrmb112
1:sp_archaea 2:sp_bacteria 3:sp_fungi 4:sp_human
5:sp_invertebrate 6:sp_mammal 7:sp_mhc 8:sp_organelle
9:sp_phase 10:sp_plant 11:sp_rodent 12:sp_unclassified
13:sp_vertebrate 14:sp_virus

Statistics: Mean 20.592; Variance 19.613; scale 1.050

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description	Pred. No.
1	49	80.3	347	4	DAM10=DSS-AHC CRITICAL	2.04e-01
2	49	80.3	347	4	MAGE-B1.	2.04e-01
3	48	78.7	129	1	QYDL2	3.86e-01
4	48	78.7	308	11	RAS-LIKE GTP-BINDING P	3.86e-01
5	48	78.7	308	4	RAD GTPASE.	3.86e-01
6	47	77.0	3942	11	O88737	7.24e-01
7	46	75.4	1187	2	O89278	1.35e+00
8	45	73.8	131	2	O85701	2.48e+00
9	45	73.8	330	11	Q60763	2.48e+00
10	45	73.8	330	11	Q60761	2.48e+00
11	45	73.8	353	14	Q88626	2.48e+00
12	45	73.8	353	14	Q88626	2.48e+00
13	45	73.8	503	14	O10403	2.48e+00
14	45	73.8	503	14	O10399	2.48e+00
15	45	73.8	503	14	O10394	2.48e+00
16	45	73.8	503	14	Q65459	2.48e+00
17	45	73.8	503	14	O10400	2.48e+00
18	45	73.8	503	14	O89857	2.48e+00
19	45	73.8	503	14	O10397	2.48e+00
20	45	73.8	1032	11	Q61989	2.48e+00

21	44	72.1	128	1	Q9YCJ1	128AA LONG HYPOTHETICA	4.54e+00
22	44	72.1	320	11	O89006	MAGEA6 PROTEIN.	4.54e+00
23	44	72.1	325	11	O89010	MAGEA6 PROTEIN.	4.54e+00
24	44	72.1	1078	11	O08995	MYELIN TRANSCRIPTION F	4.54e+00
25	44	72.1	1121	4	O94922	KIAA0835 PROTEIN.	4.54e+00
26	44	72.1	2457	14	O41965	TEGUMENT PROTEIN.	4.54e+00
27	44	72.1	3938	11	O88778	BASSOON.	4.54e+00
28	43	70.5	126	6	Q9XSI8	MT2-MMP PROTEIN (FRAGM	8.20e+00
29	43	70.5	156	5	Q23961	ALPHA-AMYLASE 2 (EC 3.	8.20e+00
30	43	70.5	197	2	O53701	HYPOTHETICAL 21.4 KD P	8.20e+00
31	43	70.5	272	11	O35830	LECITHIN-CHOLESTEROL A	8.20e+00
32	43	70.5	320	11	O89009	MAGEA5 PROTEIN.	8.20e+00
33	43	70.5	341	5	Q25028	CYSTEINE PROTEINASE.	8.20e+00
34	43	70.5	453	4	Q9Y6X5	KIAA0679 PROTEIN.	8.20e+00
35	43	70.5	564	4	O14111	MATRIX METALLOPROTEINA	8.20e+00
36	43	70.5	657	11	O54732	MATRIX METALLOPROTEINA	8.20e+00
37	43	70.5	668	5	Q9XXU5	B0019.1 PROTEIN.	8.20e+00
38	43	70.5	745	2	O86648	HYPOTHETICAL 81.0 KD P	8.20e+00
39	43	70.5	875	9	O64044	YOMG.	8.20e+00
40	43	70.5	875	2	O31978	YOMG PROTEIN.	8.20e+00
41	43	70.5	1086	2	O69230	ENDO-1,4-BETA-XYLANASE	8.20e+00
42	43	70.5	3851	4	O43161	BASSOON PROTEIN (KIAA0	8.20e+00
43	42	68.9	503	2	O33360	HYPOTHETICAL 54.2 KD P	1.47e+01
44	42	68.9	503	2	O33266	HYPOTHETICAL 54.1 KD P	1.47e+01
45	42	68.9	568	10	O80487	T12M4.10 PROTEIN.	1.47e+01

ALIGNMENTS

RESULT	1	PRELIMINARY;	PRT;	347 AA.
ID	O00601			
DT	01-JUL-1997 (TREMBLrel. 04, Created)			
DT	01-JUL-1997 (TREMBLrel. 04, Last sequence update)			
DT	01-MAY-1999 (TREMBLrel. 10, Last annotation update)			
DE	DAM10=DSS-AHC CRITICAL INTERVAL MAGE SUPERFAMILY PROTEIN.			
GN	DAM10.			
OS	Homo sapiens (Human).			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;			
OC	Eutheria; Primates; Catarrhini; Hominidae; Homo.			
RN	[1]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=TESTIS;			
RX	MEDLINE: 96081328.			
RA	DABOVIC B., ZANARIA E., BARDONI B., BORDIGNON C., RUSSO V.,			
RA	MATESSI C., TRAVERSARI C., CAMERINO G.;			
RT	"A family of rapidly evolving genes from the sex reversal critical			
RT	region in Xp21."			
RL	Mamm. Genome 6:571-580(1995).			
DR	EMBL: S80936; AAC97145.1;			
DR	PFAM: PF01454; MAGE; 1.			
SQ	SEQUENCE 347 AA; 35049 MW; AB96D5BB CRC32;			

Query Match 80.3%; Score 49; DB 4; Length 347;
Best Local Similarity 55.6%; Pred. No. 2.04e-01;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Db 167 EDNPSGHTY 175
QY 1 EADPTGHSY 9

RESULT	2	PRELIMINARY;	PRT;	347 AA.
ID	O75862			
DT	01-NOV-1998 (TREMBLrel. 08, Created)			
DT	01-NOV-1998 (TREMBLrel. 08, Last sequence update)			
DT	01-MAY-1999 (TREMBLrel. 10, Last annotation update)			
DE	MAGE-B1.			
GN	MAGE-B1.			
OS	Homo sapiens (Human).			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;			
OC	Eutheria; Primates; Catarrhini; Hominidae; Homo.			

```

RN SEQUENCE FROM N.A.
RP MUZY D., ARENSON A.D., ADAMS C., BRUNDAGE E., BUNAC C., CARVELLI K.,
RA CHACKO J., CHEN J., DI W., DING Y., DUCAN S., DUREIN J., FORCUM J.,
RA GANESH R., GARCIA C., GOODMAN M., GORRELL J.H., HAYWOOD M.,
RA HERNANDEZ J., JACKSON L., JIN S., KAMPAL R., KARPATHY S., KOVAR C.,
RA LEAL B., LI Y., LICHTARGE O., LIU W., LOGAN O., LU J., LY T.,
RA MARTINEZ C., OSWAL G., PEREZ L., RASHID N.D., ROWLAND K., SAVAGE L.,
RA SCHERER S.E., SHEN H., SIMON M., STOVALL K., TIMMS K.M., TODD J.,
RA VO Q., WILLIAMSON A., WORLEY K.C., YU W., CHINAULT C., NELSON D.,
RA GIBBS R.A.
RT "Direct Submission"
RL Submitted (01-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AC005185; AADI0634.1; -.
DR PFAM; PF01454; MAGE; 1.
SQ SEQUENCE 347 AA; 39037 MW; 48A34904 CRC32;

Query Match 80.3%; Score 49; DB 1; Length 347;
Best Local Similarity 55.6%; Pred. No. 2.04e-01;
Matches 5; Conservative 3; Mismatches 1; Indels 0; Gaps 0;

Db 167 EDNPSGHY 175
QY 1 EADPTGHSY 9

RESULT 3 PRELIMINARY; PRT; 129 AA.
ID Q9YDL2
AC Q9YDL2;
DT 01-NOV-1999 (TrEMBLrel. 12, Created)
DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
DT 01-NOV-1999 (TrEMBLrel. 12, Last annotation update)
DE 129AA LONG HYPOTHETICAL PROTEIN.
GN APE0901
OS Aeropyrum pernix.
OC Archaea; Crenarchaeota; Aeropyrum.
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN-K1;
RX MEDLINE; 99310339.
RA KAWARABAYASI Y., HINO Y., HORIKAWA H., YAMAZAKI S., HATKAWA Y.,
RA JIN-NO K., TAKAHASHI M., SEKINE M., BABA S., ANKAI A., KOSUGI H.,
RA HOSOIYAMA A., FUKUI S., NAGAI Y., NISHIJIMA K., NAKAWA H.,
RA TAKAMIYA M., MASUDA S., FUNAHASHI T., TANAKA T., KUDOH Y.,
RA YAMAZAKI J., KUSHIDA N., OGUCHI A., AOKI K., KUBOTA K., NAKAMURA Y.,
RA NOMURA N., SAKO Y., KIKUCHI H.;
RT "Complete genome sequence of an aerobic hyper-thermophilic
RT crenarchaeon, Aeropyrum pernix K1.";
RL DNA Res. 5:83-101(1999).
DR EMBL; AP000060; BAA79885.1; -.
SQ SEQUENCE 129 AA; 14303 MW; A2EB2774 CRC32;

Query Match 78.7%; Score 48; DB 1; Length 129;
Best Local Similarity 85.7%; Pred. No. 3.86e-01;
Matches 6; Conservative 1; Mismatches 0; Indels 0; Gaps 0;

Db 115 DPAGHSY 121
QY 3 DPTGHSY 9

RESULT 4 PRELIMINARY; PRT; 308 AA.
ID O88667
AC O88667;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-NOV-1999 (TrEMBLrel. 12, Last annotation update)
DE RAS-LIKE GTP-BINDING PROTEIN RAD.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
OC Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN-129 SVJ;
RX MEDLINE; 98345363.
RA DIECK S., SANMARTI-VILA L., LANGNAESE K., RICHTER K., KINDLER S.,
RA SOYKE A., WEX H., SMALLA K.H., KAMPF U., FRANZER J.T., STUMM M.,
RA GARNER C.C., GUNDELFINGER E.D.;

```

```

RA FINLIN B.S., ANDRES D.A.;
RT "Cloning of the mouse Rad gene.";
RL Submitted (AUG-1998) to the EMBL/GenBank/DBJ databases.
DR EMBL; AF084466; AAC3133.1; -.
DR HSSP; P10114; 2RAP.
DR PFAM; PF00071; Ras; 1.
SQ SEQUENCE 308 AA; 33279 MW; 10AE9F3C CRC32;

Query Match 78.7%; Score 48; DB 1; Length 308;
Best Local Similarity 55.6%; Pred. No. 3.86e-01;
Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Db 119 EAEAGHTY 127
QY 1 EADPTGHSY 9

RESULT 5 PRELIMINARY; PRT; 308 AA.
ID Q92788
AC Q92788;
DT 01-FEB-1997 (TrEMBLrel. 02, Created)
DT 01-FEB-1997 (TrEMBLrel. 02, Last sequence update)
DT 01-NOV-1999 (TrEMBLrel. 12, Last annotation update)
DE RAD GTPASE.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
OC Eutheria; Primates; Catarrhini; Homiidae; Homo.
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE; 94069319.
RA REYNET C., KAHN C.R.;
RT "Rad: a member of the Ras family overexpressed in muscle of type II
RT diabetic humans.";
RL Science 262:1441-1444(1993).
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE; 96375161.
RA CALDWELL J.S., MOYERS J.S., DORIA A., REYNET C., KAHN R.C.;
RT "Molecular cloning of the human rad gene: gene structure and complete
RT nucleotide sequence.";
RL Biochim. Biophys. Acta 1316:145-148(1996).
DR EMBL; U46165; AAB17064.1; -.
DR HSSP; P10114; 2RAP.
DR PFAM; PF00071; Ras; 1.
SQ SEQUENCE 308 AA; 33220 MW; 4B7A3673 CRC32;

Query Match 78.7%; Score 48; DB 4; Length 308;
Best Local Similarity 55.6%; Pred. No. 3.86e-01;
Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Db 119 EAEAGHTY 127
QY 1 EADPTGHSY 9

RESULT 6 PRELIMINARY; PRT; 3942 AA.
ID O88737
AC O88737;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-NOV-1998 (TrEMBLrel. 08, Last annotation update)
DE BASSOON.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
OC Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN [1]
RP SEQUENCE FROM N.A.
RX STRAIN-129 SVJ;
RX MEDLINE; 98345363.
RA DIECK S., SANMARTI-VILA L., LANGNAESE K., RICHTER K., KINDLER S.,
RA SOYKE A., WEX H., SMALLA K.H., KAMPF U., FRANZER J.T., STUMM M.,
RA GARNER C.C., GUNDELFINGER E.D.;

```


RT "Bassoon, a novel zinc-finger CAG/glutamine-repeat protein selectively
 RT localized at the active zone of presynaptic nerve terminals.";
 RL J. Cell Biol. 142:499-509(1998).
 DR EMBL; Y17034; CAA76598.1; -.
 DR EMBL; Y17035; CAA76598.1; JOINED.
 DR EMBL; Y17036; CAA76598.1; JOINED.
 DR EMBL; Y17037; CAA76598.1; JOINED.
 DR EMBL; Y17038; CAA76598.1; JOINED.
 DR EMBL; Y17039; CAA76598.1; JOINED.
 SQ SEQUENCE 3942 AA; 418739 MW; 9D6C5BC6 CRC32;

Query Match 77.0%; Score 47; DB 11; Length 3942;
 Best Local Similarity 55.6%; Pred. No. 7.24e+01;
 Matches 5; Conservative 4; Mismatches 0; Indels 0; Gaps 0;

Db 1589 DSOPTSHSY 1597
 QY 1 EADPTGHSY 9

RESULT 7 PRELIMINARY; PRT; 1187 AA.
 ID Q59278 AC Q59278;
 DT 01-NOV-1996 (TREMBLrel. 01, Created)
 DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
 DT 01-NOV-1999 (TREMBLrel. 12, Last annotation update)
 DE ENDOXYLANASE (EC 3.2.1.8) (ENDO-1,4-BETA-XYLANASE)
 DE (1,4-BETA-D-XYLAN XYLANOXYLASE).
 GN XYNC.
 OS Cellulomonas fimi.
 OC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 OC Actinomycetales; Micrococineae; Cellulomonadaceae; Cellulomonas.
 RN [1]
 RP SEQUENCE OF 1-352 FROM N.A.
 RX MEDLINE; 96245431.
 RA CLARKE J.H., DAVIDSON K., GILBERT H.J., FONTES C.M., HAZLEWOOD G.P.;
 RT "A modular xylanase from mesophilic Cellulomonas fimi contains the
 RT same cellulose-binding and thermostabilizing domains as xylanases from
 RT thermophilic bacteria.";
 RL FEMS Microbiol. Lett. 139:27-35(1996).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA CLARKE J.H.;
 RL Submitted (AUG-1995) to the EMBL/GenBank/DBJ databases.
 CC -1- CATALYTIC ACTIVITY: ENDOHYDROLYSIS OF 1,4-BETA-D-XYLOSIDIC
 CC LINKAGES IN XYLANS.
 DR EMBL; Z50866; CAA90745.1; -.
 DR HSP; P14768; ICLX.
 DR PFAM; PF00331; Glyco_hydro_10; 1.
 DR PFAM; PF01522; Polysac_deacet; 1.
 DR PRINTS; PR00134; GLHYDRLASE10.
 KW Xylan degradation; Hydrolase; Glycosidase.
 SQ SEQUENCE 1187 AA; 125378 MW; 92B3994A CRC32;

Query Match 75.4%; Score 46; DB 2; Length 1187;
 Best Local Similarity 75.0%; Pred. No. 1.35e+00;
 Matches 6; Conservative 2; Mismatches 0; Indels 0; Gaps 0;

Db 1046 TDPTGRSY 1053
 QY 2 ADPTGHSY 9

RESULT 8 PRELIMINARY; PRT; 131 AA.
 ID O85701 AC O85701;
 DT 01-NOV-1998 (TREMBLrel. 08, Created)
 DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
 DE HYPOTHETICAL 14.2 KD PROTEIN.
 OS Streptomyces lividans.
 CC Bacteria; Firmicutes; Actinobacteria; Actinobacteridae;
 CC Actinomycetales; Streptomycineae; Streptomycetaceae; Streptomyces.
 RN [1]

RP SEQUENCE FROM N.A.
 RC STRAIN=1326, AJ100;
 RA ALTENBUCHNER J.;
 RT "Amplifiable element AUD4 from Streptomyces lividans 66.";
 RL Submitted (JUN-1998) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF072709; AAC25770.1; -.
 KW Hypothetical protein.
 SQ SEQUENCE 131 AA; 14187 MW; 8321BCE1 CRC32;

Query Match 73.8%; Score 45; DB 2; Length 131;
 Best Local Similarity 62.5%; Pred. No. 2.48e+00;
 Matches 5; Conservative 3; Mismatches 0; Indels 0; Gaps 0;

Db 110 SDPAGHSF 117
 QY 2 ADPTGHSY 9

RESULT 9 PRELIMINARY; PRT; 330 AA.
 ID Q60763 AC Q60763;
 DT 01-NOV-1996 (TREMBLrel. 01, Created)
 DT 01-NOV-1996 (TREMBLrel. 01, Last sequence update)
 DT 01-NOV-1999 (TREMBLrel. 12, Last annotation update)
 DE MELANOMA ANTIGEN, RELATED SEQUENCE 2 (SMAGE-3 PROTEIN).
 GN MAGE-RS3.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
 OC Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=DBA/2; TISSUE=KIDNEY;
 RX MEDLINE; 96070435.
 RA DE BACKER O., VERHEYDEN A.M., MARTIN B., GODELAINE D., DE PLAEN E.,
 RA BRASSEUR R., AVNER P., BOON T.;
 RT "Structure, chromosomal location, and expression pattern of three
 RT mouse genes homologous to the human MAGE genes.";
 RL Genomics 28:74-83(1995).
 DR EMBL; U19033; AAA86098.1; -.
 DR PFAM; PF01454; MAGE; 1.
 SQ SEQUENCE 330 AA; 35985 MW; 83AD4246 CRC32;

Query Match 73.8%; Score 45; DB 11; Length 330;
 Best Local Similarity 66.7%; Pred. No. 2.48e+00;
 Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Db 161 EIDPSTHSY 169
 QY 1 EADPTGHSY 9

RESULT 10 PRELIMINARY; PRT; 330 AA.
 ID Q60761 AC Q60761;
 DT 01-NOV-1998 (TREMBLrel. 08, Created)
 DT 01-NOV-1998 (TREMBLrel. 08, Last sequence update)
 DT 01-NOV-1999 (TREMBLrel. 12, Last annotation update)
 DE MELANOMA ANTIGEN RELATED SEQUENCES 1 AND 2
 DE (SMAGE-1 PROTEIN / SMAGE-2 PROTEIN).
 GN MAGE2 OR (MAGE-RS1 OR SMAGE1) AND (MAGE-RS2 OR SMAGE2).
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
 OC Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=DBA/2; TISSUE=KIDNEY;
 RX MEDLINE; 96070435.
 RA DE BACKER O., VERHEYDEN A.M., MARTIN B., GODELAINE D., DE PLAEN E.,
 RA BRASSEUR R., AVNER P., BOON T.;
 RT "Structure, chromosomal location, and expression pattern of three
 RT mouse genes homologous to the human MAGE genes.";
 RL Genomics 28:74-83(1995).
 CC -1- TISSUE SPECIFICITY: EXPRESSED IN TUMOURS OF VARIOUS HISTOLOGICAL

CC TYPES BUT NOT IN NORMAL TISSUES EXCEPT TESTIS.
 CC -!- SIMILARITY: BELONGS TO THE MAGE FAMILY.

DR EMBL; U19031; AAA86096.1; ALT_INIT.

DR EMBL; U19032; AAA86097.1; -.

DR MGD; MGI:105117; Mageb2.

DR PFAM; PF01454; MAGE; 1.

KW Antigen; Tumor antigen.

SQ SEQUENCE 330 AA; 35936 MW; 36D760C5 CRC32;

Query Match 73.8%; Score 45; DB 11; Length 330;

Best Local Similarity 66.7%; Pred. No. 2.48e+00;

Matches 6; Conservative 1; Mismatches 2; Indels 0; Gaps 0;

Db 161 EIDPSTHSY 169

1 EADPTGHSY 9

RESULT 11

ID Q88626 PRELIMINARY; PRT; 353 AA.

AC Q88626;

DT 01-NOV-1996 (TRENBLrel. 01, Created)

DT 01-NOV-1996 (TRENBLrel. 01, Last sequence update)

DT 01-NOV-1998 (TRENBLrel. 08, Last annotation update)

DE ORFV.

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE; 94149825.

RT CUBITT B., OLDSTONE C., LA TORRE J.;

RT "Sequence and genome organization of Borna disease virus.;"

RL J. Virol. 68:1382-1396(1994).

DR EMBL; L27077; AAA20666.1; -.

SQ SEQUENCE 353 AA; 39959 MW; 555715F0 CRC32;

Query Match 73.8%; Score 45; DB 14; Length 353;

Best Local Similarity 55.6%; Pred. No. 2.48e+00;

Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Db 266 ETDPINHAY 274

1 EADPTGHSY 9

RESULT 12

ID Q9WNAO PRELIMINARY; PRT; 503 AA.

AC Q9WNAO;

DT 01-NOV-1999 (TRENBLrel. 12, Created)

DT 01-NOV-1999 (TRENBLrel. 12, Last sequence update)

DT 01-NOV-1999 (TRENBLrel. 12, Last annotation update)

DE GLYCOPROTEIN GP94.

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]

RP SEQUENCE FROM N.A.

RX STRAIN-RW98;

RA MEDLINE; 99329142.

RA PLANZ O., RENTZSCH C., BATRA A., WINKLER T., BUETTNER M.,

RA RZHA H.-J., STITZ L.;

RT "Pathogenesis of borna disease virus: granulocyte fractions of

RT psychiatric patients harbor infectious virus in the absence of

RT antiviral antibodies.;"

RL J. Virol. 73:6251-6256(1999).

DR EMBL; AF158633; AA045291.1; -.

SQ SEQUENCE 503 AA; 56588 MW; EC993A56 CRC32;

Query Match 73.8%; Score 45; DB 14; Length 503;

Best Local Similarity 55.6%; Pred. No. 2.48e+00;

Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Db 416 ETDPINHAY 424

1 EADPTGHSY 9

RESULT 15

ID Q10394 PRELIMINARY; PRT; 503 AA.

AC Q10394;

DT 01-JUL-1997 (TRENBLrel. 04, Created)

DT 01-JUL-1997 (TRENBLrel. 04, Last sequence update)

DT 01-AUG-1998 (TRENBLrel. 07, Last annotation update)

DE P57 (FRAGMENT).

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=436;

RA ZIMMERMANN W., KOKORSCH J., LUNDGREN A.L., LUDWIG H.;

RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; U94866; AAB53715.1; -.

FT NON_TER 503

SQ SEQUENCE 503 AA; 56578 MW; B543AFC4 CRC32;

QY 1 EADPTGHSY 9

RESULT 13

ID O10403 PRELIMINARY; PRT; 503 AA.

AC O10403;

DT 01-JUL-1997 (TRENBLrel. 04, Created)

DT 01-JUL-1997 (TRENBLrel. 04, Last sequence update)

DT 01-AUG-1998 (TRENBLrel. 07, Last annotation update)

DE P57 (FRAGMENT).

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]

RP SEQUENCE FROM N.A.

RA ZIMMERMANN W., KOKORSCH J., DUERSWALD R., LUDWIG H.;

RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; U94862; AAB53731.1; -.

FT NON_TER 503

SQ SEQUENCE 503 AA; 56510 MW; E59DC9A6 CRC32;

Query Match 73.8%; Score 45; DB 14; Length 503;

Best Local Similarity 55.6%; Pred. No. 2.48e+00;

Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Db 416 ETDPINHAY 424

1 EADPTGHSY 9

RESULT 14

ID O10399 PRELIMINARY; PRT; 503 AA.

AC O10399;

DT 01-JUL-1997 (TRENBLrel. 04, Created)

DT 01-JUL-1997 (TRENBLrel. 04, Last sequence update)

DT 01-AUG-1998 (TRENBLrel. 07, Last annotation update)

DE P57 (FRAGMENT).

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]

RP SEQUENCE FROM N.A.

RA ZIMMERMANN W., KOKORSCH J., DUERSWALD R., LUDWIG H.;

RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; U94874; AAB53723.1; -.

FT NON_TER 503

SQ SEQUENCE 503 AA; 56564 MW; 28E55C1E CRC32;

Query Match 73.8%; Score 45; DB 14; Length 503;

Best Local Similarity 55.6%; Pred. No. 2.48e+00;

Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;

Db 416 ETDPINHAY 424

1 EADPTGHSY 9

RESULT 15

ID O10394 PRELIMINARY; PRT; 503 AA.

AC O10394;

DT 01-JUL-1997 (TRENBLrel. 04, Created)

DT 01-JUL-1997 (TRENBLrel. 04, Last sequence update)

DT 01-AUG-1998 (TRENBLrel. 07, Last annotation update)

DE P57 (FRAGMENT).

OS Borna disease virus (BDV).

OC Viruses; ssRNA negative-strand viruses; Mononegavirales.

RN [1]

RP SEQUENCE FROM N.A.

RC STRAIN=436;

RA ZIMMERMANN W., KOKORSCH J., LUNDGREN A.L., LUDWIG H.;

RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.

DR EMBL; U94866; AAB53715.1; -.

FT NON_TER 503

SQ SEQUENCE 503 AA; 56578 MW; B543AFC4 CRC32;

Query Match 73.8%; Score 45; DB 14; Length 503;
Best Local Similarity 55.6%; Pred. No. 2.48e+00;
Matches 5; Conservative 2; Mismatches 2; Indels 0; Gaps 0;
Db 416 ETDPINHAY 424
QY 1 EADPTGHSY 9

Search completed: Tue Sep 12 13:18:50 2000
Job time : 13 secs.

 M P E R L H
 (TM)

Release 3.1A John F. Collins, Biocomputing Research Unit.
 Copyright (c) 1993-1998 University of Edinburgh, U.K.
 Distribution rights by Oxford Molecular Ltd

MPSrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Wed Sep 13 07:14:17 2000; MasPar time 3.65 Seconds
 Tabular output not generated.
 58.333 Million cell updates/sec

Title: >US-08-819-669E-26
 Description: (1-9) from US08819669E.pap
 Perfect Score: 61
 Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
 Gap 15

Searched: 188963 seqs, 23686106 residues

Post-processing: Minimum Match 0%
 Listing first 45 summaries

Database: a-geneseq36
 1:geneseqp

Statistics: Mean 15.425; Variance 35.537; scale 0.434

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description	Pred. No.
1	61	100.0	9	1 W98945	HLA-A1 binding peptide	2.32e-01
2	61	100.0	9	1 Y01727	Exemplary antigenic pep	2.32e-01
3	61	100.0	9	1 Y10633	Peptide antigen SEQ ID	2.32e-01
4	61	100.0	9	1 Y10685	Tumour antigen booster	2.32e-01
5	61	100.0	9	1 Y10424	HLA Class I motif pep	2.32e-01
6	61	100.0	9	1 Y10623	Peptide antigen SEQ ID	2.32e-01
7	61	100.0	9	1 W54622	Peptide from Mage-1 16	2.32e-01
8	61	100.0	9	1 R50281	MAGE-1 nonapeptide.	2.32e-01
9	61	100.0	9	1 R83932	MHC class I restricted	2.32e-01
10	61	100.0	9	1 R29769	Antigen E peptide.	2.32e-01
11	61	100.0	9	1 W68371	Human MAGE-1 peptide b	2.32e-01
12	61	100.0	9	1 W77125	gp75/TRP-1 synthetic p	2.32e-01
13	61	100.0	9	1 W57334	Peptidase-resistant pe	2.32e-01
14	61	100.0	9	1 W00897	Human melanoma MAGE1 c	2.32e-01
15	61	100.0	9	1 W75736	Peptidase-resistant pe	2.32e-01
16	61	100.0	9	1 R82988	P815 antigenic peptide	2.32e-01
17	61	100.0	9	1 R90692	Human leukocyte antigen	2.32e-01
18	61	100.0	9	1 W56729	MAGE-1 antigenic parti	2.32e-01
19	61	100.0	9	1 R75954	Melanoma antigen (MAGE	2.32e-01
20	61	100.0	9	1 R93443	MAGE-1 nonapeptide.	2.32e-01
21	61	100.0	9	1 W78938	MAGE-1 protein fragmen	2.32e-01
22	61	100.0	9	1 R65112	MAGE-1 immunogenic pep	2.32e-01
23	61	100.0	9	1 R63675	Synthetic peptide deri	2.32e-01

ID	Score	Query Match	Length	ID	Description	Pred. No.
24	61	100.0	9	1 R78924	MAGE-1 cytotoxic T lym	2.32e-01
25	61	100.0	9	1 R65135	MAGE-1 immunogenic pep	2.32e-01
26	61	100.0	9	1 R49224	HLA-A1 MAGE 1 antigen	2.32e-01
27	61	100.0	9	1 R47330	HLA-A1 MAGE 1 antigen	2.32e-01
28	61	100.0	10	1 W23038	MAGE-1/HLA-B44 tumour	2.32e-01
29	61	100.0	12	1 R80620	Immunogenic peptide of	2.32e-01
30	61	100.0	303	1 R70909	Human melanoma antigen	2.32e-01
31	61	100.0	309	1 W81548	Tumour rejection anti	2.32e-01
32	59	96.7	9	1 R99342	HLA binding nonapeptid	4.62e-01
33	58	95.1	9	1 R99339	HLA binding nonapeptid	6.49e-01
34	57	93.4	9	1 W75733	Peptidase-resistant pe	9.12e-01
35	57	93.4	9	1 W75735	Peptidase-resistant pe	9.12e-01
36	55	90.2	9	1 R99337	HLA binding nonapeptid	1.79e+00
37	55	90.2	9	1 R99340	HLA binding nonapeptid	1.79e+00
38	54	88.5	9	1 R99338	HLA binding nonapeptid	2.50e+00
39	52	85.2	9	1 Y10628	Peptide antigen SEQ ID	4.86e+00
40	49	80.3	9	1 R99341	HLA binding nonapeptid	1.39e+01
41	48	78.7	308	1 R45431	Diabetogene rad: A typ	1.79e+01
42	48	78.7	308	1 W13869	Rad protein.	1.79e+01
43	48	78.7	925	1 R79148	Human insulin receptor	1.79e+01
44	47	77.0	9	1 Y10629	Peptide antigen SEQ ID	2.47e+01
45	47	77.0	272	1 W44186	Maleate cis-trans isom	2.47e+01

ALIGNMENTS

RESULT 1
 ID W98945 standard; peptide; 9 AA.

AC W98945;
 DT 06-MAY-1999 (first entry)
 DE HLA-A1 binding peptide derived from MAGE-1.
 KW Human leukocyte antigen; HLA: HLA-A2 binding peptide; T cell;
 OS Synthetic.
 OS Homo sapiens.
 PN W09858951-A1.
 PF 30-DEC-1998.
 PD 18-JUN-1998; U12879.
 PR 16-APR-1998; US-061388.
 PR 23-JUN-1997; US-880963.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Carotini J, Romero P, Valmori D;
 DR WFI; 99-10509/09.
 PT New decamer peptides which bind to HLA molecules - useful to
 PT identify HLA-A2 positive cells and provoke T cells
 PS Example 7; Page 18; 45pp; English.
 CC The present invention describes peptides which bind to an HLA-A2
 CC molecule and have Val at the carboxy terminus, and either: (a) Ala, Tyr
 CC or Phe at the amino terminus, and Ala, Leu, or Met at positions 2 and 3, with the
 CC proviso that Ala is not at both positions (P2). The peptides of the
 CC present invention are used to identify HLA-A2 positive cells, provoke
 CC T cells, and determine the presence of particular T cells including
 CC cytolytic T cells (CTLs). They provide a better target than the prior
 CC art CTL-stimulating peptide. The present sequence represents a peptide
 CC used in an example from the present invention.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 2
 ID Y01727 standard; Peptide; 9 AA.

AC Y01727;
 DT 25-JUN-1999 (first entry)
 DE Exemplary antigenic peptide derived from MAGE-1.
 KW MAGE-3; tumour associated gene; human leucocyte antigen Class II;

KW autologous CD4+ cell; MAGE-3 related disease; cancer; melanoma;
 KW osteosarcoma; leukemia; carcinoma.
 OS Homo sapiens.
 PN WO9914326-A1.
 PD 25-MAR-1999.

PF 04-SEP-1998; US18601.
 PR 12-SEP-1997; US-928615.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PA (UVVR-) UNIV VRIJE BRUSSEL.
 PI Boon-Falleur T, Chaux P, Corthals J, Heirman C,
 PI Luiten R, Stroobant V, Thielemans K, Van Der Bruggen P;
 DR WPI; 99-244031/20.
 PT Isolated peptides that bind to human leucocyte antigen class II
 PT molecules

PS Disclosure; Page 27; 88pp; English.
 CC The present sequence represents an exemplary tumour associated peptide
 CC antigen. The specification describes a MAGE-3 tumour associated gene.
 CC peptides (Y01721-25) that bind human leucocyte antigen (HLA) Class II
 CC molecules can be derived from the MAGE-3 protein. These peptides and
 CC autologous CD4+ cells that bind to a complex of MAGE-3 peptide
 CC and HLA Class II, are used to treat MAGE-3 related diseases,
 CC particularly cancers (e.g. melanoma, osteosarcoma, leukemia and
 CC various forms of carcinoma). The peptides are also used to produce
 CC specific antibodies. Detection of the peptides, e.g. in binding
 CC assays, particularly with antibodies, is used for diagnosis of such
 CC diseases.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 3
 ID Y10633 standard; Peptide; 9 AA.

AC Y10633;
 DT 12-MAY-1999 (first entry)
 DE Peptide antigen SEQ ID NO:563.
 KW Cytotoxic T-lymphocyte response; CTL; antigen; lymphatic system;
 KW immunisation; tumour; infectious disease; immunotherapy; cancer;
 KW malignant melanoma; viral disease; hepatitis; AIDS.
 OS Synthetic.

OS Homo sapiens.
 PN WO9902183-A2.
 PD 21-JAN-1999.
 PF 10-JUL-1998; U14289.
 PR 10-DEC-1997; US-988320.
 PR 10-JUL-1997; CA-209815.
 PA (CTL-) CTL IMMUNOTHERAPIES CORP.

PI Kuendig TM, Simard JLL;
 DR WPI; 99-120514/10.
 PT Inducing a cytotoxic T lymphocyte response - by maintaining a level
 PT of antigen in the lymphatic system of a mammal so as to provide a
 PT sustained CTL response, used to treat, e.g. AIDS
 PS Disclosure; Page 52; 199pp; English.

CC The present invention describes a method of inducing and/or sustaining
 CC an immunological cytotoxic T lymphocyte (CTL) response in a mammal. The
 CC method comprises: (a) delivering an antigen to the mammal at a level to
 CC induce an immunological CTL response in the mammal; and (b) maintaining
 CC the level of the antigen in the mammal's lymphatic system to maintain
 CC the immunologic CTL response. The method can be used for the delivery of
 CC e.g. a differentiation antigen, a tumour-specific multilineage antigen,
 CC an embryonic antigen, an oncogene antigen, a mutated tumour-suppressor
 CC gene antigen, or a viral antigen. They can be used for the treatment of
 CC disease such as cancer, e.g. malignant melanoma or infectious disease,
 CC e.g. viral disease such as hepatitis or AIDS. Sustained antigen delivery
 CC to the lymphatic system provides for potent CTL stimulation that takes
 CC place in the milieu of the lymphoid organ, and it sustains stimulation
 CC that is necessary to keep CTL active, cytotoxic and recirculating

CC through the body. Y10071 to Y10639 represent examples of peptide
 CC antigens given in the present invention.

SQ Sequence 9 AA;
 Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 4

ID Y00685 standard; peptide; 9 AA.

AC Y00685;
 DT 12-MAY-1999 (first entry)
 DE Tumour antigen booster peptide MAGE-1 HLA-A1.
 KW Tumour antigen; booster peptide; immune response modulation; allergy;
 KW immune response enhancer; tumour cell; tumour rejection antigen;
 KW leukocyte antigen-presenting molecule; autoimmune disease;
 KW allograft rejection.
 OS Homo sapiens.
 PN WO9858956-A2.
 PD 30-DEC-1998.

PF 19-JUN-1998; U12894.
 PR 23-JUN-1997; US-880579.
 PR (LUDW-) LUDWIG INST CANCER RES.
 PI Boon-Falleur T, Oyttenhove C, Warnier G;
 DR WPI; 99-105612/09.

PT Immunization methods using viruses expressing antigen for priming
 PT and booster immunizations - useful for modulating immune responses
 PT against antigen, e.g. enhancing immune response against tumour cells
 PT expressing tumour rejection antigens
 PS Claim 3; Page 9; 33pp; English.
 CC This sequence represents a tumour antigen booster peptide that can be
 CC used in the method of the invention. The method is for modulating an
 CC immune response in a mammal against an antigen, and comprises:
 CC (A) inducing an immune response by: (i) administering a virus containing
 CC a nucleic acid molecule encoding the antigen or its precursor to generate
 CC an immune response; and (ii) administering at least one booster dose
 CC comprising a peptide including the antigen, in an adjuvant, in a combined
 CC amount effective to enhance the initial immune response; or
 CC (B) reducing an immune response as defined for (A) but using a
 CC non-adjuvant with the peptide which includes the antigen, in an amount
 CC effective to reduce the initial immune response. Method (A) is used to
 CC enhance the immune response against tumour cells expressing human
 CC rejection antigens, and against pathogens in subjects having human
 CC leukocyte antigen-presenting molecules. Method (B) is used to reduce the
 CC immune response in allergy, autoimmune disease, and allograft rejection.
 CC Method (A) provides an immunisation method which, unlike prior art, is
 CC not limited by the host immune response against viral vectors.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 5

ID Y10424 standard; Peptide; 9 AA.

AC Y10424;
 DT 12-MAY-1999 (first entry)
 DE HLA Class I motif peptide SEQ ID NO:354.
 KW Cytotoxic T-lymphocyte response; CTL; antigen; lymphatic system;
 KW immunisation; tumour; infectious disease; immunotherapy; cancer;
 KW malignant melanoma; viral disease; hepatitis; AIDS.
 OS Synthetic.
 OS Homo sapiens.

PN WO9902183-A2.
 PD 21-JAN-1999.
 PF 10-JUL-1998; U14289.
 PR 10-DEC-1997; US-988320.
 PR 10-JUL-1997; CA-209815.
 PA (CTLI-) CTL IMMUNOTHERAPIES CORP.
 PI Kuendig TW, Simard JLL;
 DR WPI: 99-120514/10.
 PT Inducing a cytotoxic T lymphocyte response - by maintaining a level
 PT of antigen in the lymphatic system of a mammal so as to provide a
 PI sustained CTL response, used to treat, e.g. AIDS
 PS Disclosure; Page 39; 1999p; English.
 CC The present invention describes a method of inducing and/or sustaining
 CC an immunological cytotoxic T lymphocyte (CTL) response in a mammal. The
 CC method comprises: (a) delivering an antigen to the mammal at a level to
 CC induce an immunological CTL response in the mammal; and (b) maintaining
 CC the level of the antigen in the mammal's lymphatic system to maintain
 CC the immunologic CTL response. The method can be used for the delivery of
 CC e.g. a differentiation antigen, a tumour-specific multilineage antigen,
 CC an embryonic antigen, an oncogene antigen, a mutated tumour-suppressor
 CC gene antigen, or a viral antigen. They can be used for the treatment of
 CC disease such as cancer, e.g. malignant melanoma or infectious disease,
 CC e.g. viral disease such as hepatitis or AIDS. Sustained antigen delivery
 CC to the lymphatic system provides for potent CTL stimulation that takes
 CC place in the milieu of the lymphoid organ, and it sustains stimulation
 CC that is necessary to keep CTL active, cytotoxic and recirculating
 CC through the body. Y10071 to Y10639 represent examples of peptide
 CC antigens given in the present invention.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 |||||

RESULT 6
 ID Y10623 standard; Peptide; 9 AA.
 AC Y10623;
 DT 12-MAY-1999 (first entry)
 DE Peptide antigen SEQ ID NO:553.
 KW Cytotoxic T-lymphocyte response; CTL; antigen; lymphatic system;
 KW immunisation; tumour; infectious disease; immunotherapy; cancer;
 KW malignant melanoma; viral disease; hepatitis; AIDS.
 OS Synthetic.
 OS Homo sapiens.
 PN WO9902183-A2.
 PD 21-JAN-1999.
 PF 10-JUL-1998; U14289.
 PR 10-DEC-1997; US-988320.
 PR 10-JUL-1997; CA-209815.
 PA (CTLI-) CTL IMMUNOTHERAPIES CORP.
 PI Kuendig TW, Simard JLL;
 DR WPI: 99-120514/10.
 PT Inducing a cytotoxic T lymphocyte response - by maintaining a level
 PT of antigen in the lymphatic system of a mammal so as to provide a
 PI sustained CTL response, used to treat, e.g. AIDS
 PS Disclosure; Page 51; 1999p; English.
 CC The present invention describes a method of inducing and/or sustaining
 CC an immunological cytotoxic T lymphocyte (CTL) response in a mammal. The
 CC method comprises: (a) delivering an antigen to the mammal at a level to
 CC induce an immunological CTL response in the mammal; and (b) maintaining
 CC the level of the antigen in the mammal's lymphatic system to maintain
 CC the immunologic CTL response. The method can be used for the delivery of
 CC e.g. a differentiation antigen, a tumour-specific multilineage antigen,
 CC an embryonic antigen, an oncogene antigen, a mutated tumour-suppressor
 CC gene antigen, or a viral antigen. They can be used for the treatment of
 CC disease such as cancer, e.g. malignant melanoma or infectious disease,
 CC e.g. viral disease such as hepatitis or AIDS. Sustained antigen delivery
 CC to the lymphatic system provides for potent CTL stimulation that takes

CC place in the milieu of the lymphoid organ, and it sustains stimulation
 CC that is necessary to keep CTL active, cytotoxic and recirculating
 CC through the body. Y10071 to Y10639 represent examples of peptide
 CC antigens given in the present invention.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 |||||

RESULT 7
 ID W54622 standard; peptide; 9 AA.
 AC W54622;
 DT 25-SEP-1998 (first entry)
 DE Peptide from Mage-1 161-169.
 KW Mannose; antigen; antigen-presenting cell; mannosylated peptide; T cell;
 KW vaccine; treatment.
 OS Synthetic.
 PN WO9813378-A1.
 PD 02-APR-1998.
 PF 25-SEP-1997; NL0536.
 PR 26-SEP-1996; EP-202701.
 PA (UYLE-) RIJKSUNIV LEIDEN.
 PI Drijfhout JW, Koning F;
 DR WPI: 98-230631/20.
 PT Increasing uptake and presentation of antigen(s) - by adding mannose
 PT residue(s) to antigen for increasing T cell response, useful in,
 PT e.g. vaccines against viral infection(s)
 PS Disclosure; Page 28; 47pp; English.
 CC The peptides W5459-W5480 are examples of peptides to which at least 1
 CC (preferably 2) mannose can be attached to increase their uptake as
 CC antigens by antigen-presenting cells. Uptake of agonist mannosylated
 CC peptides will increase the T cell response, whereas uptake of antagonist
 CC peptides blocks the T cell response. Blocking binding of immunogenic
 CC autoantigens can be used in treatment of type I diabetes, rheumatoid
 CC arthritis, graft rejection etc., also to induce T-cell non-
 CC responsiveness. Vaccines containing mannosylated antigen are used to
 CC prevent or treat infections by, e.g. bacteria, viruses, fungi, helminths
 CC and parasites.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 |||||

RESULT 8
 ID R50281 standard; Protein; 9 AA.
 AC R50281;
 DT 26-SEP-1994 (first entry)
 DE MAGE-1 nonapeptide.
 KW MAGE; nonapeptide; cancer; melanoma; breast cancer; HLA;
 KW histocompatibility; human leucocyte antigen; probe; treatment;
 KW therapy; vaccine.
 OS Synthetic.
 PN WO9405304-A.
 PD 17-MAR-1994.
 PF 30-AUG-1993; U08157.
 PR 31-AUG-1992; US-938334.
 PR 26-MAR-1993; US-037230.
 PR 07-JUN-1993; US-073103.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Boon-falleur T, De Plaen E, Lurquin C, Traversari C;
 PI Van Derbruggen P;

```

DR WPI: 94-100844/12.
DR N-PSDB; Q44751.
PT New nona-peptide derived from tumour rejection antigen precursor
PT - presented by HLA-A1 cancer cells, for use in diagnosis or
PT therapy of esp. melanoma and breast cancer.
PS Disclosure; Page 19; 33pp; English.
CC An isolated nonapeptide having the amino acid sequence Glu-Val-Asp-
CC Pro-Ile-Gly-His-Leu-Tyr is derived from the tumour rejection antigen
CC precursor encoded by the MAGE-3 gene and presented by HLA-A1. The
CC nonapeptide can be used in a vaccine to treat a cancerous condition
CC involving HLA-A1 subtype cancerous cells. The nucleic acid encoding
CC the nonapeptide can be used as a probe to identify tumour cells.
CC This sequence is homologous to the peptide described and is encoded
CC by the MAGE-1 gene.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

RESULT 9
ID R83932 standard; peptide; 9 AA.
AC R83932;
DT 05-JUN-1996 (first entry)
DE MHC class I restricted antigenic peptide #2.
KW MHC class I; antigen; MAGE; melanoma; breast cancer; bladder cancer;
KW Titermax; cytotoxic T-lymphocyte; tumour; pathogenic disease; bacteria;
KW parasite; human; animal.
OS Synthetic.
PN WO9528958-A1.
PD 02-NOV-1995.
PF 21-APR-1995; U04975.
PR 22-APR-1994; US-233496.
PA (SLOK ) SLOAN KETTERING INST CANCER RES.
PI Dyall R, Nikolic-Zugic J;
WPI: 95-382848/49.
PT Cytotoxic T-cell induction by MHC class I-restricted peptide in
PT adjuvant - useful for treating tumours and bacterial or parasitic
PT pathogenic diseases
PS Claim 11; Page 38; 50pp; English.
CC The sequences given in R83931-49 are MHC class I restricted 8-12
CC amino acid antigenic peptides. This peptide is derived from MAGE
CC and is present in melanoma, breast and bladder cancer. These
CC peptides may be administered to a subject in combination with a
CC suitable adjuvant, pref. Titermax (RTM), to induce cytotoxic T-
CC lymphocytes. This method may be used in the treatment of a tumour
CC or a pathogenic disease, esp. diseases of bacterial or parasitic
CC origin, in humans and animals, e.g. monkeys, dogs, cows, horses, etc.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

RESULT 10
ID R29769 standard; peptide; 9 AA.
AC R29769;
DT 22-APR-1993 (first entry)
DE Antigen E peptide.
KW Antigen; tumorigenic cell; A+ B+; T-cell; response; syngeneic;
KW animal; mouse; tumour rejection antigen precursor; TRAP; PIA.
OS Homo sapiens.
PN WO9220356-A.

```

```

PD 26-NOV-1992.
PF 22-MAY-1992; U04354.
PR 23-MAY-1991; US-705702.
PR 09-JUL-1991; US-728838.
PR 23-SEP-1991; US-764364.
PR 12-DEC-1991; US-807043.
PA (LUDW-) LUDWIG INST CANCER RES.
PI Boon T, Chomez P, De Plaen E, Lurquin C, Traversari C;
PI Van Den Eynde B, Van Der Bruggen P, Van Pel A;
DR WPI: 92-415460/50.
PT Nucleic acid mol. encoding a human tumour rejection antigen
PT precursor - useful as an immunostimulant in a vaccine for
PT treating and preventing cancers, also useful in diagnosis
PS Disclosure; Page 97; 142pp; English.
CC This sequence represents the sequence of the antigen E. Antigens such
CC as this one cause a T-cell response to be elicited which transplanted
CC into a syngeneic animal, usually a mouse. This antigen is derived from
CC the cell line MEL3.1. See also Q32351.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

RESULT 11
ID W68371 standard; peptide; 9 AA.
AC W68371;
DT 14-OCT-1998 (first entry)
DE Human MAGE-1 peptide binds HLA-A1.
KW Antigen; major histocompatibility complex; MHC; lymphocyte; detection;
KW immobilisation; cytotoxic T-cell; tumour; leukaemia; lymphoma;
KW viral infection.
OS Synthetic.
OS Homo sapiens.
PN WO9744657-A2.
PD 27-NOV-1997.
PF 21-MAY-1997; F00892.
PR 21-MAY-1996; US-651925.
PA (INRM ) INSERM INST NAT SANTE & RECH MEDICALE.
PA (INSP ) INST PASTEUR.
PI Abastado J, Kourilsky P, Langlade-Demoyen P, Lone Y;
WPI: 98-018653/02.
DR Detection, purification and elimination of antigen-specific
DR lymphocytes - for producing cytotoxic T cells for immuno-therapy of
PT cancers and viral infection
PT Disclosures; Page 30; 222pp; French.
CC Peptides W68301-W68384 are examples of antigens (Ag) which can be loaded
CC onto recombinantly produced major histocompatibility complex (MHC)
CC molecules in a method of detecting antigen-specific lymphocytes. The
CC MHC-antigen complex is then immobilised on a solid support and a sample
CC containing cells recognising the MHC-Ag complex may be isolated. This
CC peptide is derived from the human MAGE-1 protein and binds the human
CC leukocyte antigen A1 (HLA-A1). A similar method is used to isolate,
CC purify or eliminate Ag-specific T-cells or to produce Ag-specific
CC cytotoxic T-cells (CTC). The method is also used to detect and quantify
CC tumour-specific T-cells and to generate CTC for specific killing of
CC tumour cells (solid tumours, leukaemia or lymphoma) by injection into
CC a human or animal, but also for treating viral infections.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

```

```

CC specific peptides W75733 and W75735 were established to have a comparable
CC affinity for the MHC as the tumour antigen, and W75735 was found to be
CC the ideal peptide analog to use due to it also being able to sensitise
CC the target cells to lysis by effector molecules at similar concentrations
CC to those of the antigen M22-E. These peptide analogues can be used in
CC vaccines to induce an immune response for treating conditions in which
CC abnormal HLA/peptide complexes are present on the surface of cells.
CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. NO. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9

RESULT 14
ID W00897 standard; Peptide; 9 AA.
AC W00897:
DT 23-MAY-1997 (first entry)
DE Human melanoma MAGE1 tumour associated antigen p161-169.
KW Adeno-associated virus; vector; liposome; transfection;
KW dendritic cell; melanoma; MAGE1; adoptive immunotherapy;
KW tumour associated antigen.
OS Homo sapiens.
PN W09703703-A1.
PD 06-FEB-1997.
PF 19-JUL-1996; U12012.
PR 21-JUL-1995; US-001312.
PR 01-NOV-1995; US-007184.
PR 01-DEC-1995; US-566286.
PA (RHON ) RHONE POULENC RORER PHARM INC.
PI Lebkowski JS. Philip R;
DR WPI; 97-145208/13.
PT Adeno-associated virus:liposome complexes for transfecting dendritic
PT cells - for inducing immune response, useful for treating e.g.
PT neoplasia or infections
PS Example 5; Page 58; 134pp; English.
CC Tumour associated antigens (W13660-61, W00878-903) can be loaded
CC into dendritic cells and used to induce antitumour immunity.
CC Alternatively, the dendritic cells are transfected with adeno
CC associated virus plasmid DNA (which includes DNA encoding the
CC tumour associated antigen) complexed with cationic liposomes. The
CC antigen loaded or transfected dendritic cells can be used to
CC generate tumour antigen-specific cytotoxic T lymphocytes for use in
CC adoptive immunotherapy in a patient having the corresponding
CC tumour. A suitable antigen comprises amino acids 161-169 (W00897)
CC of human melanoma MAGE1.
CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. NO. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9

RESULT 15
ID W75736 standard; peptide; 9 AA.
AC W75736;
DT 19-NOV-1998 (first entry)
DE Peptidase-resistant peptide 4.
KW Tumour antigen M22-E; T-cell; immunotherapy; cytolytic T-cell; CTL;
KW therapeutic agent; peptidase; M22-E antigen peptide analogue; HLA;
KW human leucocyte antigen; MHC; lysis; vaccine.
OS Synthetic.
PH Key Location/Qualifiers
FT Modified_site 2 /note= "N-Methyl-Alanine"
FT

```


FT Modified_site 8 /note= "N-Methyl-Serine"
 FT W09833511-AL.
 PD 06-AUG-1998.
 PF 19-NOV-1997; U21296.
 PR 05-FEB-1997; US-795733.
 PA (CNRS) CENT NAT RECH SCI.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Ayyoub M, Gairin JF, Mazarguil H, Monsarrat B, Van Den Eynde B;
 DR WPI; 98-437166/37.
 PT Peptidase-resistant peptide(s) that bind to HLA molecules and
 PT related antibodies - particularly for treatment of cancer by
 PT inducing proliferation of cytotoxic T cells
 PS Claim 20; Page 20; 32pp; English.
 CC Sequences W5733-W5736 are peptidase-resistant peptides which are
 CC analogues of the tumour antigen MZ2-E. This antigen is a potential
 CC target for T-cell based immunotherapy and can also be used to stimulate
 CC the antigen-specific CTL, however its use as a therapeutic agent is
 CC limited due to its degradation by peptidase. The MZ2-E antigen peptide
 CC analogues were modified at both peptidase sensitive portions, and were
 CC all shown to exhibit a longer half-life relative to peptidase degradation
 CC as well as the ability to bind a human leukocyte antigen (HLA). The
 CC specific peptides W5733 and W5735 were established to have a comparable
 CC affinity for the MHC as the tumour antigen, and W5735 was found to be
 CC the ideal peptide analog to use due to it also being able to sensitize
 CC the target cells to lysis by effector molecules at similar concentrations
 CC to those of the antigen MZ2-E. These peptide analogues can be used in
 CC vaccines to induce an immune response for treating conditions in which
 CC abnormal HLA/peptide complexes are present on the surface of cells.
 CC Sequence 9 AA;
 SQ

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 16
 ID R82988 standard; Peptide; 9 AA.
 AC R82988;
 DT 26-FEB-1996 (first entry)
 DE P815 antigenic peptide.
 KW P815 antigen; P1A antigen; cancer; vaccine.
 OS Synthetic.
 PN W09523874-AL.
 PD 08-SEP-1995.
 PF 23-FEB-1995; U02203.
 PR 01-MAR-1994; US-204727.
 PR 10-MAR-1994; US-209172.
 PR 01-SEP-1994; US-239849.
 PR 30-NOV-1994; US-346774.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Boon-Falleur T, Brasseur F, Chomez P, De Plaen E;
 PI De Smet C, Gaugler B, Lethe B, Marchand M, Patard J;
 PI Szikora J, Van Den Eynde B, Van Derbruggen P, Weynants P;
 DR WPI; 95-320586/41.
 PT Determn. of cancerous condition(s) - using a nucleic acid as a
 PT primer to determine expression of a MAGE tumour rejection antigen
 PT precursor
 PS Example 13; Page 22; 121pp; English.
 CC Using the sequence of the p815A antigen precursor gene P1A
 CC (701176), an antigenic peptide (R82988) which was A+B+ (i.e.
 CC characteristic of cells which express both A and B antigens) was
 CC produced. The peptide lysed PO.HTR cells in the presence of
 CC cytolytic T lymphocyte cell lines, and may be useful as a vaccine
 CC component.
 CC Sequence 9 AA;
 SQ

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 17
 ID R90692 standard; peptide; 9 AA.
 AC R90692;
 DT 31-JUL-1996 (first entry)
 DE Human leukocyte antigen (HLA-A1) presented peptide MZ2-E.
 KW Human leukocyte antigen; HLA-A1; MAGE-1 derived;
 KW blood mononuclear cell; BMC; CD8-beta+ cell; cytolytic T cell;
 KW CTL cell; treatment; tumour cell; diagnosis; assay;
 KW presented peptide.
 OS Synthetic.
 PN W09535500-AL.
 PD 28-DEC-1995.
 PF 14-JUN-1995; U07559.
 PR 17-JUN-1994; US-261541.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Boon-Falleur T, Coullie P, Van Der Bruggen P;
 DR WPI; 96-058510/06.
 DT Prodn. of specific cytolytic T cell sub-populations - by contacting
 PT blood mononuclear cells with specific peptide(s) and a population of
 PT CD8-beta(+) cells
 PS Claim 5; Page 19; 25pp; English.
 CC The present peptide is the human leukocyte antigen (HLA-A1), MAGE-1
 CC derived presented peptide, MZ2-E. By contacting a sample of blood
 CC mononuclear cells (BMC) with the peptide (which binds directly to
 CC HLA-A1 mols. on the surface of the BMC) and CD8-beta+ cells (which
 CC stimulate peptide/HLA-A1 complex specific cytolytic T (CTL) cell
 CC peptide/HLA-A1 complex specific cytolytic T (CTL) cell
 CC subpopulation can be obtd. . The CTL cells obtd. can be
 CC administered to a patient to treat tumour cell related conditions,
 CC and can be used in diagnostic methods, e.g. in assays for the
 CC peptide/HLA-A1 complex.
 CC Sequence 9 AA;
 SQ

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 18
 ID W56729 standard; peptide; 9 AA.
 AC W56729;
 DT 31-JUL-1998 (first entry)
 DE MAGE-1 antigenic partial peptide sequence (residues 161-169).
 KW MAGE; replication defective; adenovirus; tumour; antigen; cancer;
 KW immunotherapy; tumour rejection antigen precursor; TRAP; CTL;
 KW human leukocyte antigen; HLA; cytolytic T lymphocyte.
 OS Synthetic.
 PN W09815638-A2.
 PD 16-APR-1998.
 PF 06-OCT-1997; U17948.
 PR 06-OCT-1996; US-027891.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Cerrottini J, Jongeneel CV, Reed DS, Rimoldi D,
 PI Romero P;
 DR WPI; 98-240824/21.
 PT New replication-defective adenoviruses - comprise insert encoding
 PT tumour rejection antigen precursor(s), useful for, e.g. cancer
 PT immuno-therapy
 PS Examples; Page 42; 56pp; English.
 CC This is a partial sequence of the MAGE-1 antigenic peptide used in the
 CC methods of the invention. The specification provides a new nucleic acid
 CC molecule comprising a replication-defective adenovirus genome containing

an insert encoding a tumour rejection antigen precursor (TRAP). The replication-defective adenovirus genome is useful as a vector for introducing a TRAP molecule into mammalian (especially human) cells. The recombinant adenovirus is preferably targeted to tumour cells, e.g. by binding a ligand to the virus coat. The TRAP peptides which are generated from the expressed TRAP are presented by human leukocyte antigen (HLA) molecules and as a result cytolytic T lymphocyte (CTL) production is increased (claimed). The CTLs then kill the TRAP-expressing tumour cells. Also, cells transfected by the recombinant adenovirus can be used for assessing the processing of TRAPs, including post-translational modifications. The adenovirus (genome) can be administered by injection, topical application or intracavitarily in 10⁶-1010 pfu doses. The range of TRAP peptides produced by replication-defective adenovirus means that patients with a range of HLA phenotypes can be treated. Also, host cell immune response to TRAPs is enhanced, e.g. by induction of tumour-specific cytolytic T lymphocytes.

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
|||||

Qy 1 EADPTGHSY 9
|||||

RESULT 19

ID R75954 standard; Peptide; 9 AA.
AC R75954;
DT 06-MAR-1996 (first entry)
DE Melanoma antigen (MAGE-1) epitope.
KW MAGE-3; melanoma antigen; vaccine; immune response; immunogenic peptide; cytotoxic T lymphocyte response; CTL; melanoma; breast cancer; antibody.
OS Homo sapiens.
PN W09519783-A1.
PD 27-JUL-1995.
PF 25-JAN-1995; U01000.
PR 25-JAN-1994; US-186266.
FA (CYTE-) CYTEL CORP.
PI Celis E, Grey HM, Kubo RT, Sette A;
DR WPI; 95-269270/35.
PT Immunogenic peptide(s) that induce immune response to cancer cells
PT - that express a MAGE-3 protein peptide epitope used in vaccines or adoptive immunotherapy to induce cytotoxic T lymphocytes
PS Example; Page 33; 44pp; English.
CC R75954 is derived from MAGE-1 protein. It was used to show the specificity of CTL response to MAGE-3 peptides shown in R75942-53.
CC R75942 is derived from the sequence of the melanoma antigen (MAGE-3) protein and can be used to elicit a primary cytotoxic T lymphocyte response against cells expressing MAGE-3. Synthetic peptides R75945-53 can be used therapeutically to elicit CTL responses to melanoma, breast, colon, prostate, or other cells which express proteins with this epitope.
CC The peptides have specific HLA-A1 binding capacity.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
|||||

Qy 1 EADPTGHSY 9
|||||

RESULT 20

ID R99343 standard; Protein; 9 AA.
AC R99343;
DT 22-APR-1997 (first entry)
DE MAGE-1 nonapeptide.
KW HLA binding peptide; cell lysis; cytolytic T cell; MAGE family; human; tumour rejection antigen precursor; TRA; MAGE-1; tumour; cancer cell; antibody; melanoma; universal effector cell; vaccine; breast cancer; CTL;

therapy.
KW Homo sapiens.
OS W09626214-A1.
PN 29-AUG-1996.
PD 01-FEB-1996; U01489.
PF 23-FEB-1995; US-393273.
PR (LUDW-) LUDWIG INST CANCER RES.
PA Boon-Falleur T, De Plaen E, Gaugler B, Lurquin C;
PI Romero P, Traversari C, Van Den Eynde B, Van Der Bruggen P;
DR WPI; 96-402317/40.
N-PSDB; T35408.
PT New nona:peptide(s) that bind to HLA molecule(s) and induce lysis by specific cytolytic T cells, for diagnosis and treatment of tumours and to expand T cells in vitro.
PS Example 4; Fig 4; 41pp; English.
CC R99343-R99350 represent MAGE nonapeptides, based on the tumour rejection antigen region of the full length MAGE sequences. These peptides were used to design the nonapeptides of the invention (see R99337-R99342), which bind to a HLA molecule on a cell, and provoke lysis by cytolytic T cells (CTLs) specific for a complex of the HLA molecule and nonapeptide. The nonapeptides can be used diagnostically to identify tumours expressing a particular HLA molecule, or to identify cancer cells. The peptides can also be used therapeutically, to induce a CTL response to tumours (where the peptides are optionally coupled to tumour-specific antibodies), or to induce a response by CTLs that are otherwise inactive. The peptide sequences may also be used to expand specific CTLs in vitro for later return to the patient, such as for treating melanoma. Tumour cells can be identified by using DNA encoding the nonapeptides as probes. Non-human cells transformed with the HLA-A1 gene and a DNA sequence encoding one of the peptides, can be used to generate CTLs, or to detect the presence of CTLs in human samples. The non-human transformed cells, when polytransformed, are universal effector cells, and can be used in CC vaccines, or for treating melanoma or breast cancer.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 2.32e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
|||||

Qy 1 EADPTGHSY 9
|||||

RESULT 21

ID W78838 standard; peptide; 9 AA.
AC W78838;
DT 17-NOV-1998 (first entry)
DE MAGE-1 protein fragment 161-169.
KW Microparticle delivery; polymeric matrix; autoantigen; tumour antigen; class II associated peptide; pathogen; gene therapy; genetic disease; infection; downregulation; immune response.
OS Homo sapiens.
OS Synthetic.
PN W09831398-A1.
PD 23-JUL-1998.
PF 22-JAN-1998; U01499.
PR 06-JAN-1998; US-003253.
PR 22-JAN-1997; US-787547.
PA (PANG-) PANGAEA PHARM INC.
PI Curley JM, Hedley ML, Langer RS, Lunsford LB;
DR WPI; 98-427556/36.
PT New preparations of microparticles - comprising a synthetic polymer matrix and nucleic acid comprising an expression vector for use in gene therapy
PT Disclosure; Page 10; 101pp; English.
CC A microparticle preparation (MP) has been developed, consisting of microparticles having a diameter of less than 100 mu m. The MP comprises: (a) a polymeric matrix (PM) consisting of one or more synthetic polymers having a solubility in water of less than 1 mg/l; and (b) an expression vector selected from RNA molecules (at least 50% of which are closed circles) or circular plasmid DNA (at least 50% of which are supercoiled). Also described is a MP of at most 20 microns in diameter, comprising: (a)

CC a PM; and (b) a NAM comprising an expression control sequence operatively
 CC linked to a coding sequence, where the coding sequence encodes an
 CC expression product selected from: (1) a polypeptide at least 7 amino
 CC acids in length, having a sequence identical to the sequence of (i) a
 CC fragment of a naturally-occurring mammalian protein; or (ii) a fragment
 CC of a naturally-occurring protein from an infectious agent which infects
 CC a mammal; (2) a peptide having a length and sequence which permits it to
 CC bind to an MHC class I or II molecule; and (3) the polypeptide or the
 CC peptide linked to a trafficking sequence. W69763 to W69765, and W78793
 CC to W78897 are peptide fragments for use in the present invention. The
 CC MPs are highly effective vehicles for the delivery of polynucleotides
 CC into phagocytic cells. They can be used for gene therapy, e.g. for
 CC treating genetic diseases, infections or tumours or for downregulating
 CC an immune response.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 22

ID R65112 standard; peptide; 9 AA.
 AC R65112;
 DT 08-OCT-1995 (first entry)
 DE MAGE 1 immunogenic peptide 161-169.
 KW MAGE 1; immunogenic peptide 161-169; cytotoxic C cells;
 KW in vitro activation; cancer; AIDS; bacterial infections; malaria;
 KW fungal infections; tuberculosis; hepatitis.
 OS Homo sapiens.
 PN W09504817-A.
 PD 16-FEB-1995.
 PF 01-AUG-1994; U08672.
 PR 06-AUG-1993; US-103401.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Kubo R, Seria H, Tsai V, Wentworth P;
 DR WPI: 95-090895/12.
 PT In vitro activation of cytotoxic T cells for selected killing of
 PT target cells - for treating e.g. cancer, AIDS, hepatitis etc. By
 PT incubating them with antigen presenting cells loaded with
 PT appropriate immunogenic peptide
 PS Example 3; Page 35; 53pp; English.
 CC R65109-R65145 are immunogenic peptides, they are used in a new
 CC method for the in vitro activation of cytotoxic T cells (CTC).
 CC This is achieved by incubating the CTCs with antigen presenting
 CC cells loaded with an appropriate immunogenic peptide (e.g. one
 CC of the above peptides). By selecting the peptides used the
 CC following diseases and infections can be treated; cancer, AIDS,
 CC hepatitis, other viral and bacterial infections, malaria and
 CC tuberculosis.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 23

ID R63675 standard; Protein; 9 AA.
 AC R63675;
 DT 22-JUN-1995 (first entry)
 DE Synthetic peptide derived from exon 3.1 of MAGE 1.
 KW Melanoma antigen-1; MAGE-1; cytolytic T cells; antigen E; exon 3.1.
 OS Synthetic.
 PN W09423031-A.

PD 13-OCT-1994.
 PF 17-MAR-1994; U02877.
 PR 26-MAR-1993; US-037230.
 PA (LUDW-) LUDWIG INST CANCER RES.
 FI Boon-falleur I, Gaugier B, Van DEN EYNDE B, Van DER BRUGGEN P;
 DR WPI: 94-333192/41.
 PT New tumour rejection antigen precursor MAGE3 - useful in
 PT treatment and diagnosis of cancer
 PS Example 34; Page 36; 105pp; English.
 CC R63675 is a synthetic peptide derived from exon 3.1 of melanoma
 CC antigen-1 (MAGE-1), it was used to transfer antigen-E cytolytic T
 CC lymphocyte sensitivity to normally non-sensitive cells.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 24

ID R78824 standard; peptide; 9 AA.
 AC R78824;
 DT 26-MAR-1996 (first entry)
 DE MAGE-1 cytotoxic T lymphocyte epitope.
 KW MAGE-1; cytotoxic T; CTL; epitope; helper T; HTL; lymphocyte;
 KW cell; viruses; parasites; tumours; antigens; disease prevention;
 KW treatment.
 OS Homo sapiens.
 PN W09522317-A1.
 PD 24-AUG-1995.
 PF 16-FEB-1995; U02121.
 PR 16-FEB-1994; US-197484.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Chesnut RW, Grey H, Sette AD, Vitello MA;
 DR WPI: 95-302545/39.
 PT Compn. inducing cytotoxic T lymphocyte response to pref. viral,
 PT bacterial, parasitic or tumour antigens - useful in the treatment
 PT and prevention of diseases associated with the antigen e.g.
 PT hepatitis B
 PS Disclosure; Page 17; 109pp; English.
 CC A compn. which induces a cytotoxic T lymphocyte (CTL) response to
 CC an antigen (Ag) in a mammal comprises, a CTL Ag response inducing
 CC peptide (i.e. R78824-R78853) and a lipid conjugated helper T cell
 CC inducing peptide. The compn. induces a CTL response to bacterial,
 CC viral or tumour Ags, and is therefore useful in the treatment and
 CC prevention of diseases associated with the Ag.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 25

ID R65135 standard; peptide; 9 AA.
 AC R65135;
 DT 09-OCT-1995 (first entry)
 DE MAGE 1 immunogenic peptide A01.
 KW MAGE 1; immunogenic peptide A01; cytotoxic C cells;
 KW in vitro activation; cancer; AIDS; bacterial infections; malaria;
 KW fungal infections; tuberculosis; hepatitis.
 OS Homo sapiens.
 PN W09504817-A.
 PD 16-FEB-1995.
 PF 01-AUG-1994; U08672.

PR 06-AUG-1993; US-103401.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Kubo R, Serra H, Tsai V, Wentworth P;
 DR WPI: 95-090895/12.
 PT In vitro activation of cytotoxic T cells for selected killing of
 target cells - for treating e.g. cancer, AIDS, hepatitis etc. by
 incubating them with antigen presenting cells loaded with
 appropriate immunogenic peptide
 PT Example 3; Page 38; 53pp; English.
 PS R65109-R65145 are immunogenic peptides, they are used in a new
 CC method for the in vitro activation of cytotoxic T cells (CTC).
 CC This is achieved by incubating the CTCs with antigen presenting
 CC cells loaded with an appropriate immunogenic peptide (e.g. one
 CC of the above peptides). By selecting the peptides used the
 CC following diseases and infections can be treated; cancer, AIDS,
 CC hepatitis, other viral and bacterial infections, malaria and
 CC tuberculosis.
 CC Sequence 9 AA;
 SQ

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2,32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 |||||

RESULT 26
 ID R49224 standard; Protein: 9 AA.
 AC R49224;
 DT 31-AUG-1994 (first entry)
 DE HLA-A1 MAGE 1 antigen peptide fragment 958.01.
 KW Immunogenic; HLA-A3.2; HLA-A1; binding motif; MHC molecule;
 KW immune response; viral infection; cancer; prostate cancer; lymphoma;
 KW hepatitis; AIDS; antibody; diagnosis; melanoma antigen.
 OS Synthetic.
 PN W09403205-A.
 PD 17-FEB-1994.
 PF 06-AUG-1993; U07421.
 PR 07-AUG-1992; US-926666.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Grey RM, Kubo RT, Sette A;
 DR WPI: 94-065403/08.
 PT Peptide which specifically binds selected MHC allele - used to
 PT induce an immune response for treatment or prevention of viral
 PT infection or cancer, or for diagnosis
 PT Example 16; Page 116; 150pp; English.
 PS The sequences given in R47304-33 and R49201-44 are immunogenic
 CC peptides which have a HLA-A3.2, HLA-A1 or a HLA-A11 binding motif.
 CC These peptides may be used in the composition of the invention.
 CC These peptides are capable of binding selected MHC molecules and
 CC inducing an immune response. They can be used to treat and/or
 CC prevent viral infection and cancer, eg. prostate cancer, lymphoma,
 CC hepatitis or AIDS. They can also be used to produce antibodies for
 CC use as diagnostic or therapeutic agents. The peptides can also be
 CC used as diagnostic agents.
 CC Sequence 9 AA;
 SQ

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2,32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 |||||

RESULT 27
 ID R47330 standard; Protein: 9 AA.
 AC R47330;
 DT 31-AUG-1994 (first entry)

DE HLA-A1 MAGE 1 antigen peptide fragment 161-169.
 KW Immunogenic; HLA-A3.2; HLA-A1; binding motif; MHC molecule;
 KW immune response; viral infection; cancer; prostate cancer; lymphoma;
 KW hepatitis; AIDS; antibody; diagnosis; melanoma antigen.
 OS Synthetic.
 PN W09403205-A.
 PD 17-FEB-1994.
 PF 06-AUG-1993; U07421.
 PR 07-AUG-1992; US-926666.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Grey RM, Kubo RT, Sette A;
 DR WPI: 94-065403/08.
 PT Peptide which specifically binds selected MHC allele - used to
 PT induce an immune response for treatment or prevention of viral
 PT infection or cancer, or for diagnosis
 PT Example 8; Page 52; 150pp; English.
 PS The sequences given in R47304-33 and R49201-44 are immunogenic
 CC peptides which have a HLA-A3.2, HLA-A1 or a HLA-A11 binding motif.
 CC These peptides may be used in the composition of the invention.
 CC These peptides are capable of binding selected MHC molecules and
 CC inducing an immune response. They can be used to treat and/or
 CC prevent viral infection and cancer, eg. prostate cancer, lymphoma,
 CC hepatitis or AIDS. They can also be used to produce antibodies for
 CC use as diagnostic or therapeutic agents. The peptides can also be
 CC used as diagnostic agents.
 CC Sequence 9 AA;
 SQ

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2,32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 |||||

RESULT 28
 ID W23038 standard; Peptide; 10 AA.
 AC W23038;
 DT 25-FEB-1998 (first entry)
 DE MAGE-1/HLA-B44 tumour rejection antigen.
 KW MAGE-1; tumour rejection antigen precursor; TRAP; HLA-B44;
 KW human leukocyte antigen B44; cytotoxic T lymphocyte; cancer;
 KW melanoma; therapy; diagnosis; vaccine.
 OS Homo sapiens.
 PN W09731017-A1.
 PD 28-AUG-1997.
 PF 05-FEB-1997; U01915.
 PR 20-FEB-1996; US-602506.
 PA (LUDW.) LUDWIG INST CANCER RES.
 PI Boon-Falleur T, Coullie P, Herman J, Luescher I;
 PI Van Der Bruggen P;
 DR WPI: 97-435086/40.
 PT Tumour rejection antigens presented by human leukocyte antigen B44
 PT molecules - useful to identify HLA-B44 positive cells for diagnosis
 PT and therapy of cellular abnormalities
 PS Claim 2; Page 49; 74pp; English.
 CC This peptide is a tumour rejection antigen presented by a HLA-B44
 CC molecule and derived from a MAGE-1 tumour rejection antigen
 CC precursor (TRAP). Claimed tumour rejection antigens (W23038-43)
 CC are able to bind to HLA-B44 positive cells, making them useful in
 CC identifying cells which present HLA-B44 molecules on their
 CC surfaces for use in the diagnosis and therapy of cellular
 CC abnormalities. The complex of the tumour rejection antigen and HLA
 CC molecule provokes a cytolytic T cell response. The tumour
 CC rejection antigens, or complexes of tumour rejection antigens and
 CC HLA-B44, can be used as vaccines to treat disorders characterised
 CC by expression of the TRAP molecule such as cancer, especially
 CC melanoma. Vaccines can also be prepared from cells which present
 CC the tumour rejection antigen/HLA complexes on their surface, such
 CC as non-proliferative cancer cells and non-proliferative
 CC transfectants.

```

SQ Sequence 10 AA;
Query Match 100.0%; Score 61; DB 1; Length 10;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 2 EADPTGHSY 10
   |||||
QY 1 EADPTGHSY 9

RESULT 29
ID R80620 standard; Protein; 12 AA.
AC R80620;
DT 28-FEB-1996 (first entry)
DE Immunogenic peptide of tumour rejection antigen (MAGE-1).
KW Tumour rejection antigen; MAGE-1; monoclonal antibody; MAb;
KW diagnosis; immunoassay; cancer; immunogen; antiserum.
OS Homo sapiens.
PN W09520974-A1.
PD 10-AUG-1995.
PF 05-JAN-1995; U00095.
PR 01-FEB-1994; US-190411.
PA (LUDW-) LUDWIG INST CANCER RES.
PA (SLOK) SLOAN KETTERING INST CANCER RES.
PA (SLOK) MEMORIAL SLOAN-KETTERING CANCER CENT.
PI Boon-falleur T, Chen Y, Garin-chesa P, Old LJ, Rettig WJ;
PI Stockert E, Van der bruggen P;
DR WPI; 95-283606/37.
PT New monoclonal antibody binding specifically to MAGE-1 - useful for
PT diagnosis and monitoring of cancer, also new hybridomas, recombinant
PT MAGE-1 and immunogenic peptide(s)
PT Claim 12; Page 20; 33pp; English.
PS A monoclonal antibody directed against the tumour rejection antigen
CC (MAGE-1) can be used to detect MAGE-1 in samples by standard
CC immunocassay methods for diagnosis and monitoring of cancer etc. The
CC monoclonal antibody is designated MA454 and is produced by the
CC hybridoma deposited as ATCC HB11540. The monoclonal antibody is
CC specific for MAGE-1, having no reactivity for MAGE-2 or MAGE-3.
CC Peptide fragments of MAGE-1 (See R80618-20) may be useful as
CC immunogens for production of the monoclonal antibody and antiserum.
SQ Sequence 12 AA;

Query Match 100.0%; Score 61; DB 1; Length 12;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 4 EADPTGHSY 12
   |||||
QY 1 EADPTGHSY 9

RESULT 30
ID R70909 standard; Protein; 309 AA.
AC R70909;
DT 09-OCT-1995 (first entry)
DE Human melanoma antigen MAGE-1.
DE Human melanoma antigen; MAGE-1; vaccines; MAGE associated tumours;
KW HLA-restricted cytotoxic T-lymphocyte activity.
OS Homo sapiens.
PN W09504342-A.
PD 16-FEB-1995.
PF 02-AUG-1994; U08721.
PR 06-AUG-1993; US-103623.
PA (CYTE-) CYTEL CORP.
PA Fikes JD, Livingston BD, Sette AD, Sidney JC;
DR WPI; 95-090681/12.
DR N-PSDB; Q85435.
PT Human melanoma antigen, MAGE-1, peptide(s) - useful for
PT stimulating immune response against melanoma
PS Example 1; Fig 1; 59pp; English.
CC Q85435 encodes R70909 human melanoma antigen MAGE-1, it was used
CC to produce the C-terminal MAGE-1 peptides described in R70915 to

```

```

CC R70969. These peptides are useful for defining epitopes that
CC encounter a HLA-restricted cytotoxic lymphocyte activity against
CC MAGE-1 antigens. Compsns. containing these peptides can be
CC administered, as a vaccine to patients susceptible to MAGE
CC associated tumours, e.g. melanomas.
SQ Sequence 309 AA;

Query Match 100.0%; Score 61; DB 1; Length 309;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 161 EADPTGHSY 169
   |||||
QY 1 EADPTGHSY 9

RESULT 31
ID W81548 standard; Protein; 309 AA.
AC W81548;
DT 01-MAR-1999 (first entry)
DE Tumour rejection antigen precursor MAGE-A1.
KW MAGE-A1; human; tumour rejection antigen precursor; TRAP;
KW therapy; diagnosis.
OS Homo sapiens.
PN W09849184-A1.
PD 05-NOV-1998.
PF 24-APR-1998; U08493.
PR 25-APR-1997; US-845528.
PA (LUDW-) LUDWIG INST CANCER RES.
PI Boon-Falleur T, De Smet C, Lucas S;
DR WPI; 99-024041/02.
DR N-PSDB; V69719.
PT Tumour rejection antigen precursors - used for determining presence
PT of cytolytic T cells specific for complexes of a human leukocyte
PT antigen
PS Disclosure; Page 50-51; 84pp; English.
CC This is the amino acid sequence of human tumour rejection antigen
CC precursor (TRAP) MAGE-A1. MAGE-A1 cDNA (see V69719) shows homology
CC to novel human MAGE-C1 cDNA (see V69720). MAGE-C1 (see W81546) is a
CC novel member of the MAGE family that may be recognised by cytotoxic
CC T cells, leading to lysis of the tumour cells which express it. It
CC is expressed in a variety of tumours and in normal testis cells,
CC but not by other normal cells. The invention provides MAGE-C1 and
CC MAGE-C2 nucleic acids and polypeptides, useful e.g. in a claimed
CC method for determining the presence of cytolytic T cells specific
CC for complexes of a human leukocyte antigen (HLA).
SQ Sequence 309 AA;

Query Match 100.0%; Score 61; DB 1; Length 309;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 161 EADPTGHSY 169
   |||||
QY 1 EADPTGHSY 9

Search completed: Wed Sep 13 07:14:24 2000
Job time : 7 secs.

```

 W P S R E H
 (TM)

Release 3.1A John F. Collins, Biocomputing Research Unit.
 Copyright (c) 1993-1998 University of Edinburgh, U.K.
 Distribution rights by Oxford Molecular Ltd

MPsrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Tue Sep 12 13:23:01 2000; Maspar time 5.52 Seconds
 76.943 Million cell updates/sec
 Tabular output not generated.

Title: >US-08-819-669E-26
 Description: (1-9) from US08819669E.pep
 Perfect Score: 61
 Sequence: 1 EADPTGHSY 9

Scoring table:
 PAM 150
 Gap 15

Searched: 142080 seqs, 47172406 residues

Post-processing: Minimum Match 0%
 Listing first 1000 summaries
 Maximum DB seq length 9

Database: pir64
 1:pir1 2:pir2 3:pir3 4:pir4
 Statistics: Mean 20.662; Variance 21.178; scale 0.976

Pred. No. is the number of results predicted by chance to have a
 score greater than or equal to the score of the result being printed,
 and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB ID	Description	Pred. No.
1	46	75.4	9	2	PH1299 MAGE 5 protein - huma	1.79e+00

Note: Post-processor removed 999 summaries from list due to search parameters chosen.

ALIGNMENTS

RESULT 1
 ENTRY PH1299 #type fragment
 TITLE MAGE 5 protein - human (fragment)
 ALTERNATE_NAMES MAGE 51 protein
 ORGANISM #formal_name Homo sapiens #common_name man
 DATE 30-Sep-1993 #sequence_revision 30-Sep-1993 #text_change 03-Aug-1998
 ACCESSIONS PH1299; PH1300
 REFERENCE PH1294
 #authors Traversari, C.; van der Bruggen, P.; Luescher, I.F.; Larquin, C.; Chomez, P.; Van Pel, A.; De Plaen, E.; Amar-Costesec, A.; Boon, T.
 #journal J. Exp. Med. (1992) 176:1453-1457
 #title A nonapeptide encoded by human gene MAGE-1 is recognized on HLA-A1 by cytolytic T lymphocytes directed against tumor

antigen M22-E.
 #cross-references MUID:93018875
 #accession PH1299
 #molecule_type DNA
 #residues 1-9 #label TRA
 #accession PH1300
 #molecule_type DNA
 #residues 1-9 #label TR2
 SUMMARY #length 9 #checksum 3660
 Query Match 75.4%; Score 46; DB 2; Length 9;
 Best Local Similarity 66.7%; Pred. No. 1.79e+00;
 Matches 6; Conservative 3; Mismatches 0; Indels 0; Gaps 0;
 Db 1 EADPTSNY 9
 QY 1 EADPTGHSY 9

Search completed: Tue Sep 12 13:23:48 2000
 Job time : 47 secs.

W P E R L H (TM)

Release 3.1A John F. Collins, Biocomputing Research Unit.
Copyright (C) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

Mpsrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Tue Sep 12 13:20:57 2000; MasPar time 3.60 Seconds
77.389 Million cell updates/sec

Tabular output not generated.

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pep
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
Gap 15

Searched: 85661 seqs, 30989116 residues

Post-processing: Minimum Match 0%
Listing first 1000 summaries
Maximum DB seq length 9

Database: swiss-prot38
1:swissprot

Statistics: Mean 21.172; Variance 19.906; scale 1.064

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result	Query	%	No.	Score	Match	Length	DB	ID	Description	Pred. No.
--------	-------	---	-----	-------	-------	--------	----	----	-------------	-----------

No matches found.

Search completed: Tue Sep 12 13:21:37 2000
Job time : 40 secs.

MPSRCH (TM)

Release 3.1A John F. Collins, Biocomputing Research Unit.
Copyright (c) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

MPSrch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Tue Sep 12 13:21:54 2000; MasPar time 8.64 Seconds
Tabular output not generated. 72.251 Million cell updates/sec

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pep
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table: PAM 150
Gap 15

Searched: 225878 seqs, 69334122 residues

Post-processing: Minimum Match 0%
Listing first 1000 summaries
Maximum DB seq length 9

Database: sptrembl12
1:sp-archaea 2:sp-bacteria 3:sp-fungi 4:sp-human
5:sp-invertebrate 6:sp-mammal 7:sp-mhc 8:sp-organelle
9:sp-phage 10:sp-plant 11:sp-rodent 12:sp-unclassified
13:sp-vertebrate 14:sp-virus

Statistics: Mean 20.592; Variance 19.613; scale 1.050


Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Match	Length	DB ID	Description	Pred. No.
------------	-------------	--------	-------	-------------	-----------

No matches found.

Search completed: Tue Sep 12 13:22:44 2000
Job time : 50 secs.



Release 3.1A John F. Collins, BioComputing Research Unit.
Copyright (c) 1993-1998 University of Edinburgh, U.K.
Distribution rights by Oxford Molecular Ltd

MParch_pp protein - protein database search, using Smith-Waterman algorithm

Run on: Wed Sep 13 06:32:58 2000; MasPar time 3.59 Seconds
Tabular output not generated. 59.387 Million cell updates/sec

Title: >US-08-819-669E-26
Description: (1-9) from US08819669E.pep
Perfect Score: 61
Sequence: 1 EADPTGHSY 9

Scoring table:
PAM 150
Gap 15

Searched: 188963 seqs, 23686106 residues

Post-processing: Minimum Match 0%
Listing first 1000 summaries
Maximum DB seq length 9

Database: a-geneseq36
1:geneseqp

Statistics: Mean 15.425; Variance 35.537; scale 0.434

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description	Pred. No.
1	61	100.0	9	1 W98945	HLA-A1 binding peptide	2.32e-01
2	61	100.0	9	1 Y01727	Exemplary antigenic pe	2.32e-01
3	61	100.0	9	1 Y10633	Peptide antigen SEQ ID	2.32e-01
4	61	100.0	9	1 Y00885	Tumour antigen booster	2.32e-01
5	61	100.0	9	1 Y10424	HLA Class I motif pep	2.32e-01
6	61	100.0	9	1 Y10623	Peptide antigen SEQ ID	2.32e-01
7	61	100.0	9	1 W54622	Peptide from Mage-1 16	2.32e-01
8	61	100.0	9	1 R50281	MAGE-1 nonapeptide.	2.32e-01
9	61	100.0	9	1 R83932	MHC class I restricted	2.32e-01
10	61	100.0	9	1 R29769	Antigen E peptide	2.32e-01
11	61	100.0	9	1 W68371	Human MAGE-1 peptide b	2.32e-01
12	61	100.0	9	1 W7125	gp75/TRP-1 synthetic p	2.32e-01
13	61	100.0	9	1 W57534	Peptidase-resistant pe	2.32e-01
14	61	100.0	9	1 W00897	Human melanoma MAGE1 t	2.32e-01
15	61	100.0	9	1 W75736	Peptidase-resistant pe	2.32e-01
16	61	100.0	9	1 R82988	P615 antigenic peptide	2.32e-01
17	61	100.0	9	1 R90692	Human leukocyte antige	2.32e-01
18	61	100.0	9	1 W56729	MAGE-1 antigenic parti	2.32e-01
19	61	100.0	9	1 R75954	Melanoma antigen (MAGE	2.32e-01
20	61	100.0	9	1 R99343	MAGE-1 nonapeptide.	2.32e-01
21	61	100.0	9	1 W78838	MAGE-1 protein fragmen	2.32e-01
22	61	100.0	9	1 R65112	MAGE 1 Immunogenic pep	2.32e-01

23	61	100.0	9	1 R63675	Synthetic peptide deri	2.32e-01
24	61	100.0	9	1 R78824	MAGE-1 cytotoxic T lym	2.32e-01
25	61	100.0	9	1 R65135	MAGE 1 immunogenic pep	2.32e-01
26	61	100.0	9	1 R92224	HLA-A1 MAGE 1 antigen	2.32e-01
27	61	100.0	9	1 R47330	HLA-A1 MAGE 1 antigen	2.32e-01
28	59	96.7	9	1 R99342	HLA binding nonapeptid	4.62e-01
29	58	95.1	9	1 R99339	HLA binding nonapeptid	6.49e-01
30	57	93.4	9	1 W75733	Peptidase-resistant pe	9.12e-01
31	57	93.4	9	1 W75735	Peptidase-resistant pe	9.12e-01
32	55	90.2	9	1 R99337	HLA binding nonapeptid	1.79e-01
33	55	90.2	9	1 R99340	HLA binding nonapeptid	1.79e-01
34	54	88.5	9	1 R99338	HLA binding nonapeptid	2.50e-01
35	52	85.2	9	1 Y10628	Peptide antigen SEQ ID	4.86e-01
36	49	80.3	9	1 R99341	HLA binding nonapeptid	1.30e-01
37	47	77.0	9	1 Y10629	Peptide antigen SEQ ID	2.47e-01
38	46	75.4	9	1 Y10604	Peptide antigen SEQ ID	3.40e-01
39	46	75.4	9	1 R50288	MAGE-51 nonapeptide.	3.40e-01
40	46	75.4	9	1 Y10605	Peptide antigen SEQ ID	3.40e-01
41	46	75.4	9	1 R50287	MAGE-5 nonapeptide.	3.40e-01
42	46	75.4	9	1 R99349	MAGE-5/MAGE-51 nonapep	3.40e-01
43	46	75.4	9	1 R99350	MAGE-6 nonapeptide.	3.40e-01
44	46	75.4	9	1 R50289	MAGE-6 nonapeptide.	3.40e-01
45	43	70.5	9	1 Y00687	Tumour antigen booster	8.72e-01
46	43	70.5	9	1 Y01729	Exemplary antigenic pe	8.72e-01
47	43	70.5	9	1 Y10627	Peptide antigen SEQ ID	8.72e-01
48	43	70.5	9	1 R99346	MAGE-3 nonapeptide.	8.72e-01
49	43	70.5	9	1 R50284	MAGE-3 nonapeptide.	8.72e-01
50	43	70.5	9	1 W7127	MAGE-1 synthetic pepti	8.72e-01
51	43	70.5	9	1 R65118	MAGE 3 immunogenic pep	8.72e-01
52	43	70.5	9	1 W78840	MAGE-3 protein fragmen	8.72e-01
53	43	70.5	9	1 Y10427	HLA Class I motif pep	8.72e-01
54	43	70.5	9	1 W98942	MAGE-3 TRAP 168-176.	8.72e-01
55	43	70.5	9	1 Y10621	Peptide antigen SEQ ID	8.72e-01
56	43	70.5	9	1 R75942	Melanoma antigen (MAGE	8.72e-01
57	43	70.5	9	1 W68374	Human MAGE-3 peptide b	8.72e-01
58	43	70.5	9	1 R83931	MHC class I restricted	8.72e-01
59	43	70.5	9	1 W54606	Peptide 1 from Mage-3.	8.72e-01
60	43	70.5	9	1 R49222	HLA-A1 MAGE 3 antigen	8.72e-01
61	42	68.9	9	1 R99348	MAGE-41 nonapeptide.	1.19e-01
62	42	68.9	9	1 Y10603	Peptide antigen SEQ ID	1.19e-01
63	42	68.9	9	1 R50286	MAGE-41 nonapeptide.	1.19e-01
64	39	63.9	9	1 R99347	MAGE-4 nonapeptide.	2.95e-01
65	39	63.9	9	1 Y10602	Peptide antigen SEQ ID	2.95e-01
66	39	63.9	9	1 R50285	MAGE-4 nonapeptide.	2.95e-01
67	36	59.0	9	1 Y10625	Peptide antigen SEQ ID	7.11e-01
68	36	59.0	9	1 Y10626	Peptide antigen SEQ ID	7.11e-01

Note: Post-processor removed 932 summaries from list due to search parameters chosen.

ALIGNMENTS

RESULT 1	
ID W98945	standard; peptide; 9 AA.
AC W98945	
DT 06-MAY-1999	(first entry)
DE HLA-A1 binding peptide derived from MAGE-1.	
KW Human leukocyte antigen; HLA; HLA-A2 binding peptide; T cell;	
KW cytolytic T cell; Ctrl.	
OS Synthetic.	
OS Homo sapiens.	
PN W09858951-A1.	
PD 30-DEC-1998.	
PF 18-JUN-1998; U12879.	
PR 16-APR-1998; US-061388.	
PR 23-JUN-1997; US-880963.	
PA (LUDW-) LUDWIG INST CANCER RES.	
PI Cerottini J, Romero P, Valmori D;	
DR WPI, 99-105609/09.	
PT New decamer peptides which bind to HLA molecules - useful to	
PT identify HLA-A2 positive cells and provoke T cells	
PS Example 7; Page 18; 45pp; English.	
CC The present invention describes peptides which bind to an HLA-A2	

CC molecule and have Val at the carboxy terminus, and either: (a) Ala, Tyr
 CC or Phe at the amino terminus, and Ala at position 2 (P1); or (b) Glu at
 CC the amino terminus, and Ala, Leu, or Met at positions 2 and 3, with the
 CC proviso that Ala is not at both positions (P2). The peptides of the
 CC present invention are used to identify HLA-A2 positive cells, provoke
 CC T cells, and determine the presence of particular T cells including
 CC cytolytic T cells (CTLs). They provide a better target than the prior
 CC art CTL-stimulating peptide. The present sequence represents a peptide
 CC used in an example from the present invention.
 SQ Sequence 9 AA;

-Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 2

ID Y01727 standard; Peptide; 9 AA.

AC Y01727;

DT 25-JUN-1999 (first entry)

DE Exemplary antigenic peptide derived from MAGE-1.

KW MAGE-3; tumour associated gene; human leucocyte antigen Class II;

KW autologous CD4+ cell; MAGE-3 related disease; cancer; melanoma;

KW osteosarcoma; leukemia; carcinoma.

OS Homo sapiens.

PN WO9914326-A1.

PF 25-MAR-1999.

PD 04-SEP-1998; U18601.

PR 12-SEP-1997; US-928615.

PA (LUDW-) LUDWIG INST CANCER RES.

PA (UYVR-) UNIV VRIJE BRUSSEL.

PI Boon-Falleur T, Chau P, Corthals J, Heirman C,

PI Luiten R, Stroobant V, Thielemans K, Van Der Bruggen P;

DR WPI: 99-244031/20.

PT Isolated peptides that bind to human leucocyte antigen class II

PT molecules

PS Disclosure; Page 27; 88pp; English.

CC The present sequence represents an exemplary tumour associated peptide

CC antigen. The specification describes a MAGE-3 tumour associated gene.

CC Peptides (Y01721-25) that bind human leucocyte antigen (HLA) Class II

CC molecules can be derived from the MAGE-3 protein. These peptides and

CC autologous CD4+ cells that bind to a complex of MAGE-3 peptide

CC and HLA Class II, are used to treat MAGE-3 related diseases,

CC particularly cancers (e.g. melanoma, osteosarcoma, leukemia and

CC various forms of carcinoma). The peptides are also used to produce

CC specific antibodies. Detection of the peptides, e.g. in binding

CC assays, particularly with antibodies, is used for diagnosis of such

CC diseases.

SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 3

ID Y10633 standard; Peptide; 9 AA.

AC Y10633;

DT 12-MAY-1999 (first entry)

DE Peptide antigen SEQ ID NO:563.

KW Cytotoxic T-lymphocyte response; CTL; antigen; lymphatic system;

KW immunisation; tumour; infectious disease; immunotherapy; cancer;

KW malignant melanoma; viral disease; hepatitis; AIDS.

OS Synthetic.

OS Homo sapiens.

PN WO9902183-A2.

PD 21-JAN-1999.

PF 10-JUL-1998; U14289.

PR 10-DEC-1997; US-988320.

PR 10-JUL-1997; CA-209815.

PA (CTLI-) CTL IMMUNOTHERAPIES CORP.

PI Kuendig TM, Simard JLL;

DR WPI: 99-120514/10.

PT Inducing a cytotoxic T lymphocyte response - by maintaining a level

PT of antigen in the lymphatic system of a mammal so as to provide a

PT sustained CTL response, used to treat, e.g. AIDS

PS Disclosure; Page 52; 199pp; English.

CC The present invention describes a method of inducing and/or sustaining

CC an immunological cytotoxic T lymphocyte (CTL) response in a mammal. The

CC method comprises: (a) delivering an antigen to the mammal at a level

CC induce an immunological CTL response in the mammal; and (b) maintaining

CC the level of the antigen in the mammal's lymphatic system to maintain

CC the immunologic CTL response. The method can be used for the delivery of

CC e.g. a differentiation antigen, a tumour-specific multiligand antigen,

CC an embryonic antigen, an oncogene antigen, a mutated tumour-suppresso

CC gene antigen, or a viral antigen. They can be used for the treatment of

CC disease such as cancer, e.g. malignant melanoma or infectious disease

CC e.g. viral disease such as hepatitis or AIDS. Sustained antigen delivery

CC to the lymphatic system provides for potent CTL stimulation that takes

CC place in the milieu of the lymphoid organ, and it sustains stimulating

CC that is necessary to keep CTL active, cytotoxic and recirculating

CC through the body. Y10071 to Y10639 represent examples of peptide

CC antigens given in the present invention.

SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 2.32e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 4

ID Y00685 standard; peptide; 9 AA.

AC Y00685;

DT 12-MAY-1999 (first entry)

DE Tumour antigen booster peptide MAGE-1 HLA-A1.

KW Tumour antigen; booster peptide; immune response modulation; allergy;

KW immune response enhancer; tumour cell; tumour rejection antigen;

KW leukocyte antigen-presenting molecule; autoimmune disease;

KW allograft rejection.

OS Homo sapiens.

PN WO9858956-A2.

PD 30-DEC-1998.

PF 19-JUN-1998; U12894.

PR 23-JUN-1997; US-880979.

PA (LUDW-) LUDWIG INST CANCER RES.

PA Boon-Falleur T, Uyttenhove C, Warnier G;

DR WPI: 99-105612/09.

PT Immunization methods using viruses expressing antigen for priming

PT and booster immunizations - useful for modulating immune responses

PT against antigen, e.g. enhancing immune response against tumour cells

PT expressing tumour rejection antigens

PS Claim 3; Page 9; 33pp; English.

CC This sequence represents a tumour antigen booster peptide that can be

CC used in the method of the invention. The method is for modulating an

CC immune response in a mammal against an antigen, and comprises:

CC (A) inducing an immune response by: (i) administering a virus contain

CC a nucleic acid molecule encoding the antigen or its precursor to gene

CC an immune response; and (ii) administering at least one booster dose

CC comprising a peptide including the antigen, in an adjuvant, in a combin

CC amount effective to enhance the initial immune response; or

CC (B) reducing an immune response as defined for (A) but using a

CC non-adjuvant with the peptide which includes the antigen, in an amou

CC effective to reduce the initial immune response. Method (A) is used t

CC enhance the immune response against tumour cells expressing tumour

CC rejection antigens, and against pathogens in subjects having human
 CC leukocyte antigen-presenting molecules. Method (B) is used to reduce the
 CC immune response in allergy, autoimmune disease, and allograft rejection.
 CC Method (A) provides an immunisation method which, unlike prior art, is
 CC not limited by the host immune response against viral vectors.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 5

ID Y10424 standard; Peptide; 9 AA.
 AC Y10424; 1999 (first entry)
 DE HLA class I motif peptide SEQ ID NO:354.
 DT Cytotoxic T-lymphocyte response; CTL; antigen; lymphatic system;
 KW immunisation; tumour; infectious disease; immunotherapy; cancer;
 KW malignant melanoma; viral disease; hepatitis; AIDS.
 OS Synthetic.
 OS Homo sapiens.
 PN WO9902183-A2.
 PD 21-JAN-1999.
 PF 10-JUL-1998; U14289.
 PR 10-DEC-1997; US-988320.
 PR 10-JUL-1997; CA-209815.
 PA (CTL-) CTL IMMUNOTHERAPIES CORP.
 PI Kuendig TM, Simard JLL;
 DR WPI; 99-120514/10.
 PT Inducing a cytotoxic T lymphocyte response - by maintaining a level
 of antigen in the lymphatic system of a mammal so as to provide a
 sustained CTL response, used to treat, e.g. AIDS
 PS Disclosure; Page 39; 1999p; English.
 CC The present invention describes a method of inducing and/or sustaining
 an immunological cytotoxic T lymphocyte (CTL) response in a mammal. The
 method comprises: (a) delivering an antigen to the mammal at a level to
 induce an immunological CTL response in the mammal; and (b) maintaining
 the level of the antigen in the mammal's lymphatic system to maintain
 the immunologic CTL response. The method can be used for the delivery of
 e.g. a differentiation antigen, a tumour-specific multilineage antigen,
 an embryonic antigen, an oncogene antigen, a mutated tumour-suppressor
 gene antigen, or a viral antigen. They can be used for the treatment of
 disease such as cancer, e.g. malignant melanoma or infectious disease,
 e.g. viral disease such as hepatitis or AIDS. Sustained antigen delivery
 to the lymphatic system provides for potent CTL stimulation that takes
 place in the milieu of the lymphoid organ, and it sustains stimulating
 that is necessary to keep CTL active, cytotoxic and recirculating
 through the body. Y10071 to Y10639 represent examples of peptide
 antigens given in the present invention.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 6

ID Y10623 standard; Peptide; 9 AA.
 AC Y10623;
 DE 12-MAY-1999 (first entry)
 DT Peptide antigen SEQ ID NO:553.
 KW Cytotoxic T-lymphocyte response; CTL; antigen; lymphatic system;
 KW immunisation; tumour; infectious disease; immunotherapy; cancer;
 KW malignant melanoma; viral disease; hepatitis; AIDS.

OS Synthetic.
 OS Homo sapiens.
 PN WO9902183-A2.
 PD 21-JAN-1999.
 PF 10-JUL-1998; U14289.
 PR 10-DEC-1997; US-988320.
 PR 10-JUL-1997; CA-209815.
 PA (CTL-) CTL IMMUNOTHERAPIES CORP.
 PI Kuendig TM, Simard JLL;
 DR WPI; 99-120514/10.

PT Inducing a cytotoxic T lymphocyte response - by maintaining a level
 of antigen in the lymphatic system of a mammal so as to provide a
 sustained CTL response, used to treat, e.g. AIDS
 PS Disclosure; Page 51; 1999p; English.
 CC The present invention describes a method of inducing and/or sustaining
 an immunological cytotoxic T lymphocyte (CTL) response in a mammal. The
 method comprises: (a) delivering an antigen to the mammal at a level to
 induce an immunological CTL response in the mammal; and (b) maintaining
 the level of the antigen in the mammal's lymphatic system to maintain
 the immunologic CTL response. The method can be used for the delivery of
 e.g. a differentiation antigen, a tumour-specific multilineage antigen,
 an embryonic antigen, an oncogene antigen, a mutated tumour-suppressor
 gene antigen, or a viral antigen. They can be used for the treatment of
 disease such as cancer, e.g. malignant melanoma or infectious disease,
 e.g. viral disease such as hepatitis or AIDS. Sustained antigen delivery
 to the lymphatic system provides for potent CTL stimulation that takes
 place in the milieu of the lymphoid organ, and it sustains stimulating
 that is necessary to keep CTL active, cytotoxic and recirculating
 through the body. Y10071 to Y10639 represent examples of peptide
 antigens given in the present invention.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9

RESULT 7

ID W54622 standard; peptide; 9 AA.
 AC W54622;
 DT 25-SEP-1998 (first entry)
 DE Peptide from Mage-1 151-169.
 KW Mannose; antigen; antigen-presenting cell; mannosylated peptide; T cell;
 KW vaccine; treatment.
 OS Synthetic.
 PN WO9813378-A1.
 PD 02-APR-1998.
 PF 25-SEP-1997; N10536.
 PR 26-SEP-1996; EP-202701.
 PA (OYLE-) RIJKSUNIV LEIDEN.
 PI Drijfhout JW, Konig F;
 DR WPI; 98-230631/20.

PT Increasing uptake and presentation of antigen(s) - by adding mannose
 residue(s) to antigen for increasing T cell response, useful in,
 PT e.g. vaccines against viral infection(s)
 PS Disclosure; Page 28; 47pp; English.
 CC The peptides W5459-W54809 are examples of peptides to which at least
 (preferably 2) mannose can be attached to increase their uptake as
 antigens by antigen-presenting cells. Uptake of agonist mannosylated
 peptides will increase the T cell response, whereas uptake of antagonist
 peptides blocks the T cell response. Blocking binding of immunogenic
 autoantigens can be used in treatment of type I diabetes, rheumatoid
 arthritis, graft rejection etc., also to induce T-cell non-
 responsiveness. Vaccines containing mannosylated antigen are used to
 prevent or treat infections by, e.g. bacteria, viruses, fungi, helminths
 and parasites.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 2.32e-01; Mismatches 0; Indels 0; Gaps 0;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 8
 ID R50281 standard; Protein; 9 AA.
 AC R50281;
 DT 26-SEP-1994 (first entry)
 DE MAGE-1 nonapeptide.
 KW MAGE; nonapeptide; cancer; melanoma; breast cancer; HLA;
 KW histocompatibility; human leucocyte antigen; probe; treatment;
 OS Synthetic.
 PN WO9405304-A.
 PD 17-MAR-1994.
 PF 30-AUG-1993; U08157.
 PR 31-AUG-1993; US-938334.
 PR 26-MAR-1993; US-037230.
 PR 07-JUN-1993; US-073103.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Boon-falleur T, De Plaen E, Lurquin C, Traversari C;
 PI Van Derbruggen P;
 DR WPI; 94-100844/12.
 DR N-PSDB; Q44751.
 PT New nona-peptide derived from tumour rejection antigen precursor
 PT - presented by HLA-A1 cancer cells, for use in diagnosis or
 PT therapy of esp. melanoma and breast cancer.
 PS Disclosure; Page 19; 35pp; English.
 CC An isolated nonapeptide having the amino acid sequence Glu-Val-Asp-
 CC Pro-Ile-Gly-His-Leu-Tyr is derived from the tumour rejection antigen
 CC precursor encoded by the MAGE-3 gene and presented by HLA-A1. The
 CC nonapeptide can be used in a vaccine to treat a cancerous condition
 CC involving HLA-A1 subtype cancerous cells. The nucleic acid encoding
 CC the nonapeptide can be used as a probe to identify tumour cells.
 CC This sequence is homologous to the peptide described and is encoded
 CC by the MAGE-1 gene.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 9
 ID R83932 standard; peptide; 9 AA.
 AC R83932;
 DT 05-JUN-1996 (first entry)
 DE MHC class I restricted antigenic peptide #2.
 KW MHC class I; antigen; MAGE; melanoma; breast cancer; bladder cancer;
 KW Titermax; cytotoxic T-lymphocyte; tumour; pathogenic disease; bacteria;
 KW parasite; human; animal.
 OS Synthetic.
 PN WO9528958-A1.
 PD 02-NOV-1995.
 PF 21-APR-1995; U04975.
 PR 22-APR-1994; US-233496.
 PA (SLOK) SLOAN KETTERING INST CANCER RES.
 PI Dyll R, Nikolic-Zugic J;
 DR WPI; 95-382848/49.
 PT Cytotoxic T-cell induction by MHC class I-restricted peptide in
 PT adjuvant - useful for treating tumours and bacterial or parasitic
 PT pathogenic diseases
 PS Claim 11; Page 38; 50pp; English.
 CC The sequences given in R83931-49 are MHC class I restricted 8-12
 CC amino acid antigenic peptides. This peptide is derived from MAGE

CC and is present in melanoma, breast and bladder cancer. These
 CC peptides may be administered to a subject in combination with a
 CC suitable adjuvant, pref. Titermax (RTM), to induce cytotoxic T-
 CC lymphocytes. This method may be used in the treatment of a tumour
 CC or a pathogenic disease, esp. diseases of bacterial or parasitic
 CC origin, in humans and animals, e.g monkeys, dogs cows, horses, etc.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 10
 ID R29769 standard; Peptide; 9 AA.
 AC R29769;
 DT 22-APR-1993 (first entry)
 DE Antigen E peptide.
 KW Antigen; tumorigenic cell; A+ B+; T-cell; response; syngeneic;
 KW animal; mouse; tumour rejection antigen precursor; TRAP; PIA.
 OS Homo sapiens.
 PN WO9220356-A.
 PD 26-NOV-1992.
 PF 22-MAY-1992; U04354.
 PR 23-MAY-1991; US-705702.
 PR 09-JUL-1991; US-728838.
 PR 23-SEP-1991; US-764364.
 PR 12-DEC-1991; US-807043.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Boon T, Chomez P, De Plaen E, Lurquin C, Traversari C;
 PI Van Den Eynde B, Van Der Bruggen P, Van Pel A;
 DR WPI; 92-415460/50.
 PT Nucleic acid mol. encoding a human tumour rejection antigen
 PT precursor - useful as an immunostimulant in a vaccine for
 PT treating and preventing cancers, also useful in diagnosis
 PS Disclosure; Page 97; 142pp; English.
 CC This sequence represents the sequence of the antigen E. Antigens suc
 CC as this one cause a T-cell response to be elicited which transplanted
 CC into a syngeneic animal, usually a mouse. This antigen is derived fr
 CC the cell line MEL3.1. See also Q32351.
 CC Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 QY 1 EADPTGHSY 9

RESULT 11
 ID W68371 standard; peptide; 9 AA.
 AC W68371;
 DT 14-OCT-1998 (first entry)
 DE Human MAGE-1 peptide binds HLA-A1.
 KW Antigen; major histocompatibility complex; MHC; lymphocyte; detection
 KW immobilisation; cytotoxic T-cell; tumour; leukaemia; lymphoma;
 KW viral infection.
 OS Synthetic.
 OS Homo sapiens.
 PN WO9744667-A2.
 PD 27-NOV-1997.
 PF 21-MAY-1997; U00892.
 PR 21-MAY-1996; US-651925.
 PA (INRM) INERM INST NAT SANTE & RECH MEDICALE.
 PA (INSP) INST PASTEUR.
 PI Abastado J, Kourilsky P, Langlade-Demoyen P, Lone Y;
 DR WPI; 98-018653/02.

PT Detection, purification and elimination of antigen-specific
 PT lymphocytes - for producing cytotoxic T cells for immuno-therapy of
 PT cancers and viral infection
 PS Disclosure; Page 30; 22pp; French.
 CC Peptides W68301-W68384 are examples of antigens (Ag) which can be loaded
 CC onto recombinantly produced major histocompatibility complex (MHC)
 CC molecules in a method of detecting antigen-specific lymphocytes. The
 CC MHC-antigen complex is then immobilised on a solid support and a sample
 CC containing cells recognising the MHC-Ag complex may be isolated. This
 CC peptide is derived from the human MAGE-1 protein and binds the human
 CC leucocyte antigen A1 (HLA-A1). A similar method is used to isolate,
 CC purify or eliminate Ag-specific T-cells or to produce Ag-specific
 CC cytotoxic T-cells (CTL). The method is also used to detect and quantify
 CC tumour-specific T-cells and to generate CTL for specific killing of
 CC tumour cells (solid tumours, leukaemia or lymphoma) by injection into
 CC a human or animal, but also for treating viral infections.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||

Qy 1 EADPTGHSY 9
 |||||

RESULT 12

ID W77125 standard; peptide; 9 AA.

AC W77125;

DT 16-NOV-1998 (first entry)

DE gp75/TRP-1 synthetic peptide epitope 1.

KW Tyrosinase; tyrosinase cytotoxic lymphocyte response;

KW cytotoxic T lymphocyte; cysteine-depleted; melanoma.

OS Synthetic.

PN W09833810-A2.

PD 06-AUG-1998.

PF 29-JAN-1998; U01592.

PR 30-JAN-1997; US-037781.

PA (UYVI-) UNIV VIRGINIA PATENT FOUND.

PI Engelhard VH, Hunt DF, Kittlesen D, Slingluff CL;

DR WPI; 98-437388/37.

PT Disease specific immunogen - comprises disease specific cytotoxic T

PT lymphocyte epitope used to elicit melanoma specific CTL response

PS Disclosure; Page 27; 93pp; English.

CC Cytotoxic T lymphocyte response. These peptides are for human tumour-specific

CC depleted mutants of a native disease-specific CTL epitope. The cysteine-

CC depleted CTL epitopes elicit a stronger or more specific CTL response

CC than the native epitope. The epitopes can be used in a disease-specific

CC immunogen to protect a mammal against disease in particular melanomas.

CC The peptides may also be used to screen a sample for the presence of

CC an antigen with the same epitope, or with a different cross-reactive

CC epitope.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||

Qy 1 EADPTGHSY 9
 |||||

RESULT 13

ID W75734 standard; peptide; 9 AA.

AC W75734;

DT 19-NOV-1998 (first entry)

DE Peptidase-resistant peptide 2.

KW Tumour antigen M22-E; T-cell; immuno-therapy; cytolytic T-cell; CTL;

KW therapeutic agent; peptidase; M22-E antigen peptide analogue; HLA;

KW human leucocyte antigen; MHC; lysis; vaccine.

OS Synthetic.
 FH Key Location/Qualifiers
 FT Misc_difference 2 /note= "D-form residue"
 FT Misc_difference 8 /note= "D-form residue"
 FT W09833511-A1.
 PN 06-AUG-1998.
 PD 19-NOV-1997; U21296.
 PF 03-FEB-1997; US-795733.
 PR (CNRS) CENT NAT RECH SCI.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Ayyoub M, Gairin JE, Mazarguil H, Monsarrat B, Van Den Eynde B;
 DR WPI; 98-437166/37.
 PT Peptidase-resistant peptide(s) that bind to HLA molecules and
 PT related antibodies, particularly for treatment of cancer by
 PT inducing proliferation of cytotoxic T cells
 PS Claim 20; Page 20; 32pp; English.
 CC Sequences W75733-W75736 are peptidase-resistant peptides which are
 CC analogues of the tumour antigen M22-E. This antigen is a potential
 CC target for T-cell based immunotherapy and can also be used to stimulate
 CC the antigen-specific CTL, however its use as a therapeutic agent is
 CC limited due to its degradation by peptidase. The M22-E antigen peptide
 CC analogues were modified at both peptidase sensitive portions, and were
 CC all shown to exhibit a longer half-life relative to peptidase degradation
 CC as well as the ability to bind a human leucocyte antigen (HLA). The
 CC affinity for the MHC as the tumour antigen, and W75735 was found to be
 CC the ideal peptide analog to use due to it also being able to sensitize
 CC the target cells to lysis by effector molecules at similar concentrations
 CC to those of the antigen M22-E. These peptide analogues can be used in
 CC vaccines to induce an immune response for treating conditions in which
 CC abnormal HLA/peptide complexes are present on the surface of cells.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||

Qy 1 EADPTGHSY 9
 |||||

RESULT 14

ID W00897 standard; Peptide; 9 AA.

AC W00897;

DT 23-MAY-1997 (first entry)

DE Human melanoma MAGE1 tumour associated antigen p161-169.

KW Adeno-associated virus; vector; liposome; transfection;

KW dendritic cell; melanoma; MAGE1; adoptive immunotherapy;

KW tumour associated antigen.

OS Homo sapiens.

PN W09703703-A1.

PD 06-FEB-1997.

PF 19-JUL-1996; U12012.

PR 21-JUL-1995; US-001312.

PR 01-NOV-1995; US-007184.

PR 01-DEC-1995; US-566286.

PA (RHON) RHONE-POULENC RORER PHARM INC.

PI Lebkowski JS, Philip R;

DR WPI; 97-145208/13.

PT Adeno-associated virus:liposome complexes for transfecting dendritic

PT cells - for inducing immune response, useful for treating e.g.

PT neoplasia or infections

PS Example 5; Page 58; 134pp; English.

CC Tumour associated antigens (W13660-61, W00878-903) can be loaded

CC into dendritic cells and used to induce antitumour immunity.

CC Alternatively, the dendritic cells are transfected with adeno

CC associated virus plasmid DNA (which includes DNA encoding the

CC tumour associated antigen) complexed with cationic liposomes. The

CC antigen loaded or transfected dendritic cells can be used to

CC generate tumour antigen-specific cytotoxic T lymphocytes for use in

CC adoptive immunotherapy in a patient having the corresponding
 CC tumour. A suitable antigen comprises amino acids 161-169 (W00897)
 CC of human melanoma MAGE1.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 15

ID W75736 standard; peptide; 9 AA.
 AC W75736;
 DT 19-NOV-1998 (first entry)
 DE Peptidase-resistant peptide 4.
 KW Tumour antigen M22-E; T-cell; immunotherapy; cytolytic T-cell; CTL;
 KW therapeutic agent; peptidase; M22-E antigen peptide analogue; HLA;
 KW human leukocyte antigen; MHC; lysis; vaccine.
 OS Synthetic.
 FH Key Location/Qualifiers
 FT Modified_site 2 /note= "N-Methyl-Alanine"
 FT Modified_site 8 /note= "N-Methyl-Serine"
 FT Modified_site 9 /note= "N-Methyl-Serine"
 PN W09833511-Al.
 PD 06-AUG-1998.
 PF 19-NOV-1997; U21296.
 PR 05-FEB-1997; US-795733.
 PA (CNRS) CENT NAT RECH SCI.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Ayyoub M, Gairin JE, Mazarguil H, Monsarrat B, Van Den Eynde B;
 DR WPI; 98-437166/37.
 DT Peptidase-resistant peptide(s) that bind to HLA molecules and
 PT related antibodies - particularly for treatment of cancer by
 PT inducing proliferation of cytotoxic T cells
 PS Claim 20; Page 20; 32pp; English.
 CC Sequences W75733-W75736 are peptidase-resistant peptides which are
 CC analogues of the tumour antigen M22-E. This antigen is a potential
 CC target for T-cell based immunotherapy and can also be used to stimulate
 CC the antigen-specific CTL, however its use as a therapeutic agent is
 CC limited due to its degradation by peptidase. The M22-E antigen peptide
 CC analogues were modified at both peptidase sensitive portions, and were
 CC all shown to exhibit a longer half-life relative to peptidase degradation
 CC as well as the ability to bind a human leukocyte antigen (HLA). The
 CC specific peptides W75733 and W75735 were established to have a comparable
 CC affinity for the MHC as the tumour antigen, and W75735 was found to be
 CC the ideal peptide analog to use due to it also being able to sensitize
 CC the target cells to lysis by effector molecules at similar concentrations
 CC to those of the antigen M22-E. These peptide analogues can be used in
 CC vaccines to induce an immune response for treating conditions in which
 CC abnormal HLA/peptide complexes are present on the surface of cells.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 16

ID R82988 standard; Peptide; 9 AA.
 AC R82988;
 DT 26-FEB-1996 (first entry)
 DE P815 antigenic peptide.
 KW P815 antigen; P1A antigen; cancer; vaccine.
 OS Synthetic.

PN W09523874-Al.

PD 08-SEP-1995.

PF 23-FEB-1995; U02203.

PR 01-MAR-1994; US-204727.

PR 10-MAR-1994; US-209172.

PR 01-SEP-1994; US-239849.

PR 30-NOV-1994; US-346774.

PA (LUDW-) LUDWIG INST CANCER RES.

PI Boon-Falleur T, Brasseur F, Chomez P, De Plaen E;

PI De Smet C, Gaugler B, Lethe B, Marchand M, Pataud J;

PI Szikora J, Van Den Eynde B, Van Der Bruggen P, Weynants P;

DR WPI; 95-320586/41.

PT Determin. of cancerous condition(s) - using a nucleic acid as a

PT primer to determine expression of a MAGE tumour rejection antigen

PT precursor

PS Example 13; Page 22; 121pp; English.

CC Using the sequence of the P815A antigen precursor gene P1A

CC (T01176), an antigenic peptide (R82988) which was A+B+ (i.e.

CC characteristic of cells which express both A and B antigens) was

CC produced. The peptide lysed PO.HTR cells in the presence of

CC cytolytic T lymphocyte cell lines, and may be useful as a vaccine

CC component. 9 AA;

SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 2.32e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 17

ID R00692 standard; peptide; 9 AA.

AC R00692;

DT 31-JUL-1996 (first entry)

DE Human leukocyte antigen (HLA-A1) presented peptide M22-E.

KW Human leukocyte antigen; HLA-A1; MAGE-1 derived;

KW blood mononuclear cell; BMC; CD8-beta+ cell; cytolytic T cell;

KW CTL cell; treatment; tumour cell; diagnosis; assay;

KW presented peptide.

OS Synthetic.

PN W09533500-Al.

PD 28-DEC-1995.

PF 14-JUN-1995; U07559.

PR 17-JUN-1994; US-261541.

PA (LUDW-) LUDWIG INST CANCER RES.

PI Boon-Falleur T, Coullie P, Van Der Bruggen P;

DR WPI; 96-058510/06.

PT Prod. of specific cytolytic T cell sub-populations - by contacting of

PT blood mononuclear cells with specific peptide(s) and a population of

PT CD8-beta(+) cells

PS Claim 5; Page 19; 25pp; English.

CC The present peptide is the human leukocyte antigen (HLA-A1), MAGE-1

CC derived presented peptide, M22-E. By contacting a sample of blood

CC mononuclear cells (BMC) with the peptide (which binds directly to

CC HLA-A1 mols. on the surface of the BMC) and CD8-beta+ cells (which

CC stimulate peptide/HLA-A1 complex specific CD8-beta+ cells), a

CC peptide/HLA-A1 complex specific cytolytic T (CTL) cell

CC subpopulation can be obt'd. The CTL cells obt'd. can be

CC administered to a patient to treat tumour cell related conditions,

CC and can be used in diagnostic methods, e.g. in assays for the

CC peptide/HLA-A1 complex.

SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;

Best Local Similarity 100.0%; Pred. No. 2.32e-01;

Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9

QY 1 EADPTGHSY 9

RESULT 18
 ID W56729 standard; peptide; 9 AA.
 AC W56729;
 DT 31-JUL-1998 (first entry)
 DE MAGE-1 antigenic partial peptide sequence (residues 161-169).
 KW MAGE; replication defective; adenovirus; tumour; antigen; cancer;
 KW immunotherapy; tumour rejection antigen precursor; TRAP; CTL;
 KW human leukocyte antigen; HLA; cytolytic T lymphocyte.
 OS Synthetic.
 PN WO9815638-A2.
 PD 16-APR-1998.
 PF 06-OCT-1997; U17948.
 PR 06-OCT-1996; US-027891.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Cerrottiini J, Jongeneel CV, Reed DS, Rimoldi D,
 PI Romero P;
 DR WPI: 98-240824/21.
 PT New replication-defective adenoviruses - comprise insert encoding
 PT tumour rejection antigen precursor(s), useful for, e.g. cancer
 PT immuno-therapy
 PS Examples; Page 42; 56pp; English.
 CC This is a partial sequence of the MAGE-1 antigenic peptide used in the
 CC methods of the invention. The specification provides a new nucleic acid
 CC molecule comprising a replication-defective adenovirus genome containing
 CC an insert encoding a tumour rejection antigen precursor (TRAP). The
 CC replication-defective adenovirus genome is useful as a vector for
 CC introducing a TRAP molecule into mammalian (especially human) cells. The
 CC recombinant adenovirus is preferably targeted to tumour cells, e.g. by
 CC binding a ligand to the virus coat. The TRAP peptides which are generated
 CC from the expressed TRAP are presented by human leukocyte antigen (HLA)
 CC molecules and as a result cytolytic T lymphocyte (CTL) production is
 CC increased (claimed). The CTL's then kill the TRAP-expressing tumour
 CC cells. Also, cells transfected by the recombinant adenovirus can be used
 CC for assessing the processing of TRAPs, including post-translational
 CC modifications. The adenovirus (genome) can be administered by injection,
 CC of TRAP peptides produced by replication-defective adenovirus means that
 CC patients with a range of HLA phenotypes can be treated. Also, host cell
 CC immune response to TRAP is enhanced, e.g. by induction of tumour-
 CC specific cytolytic T lymphocytes.
 SQ Sequence 9 AA;
 Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 RESULT 19
 ID R75954 standard; Peptide; 9 AA.
 AC R75954;
 DT 06-MAR-1996 (first entry)
 DE Melanoma antigen (MAGE-1) epitope.
 KW MAGE-3; melanoma antigen; vaccine; immune response; immunogenic peptide;
 KW cytotoxic T lymphocyte response; CTL; melanoma; breast cancer; antibody.
 OS Homo sapiens.
 PN WO9519783-A1.
 PD 27-JUL-1995.
 PF 25-JAN-1995; U01000.
 PR 25-JAN-1994; US-186266.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Grey HM, Kubo RT, Sette A;
 DR WPI: 95-269270/35.
 PT Immunogenic peptide(s) that induce immune response to cancer cells
 PT - that express a MAGE-3 protein peptide epitope used in vaccines or
 PT adoptive immuno-therapy to induce cytotoxic T lymphocytes
 PS Example; Page 33; 44pp; English.
 CC R75954 is derived from MAGE-1 protein. It was used to show the

CC specificity of CTL response to MAGE-3 peptides shown in R75942-53.
 CC R75942 is derived from the sequence of the melanoma antigen (MAGE-3)
 CC protein and can be used to elicit a primary cytotoxic T lymphocyte
 CC response against cells expressing MAGE-3. Synthetic peptides R75945-5
 CC can be used therapeutically to elicit CTL responses to melanoma, breast
 CC colon, prostate, or other cells which express proteins with this epitope.
 CC The peptides have specific HLA-A1 binding capacity.
 SQ Sequence 9 AA;
 Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 RESULT 20
 ID R99343 standard; Protein; 9 AA.
 AC R99343;
 DT 22-APR-1997 (first entry)
 DE MAGE-1 nonapeptide.
 KW HLA binding peptide; cell lysis; cytolytic T cell; MAGE family; human
 KW tumour rejection antigen precursor; TRA; MAGE-1; tumour; cancer cell;
 KW antibody; melanoma; universal effector cell; vaccine; breast cancer; CTL;
 KW therapy.
 OS Homo sapiens.
 PN WO9626214-A1.
 PD 29-AUG-1996.
 PR 01-FEB-1996; U01489.
 PR 23-FEB-1995; US-395273.
 PA (LUDW-) LUDWIG INST CANCER RES.
 PI Boon-Failleu T, De Plaen E, Gaugler B, Lurquin C;
 PI Romero P, Traversari C, Van Den Eynde B, Van Der Bruggen P;
 DR WPI: 96-402317/40.
 DR N-PSDB: T35408.
 PT New nona-peptide(s) that bind to HLA molecule(s) and induce lysis
 PT by specific cytolytic T cells, for diagnosis and treatment of
 PT tumours and to expand T cells in vitro.
 PS Example 4; Fig 4; 41pp; English.
 CC R99343-R99350 represent MAGE nonapeptides, based on the tumour rejection
 CC antigen region of the full length MAGE sequences. These peptides were
 CC used to design the nonapeptides of the invention (see R99337-R99342).
 CC cells (CTLs) specific for a complex of the HLA molecule and nonapeptide.
 CC The nonapeptides can be used diagnostically to identify tumours
 CC expressing a particular HLA molecule, or to identify cancer cells. The
 CC peptides can also be used therapeutically, to induce a CTL response to
 CC tumours (where the peptides are optionally coupled to tumour-specific
 CC antibodies), or to induce a response by CTLs that are otherwise inactive.
 CC The peptide sequences may also be used to expand specific CTLs in vitro
 CC for later return to the patient, such as for treating melanoma. Tumour
 CC cells can be identified by using DNA encoding the nonapeptides as probes.
 CC Non-human cells transformed with the HLA-A1 gene and a DNA sequence
 CC encoding one of the peptides, can be used to generate CTLs, or to detect
 CC the presence of CTLs in human samples. The non-human transformed cells,
 CC when polytransformed, are universal effector cells, and can be used in
 CC vaccines, or for treating melanoma or breast cancer.
 SQ Sequence 9 AA;
 Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Db 1 EADPTGHSY 9
 QY 1 EADPTGHSY 9
 RESULT 21
 ID W78838 standard; peptide; 9 AA.
 AC W78838;

DT 17-NOV-1998 (first entry)
DE MAGE-1 protein fragment 161-169.
KW Microparticle; delivery; polymeric matrix; autoantigen; tumour antigen;
KW class II associated peptide; pathogen; gene therapy; genetic disease;
KW infection; downregulation; immune response.
OS Homo sapiens.
OS Synthetic.
PN WO9831398-A1.
PD 23-JUL-1998.
PF 22-JAN-1998; U01499.
PR 06-JAN-1998; US-003253.
PR 22-JAN-1997; US-787547.
PA (PANG-) PANGAEA PHARM INC.
PI Curley JM, Hedley ML, Langer RS, Lunsford LB;
DR WPI; 98-42758/36.
PT New preparations of microparticles - comprising a synthetic polymer
PT matrix and nucleic acid comprising an expression vector for use in
PT gene therapy
PS Disclosure: Page 10; 101pp; English.
CC A microparticle preparation (MP) has been developed, consisting of
CC microparticles having a diameter of less than 100 nm. The MP comprises:
CC (a) a polymeric matrix (PM) consisting of one or more synthetic polymers
CC having a solubility in water of less than 1 mg/l; and (b) an expression
CC vector selected from RNA molecules (at least 50% of which are closed
CC circles) or circular plasmid DNA (at least 50% of which are supercoiled).
CC Also described is a MP of at most 20 microns in diameter, comprising: (a)
CC a PM; and (b) a NAM comprising an expression control sequence operatively
CC linked to a coding sequence, where the coding sequence encodes an
CC expression product selected from: (i) a polypeptide at least 7 amino
CC acids in length, having a sequence identical to the sequence of: (i) a
CC fragment of a naturally-occurring mammalian protein; or (ii) a fragment
CC of a naturally-occurring protein from an infectious agent which infects
CC a mammal; (2) a peptide having a length and sequence which permits it to
CC bind to an MHC class I or II molecule; and (3) the polypeptide or the
CC peptide linked to a trafficking sequence. W69763 to W69765, and W78793
CC to W78897 are peptide fragments for use in the present invention. The
CC MPs are highly effective vehicles for the delivery of polynucleotides
CC into phagocytic cells. They can be used for gene therapy, e.g. for
CC treating genetic diseases, infections or tumours or for downregulating
CC an immune response.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

RESULT 22
ID R65112 standard; peptide; 9 AA.
AC R65112;
DT 06-OCT-1995 (first entry)
DE MAGE 1; immunogenic peptide 161-169.
KW MAGE 1; immunogenic peptide 161-169; cytotoxic C cells;
KW in vitro activation; cancer; AIDS; bacterial infections; malaria;
KW fungal infections; tuberculosis; hepatitis.
OS Homo sapiens.
PN WO9504817-A.
PD 16-FEB-1995.
PF 01-AUG-1994; U08672.
PR 06-AUG-1993; US-103401.
PA (CYTE-) CYTEL CORP.
PI Cells E, Kubo R, Serra H, Tsai V, Wentworth P;
DR WPI; 95-090895/12.
PT In vitro activation of cytotoxic T cells for selected killing of
PT target cells - for treating e.g. cancer, AIDS, hepatitis etc. by
PT incubating them with antigen presenting cells loaded with
PT appropriate immunogenic peptide
PS Example 3; Page 35; 53pp; English.
CC R65109-R65145 are immunogenic peptides, they are used in a new

CC method for the in vitro activation of cytotoxic T cells (CTC).
CC This is achieved by incubating the CTCs with antigen presenting
CC cells loaded with an appropriate immunogenic peptide (e.g. one
CC of the above peptides). By selecting the peptides used the
CC following diseases and infections can be treated; cancer, AIDS,
CC hepatitis, other viral and bacterial infections, malaria and
CC tuberculosis.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

RESULT 23
ID R63675 standard; Protein; 9 AA.
AC R63675;
DT 22-JUN-1995 (first entry)
DE Synthetic peptide derived from exon 3.1 of MAGE 1.
KW Melanoma antigen-1; MAGE-1; cytolytic T cells; antigen E; exon 3.1.
OS Synthetic.
PN WO9423031-A.
PD 13-OCT-1994.
PF 17-MAR-1994; U02877.
PR 26-MAR-1993; US-037230.
PA (LUDW-) LUDWIG INST CANCER RES.
PI Boon-Ralleur T, Gaugler B, Van DEN EYNDE B, Van DER BRUGGEN P;
DR WPI; 94-33192/41.
PT New tumour rejection antigen precursor MAGE3 - useful in
PT treatment and diagnosis of cancer
PS Example 34; Page 36; 105pp; English.
CC R63675 is a synthetic peptide derived from exon 3.1 of melanoma
CC antigen-1 (MAGE-1), it was used to transfer antigen-E cytolytic T
CC lymphocyte sensitivity to normally non-sensitive cells.
SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
Best Local Similarity 100.0%; Pred. No. 2.32e-01;
Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
QY 1 EADPTGHSY 9
|||||

RESULT 24
ID R78824 standard; peptide; 9 AA.
AC R78824;
DT 26-MAR-1996 (first entry)
DE MAGE-1 cytotoxic T lymphocyte epitope.
KW MAGE-1; cytotoxic T; CTL; epitope; helper T; HTL; lymphocyte;
KW cell; viruses; parasites; tumours; antigens; disease prevention;
KW treatment.
OS Homo sapiens.
PN WO9522317-A1.
PD 24-AUG-1995.
PF 16-FEB-1995; U02121.
PR 16-FEB-1994; US-197484.
PA (CYTE-) CYTEL CORP.
PI Cells E, Chesnut RW, Grey H, Sette AD, Vitello MA;
DR WPI; 95-302545/39.
PT Compn. inducing cytotoxic T lymphocyte response to pref. viral,
PT bacterial, parasitic or tumour antigens - useful in the treatment
PT and prevention of diseases associated with the antigen e.g.
PT hepatitis B
PS Disclosure; Page 17; 109pp; English.
CC A compsn. which induces a cytotoxic T lymphocyte (CTL) response to
CC an antigen (Ag) in a mammal comprises, a CTL Ag response inducing
CC peptide (i.e. R78824-R78853) and a lipid conjugated helper T cell

CC inducing peptide. The compsn. induces a CTL response to bacterial,
 CC viral or tumour Ags, and is therefore useful in the treatment and
 CC prevention of diseases associated with the Ag.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 Qy 1 EADPTGHSY 9

RESULT 25
 ID R65135 standard; peptide: 9 AA.

AC R65135;
 DT 09-OCT-1995 (first entry)
 DE MAGE 1; immunogenic peptide A01.
 KW MAGE 1; immunogenic peptide A01; cytotoxic C cells;
 KW in vitro activation; cancer; AIDS; bacterial infections; malaria;
 KW fungal infections; tuberculosis; hepatitis.
 OS Homo sapiens.
 PN W09504817-A.
 PD 16-FEB-1993.
 PF 01-AUG-1994; U08672.
 PR 06-AUG-1993; US-103401.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Kubo R, Serra H, Tsai V, Wentworth P;
 DR WPI; 95-090895/12.
 PT In vitro activation of cytotoxic T cells for selected killing of
 PT target cells - for treating e.g. cancer, AIDS, hepatitis etc.by
 PT incubating them with antigen presenting cells loaded with
 PT appropriate immunogenic peptide
 PT Example 3; Page 36; 33pp; English.
 CC R65109-R65145 are immunogenic peptides, they are used in a new
 CC method for the in vitro activation of cytotoxic T cells (CTC).
 CC This is achieved by incubating the CTCs with antigen presenting
 CC cells loaded with an appropriate immunogenic peptide (e.g. one
 CC of the above peptides). By selecting the peptides used the
 CC following diseases and infections can be treated; cancer, AIDS,
 CC hepatitis, other viral and bacterial infections, malaria and
 CC tuberculosis.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 Qy 1 EADPTGHSY 9

RESULT 26
 ID R49224 standard; Protein: 9 AA.

AC R49224;
 DT 31-AUG-1994 (first entry)
 DE HLA-A1 MAGE 1 antigen peptide fragment 958.01.
 KW Immunogenic; HLA-A3.2; HLA-A1; binding motif; MHC molecule;
 KW immune response; viral infection; cancer; prostate cancer; lymphoma;
 KW hepatitis; AIDS; antibody; diagnosis; melanoma antigen.
 OS Synthetic.
 PN W09403205-A.
 PD 17-FEB-1994.
 PF 06-AUG-1993; U07421.
 PR 07-AUG-1992; US-926666.
 PR 05-MAR-1993; US-027746.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Grey HM, Kubo RT, Sette A;
 DR WPI; 94-065403/08.
 PT Peptide which specifically binds selected MHC allele - used to
 PT induce an immune response for treatment or prevention of viral

PT infection or cancer, or for diagnosis
 PS Example 16; Page 116; 150pp; English.
 CC The sequences given in R47304-33 and R49201-44 are immunogenic
 CC peptides which have a HLA-A3.2, HLA-A1 or a HLA-A11 binding motif.
 CC These peptides may be used in the composition of the invention.
 CC These peptides are capable of binding selected MHC molecules and
 CC inducing an immune response. They can be used to treat and/or
 CC prevent viral infection and cancer, eg. prostate cancer, lymphoma,
 CC hepatitis or AIDS. They can also be used to produce antibodies for
 CC use as diagnostic or therapeutic agents. The peptides can also be
 CC used as diagnostic agents.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 Qy 1 EADPTGHSY 9

RESULT 27
 ID R47330 standard; Protein: 9 AA.

AC R47330;
 DT 31-AUG-1994 (first entry)
 DE HLA-A1 MAGE 1 antigen peptide fragment 161-169.
 KW Immunogenic; HLA-A3.2; HLA-A1; binding motif; MHC molecule;
 KW immune response; viral infection; cancer; prostate cancer; lymphoma;
 KW hepatitis; AIDS; antibody; diagnosis; melanoma antigen.
 OS Synthetic.
 PN W09403205-A.
 PD 17-FEB-1994.
 PF 06-AUG-1993; U07421.
 PR 07-AUG-1992; US-926666.
 PR 05-MAR-1993; US-027746.
 PA (CYTE-) CYTEL CORP.
 PI Celis E, Grey HM, Kubo RT, Sette A;
 DR WPI; 94-065403/08.
 PT Peptide which specifically binds selected MHC allele - used to
 PT induce an immune response for treatment or prevention of viral
 PT infection or cancer, or for diagnosis
 PS Example 8; Page 52; 150pp; English.
 CC The sequences given in R47304-33 and R49201-44 are immunogenic
 CC peptides which have a HLA-A3.2, HLA-A1 or a HLA-A11 binding motif.
 CC These peptides may be used in the composition of the invention.
 CC These peptides are capable of binding selected MHC molecules and
 CC inducing an immune response. They can be used to treat and/or
 CC prevent viral infection and cancer, eg. prostate cancer, lymphoma,
 CC hepatitis or AIDS. They can also be used to produce antibodies for
 CC use as diagnostic or therapeutic agents. The peptides can also be
 CC used as diagnostic agents.
 SQ Sequence 9 AA;

Query Match 100.0%; Score 61; DB 1; Length 9;
 Best Local Similarity 100.0%; Pred. No. 2.32e-01;
 Matches 9; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Db 1 EADPTGHSY 9
 |||||
 Qy 1 EADPTGHSY 9

Search completed: Wed Sep 13 06:33:38 2000
 Job time : 40 secs.